


# PŘÍLOHA Č. 1 (TABULKA PLOCH)



kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
<b>Lokalita 01 – Historické jádro</b>								
01/001S	O	0,26	17/21	–	s	–		
01/002S	P	1,62	–	–	–	–		
01/003S	B	1,38	17/21	–	m	–		
01/004S	B	1,83	17/21	–	m	–		
01/005S	P	1,1	–	–	–	–		
01/006S	D	1,65	–	–	–	–		
01/007S	B	0,35	17/21	–	m	–		
01/008S	O	0,52	17/21	–	m	–		
01/009S	B	0,45	17/21	–	m	–		
01/010S	B	1,71	17/21	–	m	–		
01/011S	B	0,68	17/21	–	m	–		
01/012S	D	2,66	–	–	–	–		US-91
01/013S	B	2,22	17/21	–	m	–		
01/014S	B	0,18	17/21	–	s	–		
01/015P	B	0,97	17/21	do 50 %	b	0 %		US-52
01/016S	B	0,35	17/21	–	m	–		
01/017S	P	2,44	–	–	–	–		
01/018S	B	0,5	17/21	–	m	–		
01/019S	B	0,44	17/21	–	m	–		
01/020S	O	0,83	17/21	–	m	–		
01/021S	R	<del>6,69</del> 6,79	5/7	–	s	–		zeleň parková
01/022S	B	0,47	17/21	–	m	–		
01/023S	B	0,23	17/21	–	m	–		
01/024S	B	0,87	17/21	–	m	–		
01/025S	O	0,16	17/21	–	m	–		
01/026S	P	1,21	–	–	–	–		
01/027S	B	1,25	17/21	–	m	–		
01/028S	P	0,74	–	–	–	–		
01/029S	O	1,14	17/21	–	m	–		
01/030S	B	0,19	17/21	–	m	–		
01/031S	O	0,31	17/21	–	m	–		
01/032S	B	1,33	17/21	–	m	–		
01/033S	B	0,54	17/21	–	m	–		
01/034S	B	0,89	17/21	–	m	–		
01/035S	P	0,99	–	–	–	–		
01/036S	B	0,57	17/21	–	m	–		
01/037S	O	0,2	17/21	–	m	–		
01/038S	B	0,23	17/21	–	m	–		
01/039S	B	1,07	17/21	–	m	–		
01/040S	O	0,18	17/21	–	m	–		
01/041S	D	1,22	–	–	–	–		
01/042S	B	1,11	17/21	–	m	–		
01/043S	P	1,2	–	–	–	–		
01/044S	O	0,75	17/21	–	m	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
01/045S	B	0,23	17/21	–	m	–		
01/046S	B	0,81	17/21	–	m	–		
01/047S	O	0,26	17/21	–	m	–		
01/048S	B	1,05	17/21	–	m	–		
01/049S	B	0,46	17/21	–	m	–		
01/050P	R	0,39	5/7	do 3 %	s	50 %		zeleň parková
01/051P	B	1,09	13/17	15–45 %	m	30 %		etapizace
01/052S	P	2,44	–	–	–	–		
01/053S	B	1,08	17/21	–	m	–		
01/054S	O	<del>0,85</del> 0,88	17/21	–	m	–		
01/055P	R	0,28	5/7	do 3 %	s	50 %		zeleň parková
01/056S	B	1,21	17/21	–	m	–		
01/057S	D	1,13	–	–	–	–		
01/058S	B	0,83	17/21	–	m	–		
01/059S	O	0,32	17/21	–	m	–		
01/060S	R	3,28	5/7	–	s	–		zeleň parková
01/061S	O	<del>0,24</del> 0,14	5/7	–	s	–		
01/062S	O	1,32	17/21	–	m	–		
01/063S	P	0,58	–	–	–	–		
01/064S	B	0,76	17/21	–	m	–		
01/065S	B	0,23	17/21	–	m	–		
01/066S	P	1,31	–	–	–	–		
01/067S	B	0,33	17/21	–	m	–		
01/068S	B	0,19	17/21	–	m	–		
01/069S	O	3,51	17/21	–	m	–		
01/070S	P	0,54	–	–	–	–		
01/071S	O	0,92	17/21	–	m	–	obrana a bezpečnost	
01/072S	B	0,45	17/21	–	m	–		
01/073S	P	2,03	–	–	–	–		
01/074S	B	0,66	17/21	–	m	–		
01/075S	B	0,43	17/21	–	m	–		
01/076S	O	0,6	17/21	–	m	–		
01/077S	R	0,2	5/7	–	s	–		zeleň parková
01/078S	O	0,24	17/21	–	m	–		
01/079S	B	0,32	17/21	–	m	–		
01/080S	B	0,22	17/21	–	m	–		
01/081P	R	<del>0,29</del> 0,26	5/7	do 3 %	s	50 %		zeleň parková, etapizace
01/082S	W	0,8	–	–	–	–		
01/083S	W	0,22	–	–	–	–		
01/084S	W	3,19	–	–	–	–		
01/085S	B	0,23	17/21	–	m	–	obrana a bezpečnost	

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
01/086S	O	0,31	17/21	-	m	-	obrana a bezpečnost	
01/087S	O	0,71	17/21	-	m	-	obrana a bezpečnost	
01/088S	O	1,15	17/21	-	m	-		
<b>Lokalita 02 – Masarykova – rozšířené centrum</b>								
02/001S	B	0,56	19/23	-	b	-		
02/002S	O	0,28	19/23	-	b	-		
02/003S	B	0,70	19/23	-	b	-		
02/004S	B	0,38	19/23	-	b	-		
02/005S	B	0,50	19/23	-	b	-		
02/006S	B	1,23	19/23	-	b	-		
02/007S	B	1,13	19/23	-	b	-		
02/008S	W	1,13	-	-	-	-		
02/009S	B	0,55	19/23	-	b	-		
02/010S	R	0,26	5/7	-	s	-		zeleň parková
02/011S	B	0,96	17/21	-	b	-		
02/012S	P	4,14	-	-	-	-		
02/013S	B	1,46	17/21	-	s	-		
02/014S	B	2,59	17/21	-	s	-		
02/015S	B	2,58	17/21	-	b	-		
02/016S	B	0,56	17/21	-	b	-		
02/017S	R	0,43	5/7	-	s	-		zeleň parková
02/018S	O	0,39	19/23	-	a	-		
02/019S	B	1,46	19/23	-	b	-		
02/020S	P	0,15	-	-	-	-		
02/021S	W	0,26	-	-	-	-		
02/022S	B	1,19	19/23	-	a	-		
02/023S	B	1,24	19/23	-	b	-		
02/024S	B	0,68	19/23	-	b	-		
02/025S	P	1,53	-	-	-	-		
02/026S	B	1,04	19/23	-	b	-		
02/027S	D	2,18	-	-	-	-		
02/028S	B	2,35	29/29	-	b	-		
02/029S	B	2,09	29/29	-	b	-		RP-08
02/030S	O	0,29	19/23	-	a	-		
02/031S	O	1,52	19/23	-	a	-		
02/032S	B	0,35	19/23	-	b	-		
02/033S	B	0,99	19/23	-	b	-		
02/034S	P	2,57	-	-	-	-		RP-08
02/035S	B	0,26	19/23	-	s	-		
02/036S	B	0,18	19/23	-	a	-		
02/037P	O	0,51	13/17	do 55 %	a	15 %		
02/038P	O	1,95	25/29	do 55 %	a	15 %		
02/039S	D	3,39	-	-	-	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
02/040P	R	0,75	5/7	do 3 %	s	50 %		zeleň parková
02/041S	O	0,32	19/23	–	s	–		
02/042S	W	0,46	–	–	–	–		
02/043S	O	0,72	19/23	–	a	–	obrana a bezpečnost	
02/044S	P	0,92	–	–	–	–		
02/045S	B	0,28	19/23	–	b	–		
02/046S	R	0,73	5/7	–	s	–		zeleň parková
02/047S	B	1,03	19/23	–	b	–		
02/048S	O	1,00	19/23	–	b	–		
02/049S	O	1,38	19/23	–	b	–		
02/050S	P	1,26	–	–	–	–		
02/051S	O	2,08	19/23	–	s	–		
02/052S	O	6,17	19/23	–	s	–		
02/053P	B	0,43	19/23	do 55 %	s	15 %		
02/054S	D	2,71	–	–	–	–		
02/055S	R	<del>0,63</del> 0,23	5/7	–	s	–		zeleň parková
02/056P	O	2,04	15/15	do 40 %	a	10 %		US-87
02/057S	O	3,29	<del>15/15</del> 11/11	–	a	–	pouze max. výška	
02/058S	O	0,54	5/7	–	a	–		
02/059S	P	0,69	–	–	–	–		
02/060S	O	2,65	11/11	–	a	–		
02/061S	R	3,32	5/7	–	s	–		zeleň parková
02/062S	R	3,63	5/7	–	s	–	zázemí botanické zahrady a rozářía	zeleň parková
02/063P	R	0,57	5/7	do 3 %	s	50 %		zeleň parková
02/064S	B	1,24	19/23	–	b	–		
02/065S	O	0,47	19/23	–	b	–		
02/066S	O	1,69	19/23	–	b	–		
02/067S	P	1,69	–	–	–	–		
02/068S	B	1,66	19/23	–	b	–		
02/069S	D	1,02	–	–	–	–		
02/070S	D	1,01	–	–	–	–		
02/071S	W	0,83	–	–	–	–		
02/072S	D	0,37	–	–	–	–		
02/073S	O	2,83	13/17	–	a	–		
02/074P	B	0,68	13/17	15–45 %	a	30 %		
02/075S	B	0,48	13/17	–	p	–		
02/076S	B	0,49	13/17	–	p	–		
02/077P	D	0,14	–	–	–	–		
02/078S	B	0,68	13/17	–	p	–		
02/079S	B	0,69	13/17	–	p	–		
02/080S	B	0,57	13/17	–	p	–		
02/081S	B	0,42	13/17	–	p	–		
02/082S	P	1,60	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
02/083S	B	0,46	13/17	–	a	–		
02/084S	O	1,26	13/17	–	a	–		
02/085P	B	0,29	13/17	15–45 %	p	30 %		
02/086P	D	1,38	–	–	–	–		
02/087P	B	4,36	17/21	15–45 %	b	30 %		US-60, US-95
02/088S	D	1,73	–	–	–	–		US-95
02/089S	B	0,26	19/23	–	b	–		
02/090S	W	2,87	–	–	–	–		
02/091S	W	1,18	–	–	–	–		
02/092P	B	0,61	19/23	10–40 %	a	30 %		
02/093S	B	0,65	19/23	–	a	–		
02/094P	P	1,05	–	–	–	–		
02/095S	D	2,04	–	–	–	–		US-95
02/096S	D	1,01	19/23	–	a	–		
02/097P	W	1,49	–	–	–	–		
02/098P	W	0,85	–	–	–	–		navržený ÚSES
02/099S	D	2,33	–	–	–	–		
02/100S	B	0,95	17/21	–	b	–		
<b>02/101P</b>	<b>O</b>	<b>0,39</b>	<b>5/7</b>	<b>do 20%</b>	<b>s</b>	<b>50%</b>		
<b>Lokalita 03 – Kosmonautů-jih</b>								
03/001S	T	5,10	19/23	–	a	–	<b>specifická výška 2 (01)</b>	
03/002P	W	0,51	–	–	–	–		
03/003S	D	0,72	–	–	–	–		
03/004P	B	1,86	19/23	do 55 %	b	15 %		US-88
03/005S	W	0,72	–	–	–	–		
03/006S	O	2,01	29/29	–	a	–		
03/007S	B	1,18	29/29	–	a	–		
03/008S	P	0,49	–	–	–	–		
03/009S	B	2,55	29/29	–	b	–		
03/010P	W	0,43	–	–	–	–		
03/011S	O	1,46	29/29	–	b	–		
03/012S	P	0,13	–	–	–	–		
03/013S	B	1,34	29/29	–	b	–		
03/014S	B	1,01	29/29	–	b	–		
03/015S	O	0,62	29/29	–	b	–		
03/016S	P	2,17	–	–	–	–		
03/017S	O	0,24	29/29	–	s	–		
03/018S	D	1,93	–	–	–	–		US-93
03/019S	D	2,09	19/23	–	a	–		US-43, US-93
03/020P	W	0,28	–	–	–	–		
03/021P	B	1,66	29/29	do 70 %	s	10 %		US-43, US-66
03/022S	D	4,11	–	–	–	–		US-43, US-93
03/023S	B	0,72	29/29	–	b	–		
03/024S	O	0,25	29/29	–	b	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
03/025S	B	0,30	29/29	–	b	–		
03/026S	B	0,82	25/29	–	b	–		
03/027S	B	1,77	19/23	–	b	–		
03/028S	B	0,79	19/23	–	b	–		
03/029S	P	2,35	–	–	–	–		
03/030S	O	1,15	25/29	–	b	–		
03/031S	B	0,82	25/29	–	b	–		
03/032S	O	0,42	19/23	–	b	–		
03/033S	B	2,27	19/23	–	b	–		
03/034S	P	1,63	–	–	–	–		US-43
03/035P	B	5,37	19/23	15–45 %	b	30 %		US-43, US-67
03/036P	B	2,10	19/23	15–45 %	b	30 %		US-43, US-68
03/037S	D	1,08	–	–	–	–		
03/038S	D	0,32	–	–	–	–		US-43
03/039S	B	3,39	19/23	–	a	–		US-43
03/040S	P	0,90	–	–	–	–		US-43
03/041S	B	0,38	19/23	–	a	–		
03/042S	B	0,07	19/23	–	a	–		
03/043S	B	0,49	19/23	–	a	–		US-43
03/044S	B	0,15	19/23	–	a	–		US-43
03/045S	D	3,32	–	–	–	–		US-43
03/046S	B	1,65	19/23	–	a	–		
03/047S	B	0,88	19/23	–	a	–		US-43
03/048S	D	2,68	–	–	–	–		US-42, US-43
03/049 <del>PS</del>	B	<del>9,48</del> 7,64	19/23	10–40 %	<del>b</del> a	30 %		<del>BP-40</del> –US-42
03/050P	O	0,40	19/23	do 40 %	b	20 %		
03/051S	D	1,35	–	–	–	–		
03/052P	B	1,74	19/23	do 55 %	b	15 %	specifická výška 2 (02)	US-18
03/053S	D	0,68	–	–	–	–		US-92, US-91
03/054S	P	0,21	–	–	–	–		
03/055S	B	0,42	19/23	–	b	–		
03/056P	B	3,80	19/23	do 55 %	b	15 %	specifická výška 2 (02)	US-18
03/057P	W	1,42	–	–	–	–		
03/058P	<del>P</del> R	0,51	<del>–</del> 5/7	<del>–</del> do 20 %	<del>–</del> s	<del>–</del> 50 %		
03/059P	W	0,85	–	–	–	–		navržený ÚSES
03/060S	B	0,25	19/23	–	s	–		
03/061P	B	2,99	19/23	do 85 %	s	0 %		
03/062P	P	0,66	–	–	–	–		US-91
03/063S	W	1,36	–	–	–	–		
03/064S	B	1,21	13/17	–	b	–		
03/065S	P	0,69	–	–	–	–		
03/066P	P	0,13	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
03/067P	B	4,25	17/21	15-45 %	b	30 %		US-17
03/068S	O	0,41	5/7	-	s	-		
03/069S	P	0,50	-	-	-	-		
03/070P	O	1,29	5/7	do 10 %	s	50 %		US-97
03/071P	W	4,80	-	-	-	-		US-42, navržený ÚSES
03/072P	P	0,97	-	-	-	-		US-42, US-91
03/073S	D	1,53	-	-	-	-		US-42, US-91
03/074S	O	0,87	13/17	-	a	-		US-42
03/075P	P	0,09	-	-	-	-		
03/076S	R	0,74	5/7	-	s	-		zeleň parková
03/077S	B	0,92	13/17	-	a	-		
03/078S	B	0,75	13/17	-	b	-		
03/079S	P	1,31	-	-	-	-		
03/080P	W	0,80	-	-	-	-		US-42, navržený ÚSES
03/081S	B	0,61	13/17	-	b	-		
03/082S	B	0,71	13/17	-	b	-		
03/083P	B	1,12	13/17	15-45 %	b	30 %		
03/084S	B	1,06	13/17	-	b	-		
03/085P	W	0,42	-	-	-	-		navržený ÚSES
03/086S	B	0,34	13/17	-	s	-		
03/087S	B	1,02	19/23	-	a	-		
03/088S	B	1,12	13/17	-	b	-		US-42
03/089P	W	0,71	-	-	-	-		navržený ÚSES
03/090P	B	0,37	19/23	15-45 %	b	30 %		
<b>03/091P</b>	<b>B</b>	<b>1,84</b>	<b>19/23</b>	<b>10-40 %</b>	<b>b</b>	<b>30 %</b>		<b>US-100</b>
<b>Lokalita 04 – Třída Svobody – úřednická čtvrt'</b>								
04/001S	B	0,94	13/17	-	b	-		US-40
04/002S	B	0,58	13/17	-	b	-		
04/003S	O	0,41	13/17	-	a	-		
04/004S	R	0,37	5/7	-	s	-		zeleň parková
04/005S	B	0,75	13/17	-	b	-		
04/006S	D	1,72	-	-	-	-		US-39
04/007S	B	0,50	13/17	-	b	-		
04/008S	B	0,97	13/17	-	b	-		
04/009S	O	0,39	13/17	-	b	-		
04/010S	B	0,99	13/17	-	b	-		
04/011S	P	1,64	-	-	-	-		US-40
04/012S	B	1,65	13/17	-	b	-		
04/013S	R	0,18	5/7	-	s	-		zeleň parková
04/014S	B	1,36	13/17	-	p	-		US-40
04/015S	D	1,19	-	-	-	-		US-40
04/016S	D	2,21	-	-	-	-		US-39, US-40, US-96
04/017S	B	1,88	13/17	-	p	-		US-40, <del>US-47</del> RP-10



kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
04/018S	O	1,27	13/17	-	a	-		<del>US-47</del> RP-10
04/019S	B	2,14	13/17	-	b	-		<del>US-47</del> RP-10
04/020S	B	1,19	13/17	-	b	-		
04/021S	B	1,05	13/17	-	b	-		
04/022S	O	0,25	13/17	-	b	-		
04/023S	B	1,16	13/17	-	b	-		
04/024S	B	1,29	13/17	-	b	-		
04/025S	B	0,62	13/17	-	s	-		
04/026S	B	0,35	13/17	-	s	-		
04/027S	B	0,90	13/17	-	b	-		
04/028S	B	0,58	13/17	-	b	-		
04/029S	B	0,77	13/17	-	b	-		
04/030S	B	0,63	13/17	-	b	-		
04/031S	P	<del>3,64</del> 1,97	-	-	-	-		
04/032S	B	2,11	13/17	-	b	-		
04/033S	B	1,28	13/17	-	b	-		
04/034S	B	1,10	13/17	-	b	-		
04/035S	D	1,07	-	-	-	-		US-92
04/036S	B	1,99	13/17	-	b	-		
04/037S	B	2,20	13/17	-	b	-		
04/038S	O	0,66	13/17	-	a	-		
04/039S	B	0,88	13/17	-	b	-		
04/040S	B	1,74	13/17	-	b	-		US-40, <del>US-47</del> RP-10
04/041S	B	0,80	13/17	-	b	-		
04/042S	B	0,75	13/17	-	b	-		US-40
04/043S	P	4,83	-	-	-	-		US-40, <del>US-47</del> RP-10
04/044S	B	1,13	13/17	-	b	-		
04/045S	O	0,53	13/17	-	a	-		US-40
04/046S	B	1,12	13/17	-	b	-		US-40
04/047S	D	2,92	-	-	-	-		US-40, US-41, US-90
04/048S	D	0,77	-	-	-	-		US-40, US-41, US-90, US-92
04/049S	D	1,13	-	-	-	-		US-90
04/050S	R	7,73	5/7	-	s	-		zeleň parková
04/051S	B	0,53	13/17	-	b	-		
04/052S	D	1,19	-	-	-	-		US-92
04/053S	B	0,32	19/23	-	b	-		
04/054S	B	0,53	19/23	-	b	-		
04/055S	B	0,13	19/23	-	b	-		
04/056S	B	0,27	19/23	-	b	-		
04/057S	O	0,45	19/23	-	b	-		
04/058S	O	0,34	19/23	-	b	-		
04/059S	B	0,35	19/23	-	b	-		
04/060S	B	0,38	19/23	-	b	-		
04/061S	B	0,74	19/23	-	b	-		
04/062S	B	0,68	19/23	-	b	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
04/063S	P	2,19	-	-	-	-		
04/064S	B	0,23	19/23	-	b	-		
04/065S	D	0,86	-	-	-	-		US-41, US-42
04/066S	O	1,63	19/23	-	b	-		
04/067S	B	0,33	19/23	-	b	-		
04/068S	B	0,37	19/23	-	b	-		
04/069S	B	0,63	19/23	-	b	-		
04/070S	B	0,60	19/23	-	b	-		
04/071S	O	0,22	19/23	-	b	-		
04/072P	B	0,82	19/23	do 40 %	b	20 %		US-41
04/073S	P	2,69	-	-	-	-		
04/074S	P	0,26	-	-	-	-		<del>US-47</del> RP-10
04/075S	O	0,37	19/23	-	b	-		
04/076S	O	0,32	19/23	-	b	-		
04/077S	O	0,64	19/23	-	b	-		
04/078S	O	0,48	19/23	-	b	-		
04/079S	B	0,29	19/23	-	b	-		
04/080S	B	0,59	19/23	-	b	-		
04/081P	O	1,10	17/21	do 85 %	s	0 %		US-86
04/082S	B	0,41	19/23	-	b	-		
04/083S	D	1,18	-	-	-	-		
04/084S	R	15,86	5/7	-	s	-		zeleň parková
04/085S	O	1,77	5/7	-	a	-		
04/086S	O	1,66	5/7	-	a	-		
04/087P	B	0,94	13/17	15-45 %	b	30 %		DP-36
04/088S	P	0,39	-	-	-	-		DP-36
04/089P	O	2,07	13/17	do 40 %	b	20 %		DP-36
04/090P	P	0,37	-	-	-	-		
04/091S	O	0,63	13/17	-	s	-		DP-36
04/092P	P	0,55	-	-	-	-		DP-36
04/093P	B	0,56	13/17	15-45 %	b	30 %		DP-36
04/094S	P	0,19	-	-	-	-		DP-36
04/095P	B	0,59	13/17	15-45 %	b	30 %		DP-36
04/096S	D	1,35	-	-	-	-		US-92
04/097S	B	0,86	13/17	-	b	-		
04/098S	D	0,17	-	-	-	-		US-92
04/099S	P	0,27	-	-	-	-		
04/100S	O	0,88	13/17	-	a	-		
04/101S	B	5,09	13/17	-	b	-		US-41
04/102S	P	0,16	-	-	-	-		
04/103S	D	1,34	-	-	-	-		US-92
04/104P	B	0,43	19/23	do 40 %	b	20 %	pouze max. výška	
04/105S	B	0,43	19/23	-	b	-		
04/106P	B	0,51	19/23	do 40 %	b	20 %		
04/107S	B	1,91	19/23	-	b	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
04/108S	R	0,30	5/7	–	s	–		zeleň parková
04/109P	P	0,40	–	–	–	–		
04/110S	B	0,70	10/14	–	b	–		
04/111S	B	0,73	10/14	–	b	–		
04/112S	P	0,07		–	–	–		
04/113S	B	1,18	10/14	–	b	–		
04/114S	D	2,07	–	–	–	–		
04/115P	D	2,79	–	–	–	–		US-41
04/116P	B	1,58	19/23	do 40 %	b	20 %		US-41
04/117S	P	0,23	–	–	–	–		US-41
04/118S	D	1,63	–	–	–	–		US-41
04/119P	B	<del>5,79</del> 5,10	19/23	do 40 %	b	20 %		<del>US-26</del> RP-09, US-41
04/120S	P	0,91	–	–	–	–		US-41
04/121S	B	1,31	10/14	–	b	–		
04/122S	B	1,37	10/14	–	b	–		
04/123S	B	0,66	19/23	–	b	–		
04/124S	B	1,27	10/14	–	b	–		
04/125S	B	1,76	10/14	–	b	–		
04/126S	B	0,06	10/14	–	b	–		
04/127S	B	0,14	10/14	–	b	–		
04/128S	B	0,43	10/14	–	b	–		
04/129S	B	0,91	10/14	–	b	–		
04/130S	B	1,00	10/14	–	b	–		
04/131S	B	1,19	10/14	–	b	–		
04/132S	B	0,98	13/17	–	b	–		
04/133S	B	0,30	13/17	–	b	–		
04/134S	P	2,17	–	–	–	–		US-42
04/135S	B	2,24	13/17	–	b	–		US-42
04/136S	O	0,60	10/14	–	a	–		
04/137S	R	0,45	5/7	–	s	–		zeleň parková
04/138S	B	0,83	13/17	–	b	–		US-42
04/139S	B	1,46	13/17	–	b	–		US-42
04/140S	B	1,23	10/14	–	b	–		
04/141S	B	0,51	10/14	–	b	–		
04/142S	B	0,68	10/14	–	b	–		
04/143S	B	0,51	13/17	–	b	–		
04/144S	O	0,34	13/17	–	a	–		
04/145S	B	1,34	13/17	–	b	–		US-42
04/146S	D	1,00	–	–	–	–		US-42
04/147S	D	2,70	–	–	–	–		US-41, US-42, US-91
04/148S	B	0,42	13/17	–	b	–		
04/149P	B	0,44	19/23	do 40 %	b	20 %		
04/150P	B	0,60	19/23	do 40 %	b	20 %		
04/151P	B	0,41	19/23	do 40 %	b	20 %		
04/152S	P	1,82	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
04/153P	P	0,83	-	-	-	-		
<b>04/154S</b>	<b>B</b>	<b>0,69</b>	<b>19/23</b>	<b>-</b>	<b>b</b>	<b>-</b>		
<b>04/155S</b>	<b>P</b>	<b>0,36</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>		
<b>04/156S</b>	<b>D</b>	<b>1,32</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>		
<b>Lokalita 05 – Legionářská, Šibeník a Hejčín</b>								
05/001P	<b>⊕ B</b>	3,44	10/14	do 40 %	a	20 %		US-56
05/002P	R	3,20	5/7	do 3 %	s	50 %		US-39, US-56, zeleň parková
05/003 S	B	<del>0,32</del> <b>0,27</b>	10/14	15–45 %	b	30 %	obrana a bezpečnost	US-56
05/004S	D	0,99	-	-	-	-		US-39, US-96
05/005P	B	2,02	10/14	15–40 %	b	30 %		US-56
05/006S	D	1,06	-	-	-	-		US-39
05/007P	P	<del>1,12</del> <b>1,17</b>	-	-	-	-		US-56
05/008S	B	0,93	10/14	-	b	-		
05/009P	B	0,29	10/14	15–40 %	b	30 %		
05/010P	B	2,78	10/14	10–35 %	b	40 %		US-56
05/011P	B	1,51	10/14	15–40 %	b	30 %		US-56
05/012S	W	1,05	-	-	-	-		
05/013S	B	1,99	10/14	-	b	-		
05/014S	B	2,49	10/14	-	b	-		
05/015S	D	1,10	-	-	-	-		
05/016S	B	1,77	10/14	-	b	-		
05/017S	B	0,93	10/14	-	b	-		
05/018S	P	<del>1,45</del> <b>1,62</b>	-	-	-	-		
05/019S	B	1,11	10/14	-	b	-		
05/020P	B	<del>1,50</del> <b>0,67</b>	<del>10/14</del> <b>13/17,5</b>	15–40 %	s	30 %	<b>specifická výška 1</b>	
05/021S	D	0,97	-	-	-	-		US-92
05/022P	B	<del>0,71</del> <b>0,76</b>	17/21	15–45 %	b	30 %		
05/023S	B	<del>1,00</del> <b>1,01</b>	17/21	-	b	-		
05/024P	<del>D</del> <b>P</b>	<del>1,09</del> <b>0,37</b>	-	-	-	-		
05/025P	B	<del>1,33</del> <b>1,32</b>	13/17	15–45 %	b	30 %		
05/026S	B	<del>1,22</del> <b>0,90</b>	10/14	-	b	-		
05/027S	B	1,18	10/14	-	b	-		
05/028S	B	0,70	10/14	-	b	-		
05/029S	B	0,88	10/14	-	b	-		
05/030S	P	<del>1,74</del> <b>2,16</b>	-	-	-	-		
05/031S	D	<del>0,01</del> <b>0,74</b>	-	-	-	-		
05/032S	B	0,42	17/21	-	s	-		
05/033S	O	0,35	19/23	-	b	-		
05/034S	P	0,14	-	-	-	-		
05/035S	O	0,64	19/23	-	b	-		
05/036S	W	0,66	-	-	-	-		
05/037S	B	0,62	19/23	-	b	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
05/038Z	R	0,16	5/7	do 3 %	s	50 %		zeleň parková
05/039S	O	4,60	15/15	–	s	–		
05/040S	P	4,53	–	–	–	–		
05/041S	O	0,15	13/17	–	s	–		
05/042S	O	0,74	13/17	–	b	–		
05/043P	B	1,20	13/17	15–45 %	b	30 %		
05/044P	B	<del>1,42</del> 1,62	<del>10/14</del> 13/17	15–45 %	b	30 %		RP-12
05/045P	R	<del>0,81</del> 0,61	5/7	do 3 %	s	50 %		zeleň parková, RP-12
05/046S	D	1,04	–	–	–	–		
05/047S	R	1,80	5/7	–	s	–		zeleň parková
05/048S	O	3,67	19/23	–	a	–		
05/049S	O	<del>5,85</del> 5,41	15/15	–	s	–		
05/050S	B	0,32	10/14	–	b	–		
05/051S	B	<del>0,77</del> 0,86	10/14	–	b	–		
05/052P	B	<del>0,59</del> 1,11	10/14	15–45 %	b	30 %		BP-37 RP-11
05/053P	P	<del>0,50</del> 0,34	–	–	–	–		BP-37
05/054P	B	<del>2,52</del> 2,21	13/17	10–35 %	b	40 %		BP-37 RP-11, etapizace
05/055S	B	<del>1,63</del> 1,79	13/17	–	a	–		
05/056P	O	<del>1,26</del> 1,49	13/17	do 40 %	a	20 %	školství	
05/057S	O	4,52	13/17	–	a	–		
05/058S	D	1,54	–	–	–	–		US-92
05/059S	D	1,09	–	–	–	–		
05/060S	B	2,77	13/17	–	v	–		
05/061S	O	0,38	13/17	–	v	–		
05/062S	P	<del>0,31</del> 0,32	–	–	–	–		
05/063S	B	<del>1,10</del> 1,12	10/14	–	v	–		
05/064S	B	<del>1,76</del> 1,79	10/14	–	v	–		
05/065S	P	<del>0,48</del> 0,55	–	–	–	–		
05/066S	B	2,38	10/14	–	v	–		
05/067N	W	1,33	–	–	–	–		
05/068N	R	0,20	–	–	–	–		UR-16 (D), zeleň rekreační krajiny
05/069 <del>PS</del>	<del>DV</del>	<del>0,91</del> 0,69	–	–	–	–		UR-16 (D)
05/070S	<del>BV</del>	<del>5,21</del> 5,11	13/17	–	a	–	sběrný dvůr	
05/071Z	R	0,72	5/7	do 3 %	s	50 %		zeleň parková
05/072P	O	3,73	15/15	do 40 %	s	20 %		US-23
05/073S	R	1,36	5/7	–	s	–		zeleň parková
05/074S	D	1,73	–	–	–	–		
05/075S	O	3,79	15/15	–	s	–		
05/076S	B	1,24	10/14	–	b	–		
05/077S	D	0,77	–	–	–	–		
05/078S	B	0,48	10/14	–	b	–		
05/079S	O	0,39	10/14	–	b	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
05/080S	P	0,92	–	–	–	–		
05/081S	B	1,64	10/14	–	b	–		
05/082P	O	0,77	13/17	do 40 %	s	20 %		
05/083P	B	0,22	17/21	15–45%	s	30 %		US-39, US-56
05/084S	B	0,43	17/21	15–45%	s	30 %	obrana a bezpečnost	US-39, US-56
<b>05/085P</b>	<b>B</b>	<b>0,65</b>	<b>10/14</b>	<b>15-45%</b>	<b>s</b>	<b>30%</b>		
<b>05/086S</b>	<b>P</b>	<b>0,14</b>	<b>–</b>	<b>–</b>	<b>–</b>	<b>–</b>		
<b>05/087P</b>	<b>B</b>	<b>0,34</b>	<b>10/14</b>	<b>15–45%</b>	<b>b</b>	<b>30%</b>		
<b>05/088S</b>	<b>B</b>	<b>0,43</b>	<b>13/17</b>	<b>–</b>	<b>b</b>	<b>–</b>		
<b>05/089P</b>	<b>P</b>	<b>0014</b>	<b>–</b>	<b>–</b>	<b>–</b>	<b>–</b>		
<b>05/090S</b>	<b>P</b>	<b>0,19</b>	<b>–</b>	<b>–</b>	<b>–</b>	<b>–</b>		<b>US-16 (D)</b>
<b>Lokalita 06 – Lazce</b>								
06/001S	B	1,28	10/14	–	b	–		
06/002S	P	3,36	–	–	–	–		
06/003P	R	0,57	5/7	do 3 %	s	50 %		zeleň parková
06/004S	B	0,65	10/14	–	b	–		
06/005S	B	1,46	10/14	–	b	–		
06/006S	B	1,31	10/14	–	b	–		
06/007S	B	1,17	10/14	–	b	–		
06/008S	W	1,92	–	–	–	–		
06/009S	B	1,15	10/14	–	b	–		
06/010P	W	0,20	–	–	–	–		UR-04 (D)
06/011S	B	1,64	10/14	–	b	–		
06/012S	O	0,33	10/14	–	b	–		
06/013S	B	0,42	10/14	–	b	–		
06/014Z	R	1,98	5/7	do 3 %	s	50 %		zeleň parková
06/015P	R	2,03	5/7	do 3 %	s	50 %		zeleň parková
06/016S	B	1,10	10/14	–	b	–		
06/017S	B	0,75	10/14	–	b	–		
06/018P	D	0,28	–	–	–	–		
06/019S	B	0,55	19/23	–	b	–		
06/020S	O	6,64	10/14	–	a	–	obrana a bezpečnost; pouze max. výška	
06/021S	P	0,62	–	–	–	–		
06/022S	W	0,86	–	–	–	–		
06/023S	W	0,42	–	–	–	–		
06/024S	P	0,37	–	–	–	–		
06/025S	O	2,11	5/7	–	a	–	obrana a bezpečnost; pouze max. výška	
06/026S	P	<del>3,65</del> 3,87	–	–	–	–		
06/027S	B	0,75	10/14	–	b	–		
06/028S	B	1,04	10/14	–	b	–		
06/029S	B	0,73	10/14	–	b	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
06/030S	B	0,65	10/14	–	b	–		
06/031S	B	1,56	10/14	–	b	–		
06/032S	B	0,78	10/14	–	b	–		
06/033P	P	0,25	–	–	–	–		
06/034S	B	0,79	10/14	–	b	–		
06/035S	B	1,00	10/14	–	b	–		
06/036S	B	1,10	10/14	–	b	–		
06/037P	<del>B</del>	<del>0,54</del> 0,32	7/10	do 40 %	<del>a</del> b	20 %		
06/038P	B	0,87	7/10	15–40 %	b	30 %		
06/039S	O	3,14	10/14	–	a	–		<del>US-53</del> RP-13
06/040S	B	1,91	10/14	–	a	–		
06/041S	D	1,13	–	–	–	–		
06/042S	B	3,10	10/14	–	p	–		<del>US-53</del> RP-13
06/043S	R	0,95	5/7	–	s	–		<del>US-53</del> RP-13, zeleň parková
06/044S	B	2,48	10/14	–	p	–		<del>US-53</del> RP-13
06/045S	P	2,90	–	–	–	–		<del>US-53</del> RP-13
06/046S	O	0,68	10/14	–	a	–		<del>US-53</del> RP-13
06/047S	B	0,75	10/14	–	b	–		
06/048S	B	0,75	10/14	–	b	–		
06/049S	B	0,79	10/14	–	b	–		
06/050S	B	1,10	10/14	–	b	–		
06/051S	B	2,70	10/14	–	p	–		<del>US-53</del> RP-13
06/052S	B	5,92	10/14	–	p	–		<del>US-53</del> RP-13
06/053N	W	2,70	–	–	–	–		
06/054N	W	0,44	–	–	–	–		UR-04 (D)
06/055S	P	0,88	–	–	–	–		UR-04 (D)
06/056S	B	1,07	10/14	–	a	–		UR-04 (D)
06/057N	W	2,50	–	–	–	–		
06/058S	B	4,66	10/14	–	a	–		
06/059S	B	0,24	10/14	–	a	–		
06/060S	O	1,16	10/14	–	a	–		
06/061S	B	0,17	10/14	–	b	–		
06/062S	P	0,10	–	–	–	–		
06/063S	B	0,91	10/14	–	b	–		
06/064S	P	0,10	–	–	–	–		
06/065S	B	1,75	10/14	–	b	–		
06/066S	P	0,51	–	–	–	–		
06/067S	B	0,81	10/14	–	b	–		
06/068S	B	1,04	10/14	–	b	–		
06/069S	D	1,47	–	–	–	–		
06/070P	D	0,26	–	–	–	–		
06/071P	<del>B</del>	0,66	<del>5/7</del> 10/14	do 40 %	<del>a</del> –	20 %		
06/072S	P	0,25	–	–	–	–		
06/073S	B	1,06	10/14	–	b	–		
06/074S	R	1,10	5/7	–	s	–		zeleň parková

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
06/075S	B	1,21	10/14	-	b	-		
06/076P	P	0,16	-	-	-	-		US-01
06/077P	O	1,84	10/14	do 40 %	a	20 %		US-01
06/078S	O	1,14	10/14	-	a	-		US-01, US-02, UR-03 (D)
06/079P	O	3,19	11/11	do 20 %	a	40 %		US-02
06/080S	B	1,62	10/14	-	b	-		
06/081K	W	0,53	-	-	-	-		
06/082P	R	1,64	5/7	do 3 %	s	50 %		US-02, zeleň parková
06/083P	W	0,16	-	-	-	-		
06/084Z	R	1,71	5/7	do 3 %	s	50 %		US-02, zeleň parková
06/085Z	O	4,40	11/11	do 10 %	a	50 %	specifická rekreace	US-02
06/086K	R	2,77	-	-	-	-		US-01, US-02, UR-03 (D), zeleň rekreační krajiny
06/087K	R	4,25	-	-	-	-		US-02, navržený ÚSES, zeleň rekreační krajiny
06/088 <del>PS</del>	<del>EB</del>	0,66	5/7	<del>do 20 %</del>	a	<del>40 %</del>	<del>kemp</del>	US-02, <b>UR-58 (O)</b>
06/089Z	O	1,30	5/7	do 20 %	a	40 %	kemp	US-02, etapizace
06/090K	R	13,79	-	-	-	-		US-01, zeleň rekreační krajiny
06/091N	D	1,20	-	-	-	-		
06/092S	D	0,29	-	-	-	-		
06/093S	D	0,82	-	-	-	-		
06/094S	O	0,37	11/11	-	a	-		US-02
06/095S	B	0,16	10/14	-	b	-		
06/096S	D	0,84	-	-	-	-		
06/097K	R	0,94	-	-	-	-		US-02, UR-16 (D), zeleň rekreační krajiny
06/098S	B	2,29	10/14	-	a	-		
<b>Lokalita 07 – Klášterní Hradisko a Černovír</b>								
07/001S	B	1,68	7/10	-	b	-		
07/002S	P	2,43	-	-	-	-		
07/003S	B	0,16	7/10	-	b	-		
07/004S	B	0,20	7/10	-	b	-		
07/005S	B	0,24	7/10	-	b	-		
07/006S	O	0,79	7/10	-	a	-		
07/007S	B	6,01	7/10	-	b	-		
07/008S	B	2,65	7/10	-	a	-		
07/009S	B	3,58	7/10	-	b	-		
07/010S	P	1,00	-	-	-	-		
07/011S	B	0,27	7/10	-	a	-		



kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
07/012S	O	2,18	7/10	–	a	–		zeleň hřbitovů
07/013Z	O	0,21	7/10	do 40 %	a	20 %		zeleň hřbitovů, etapizace
07/014Z	P	0,93	–	–	–	–		
07/015Z	O	0,34	7/10	do 40 %	a	20 %		zeleň hřbitovů, etapizace
07/016S	B	2,60	7/10	–	a	–		
07/017S	B	2,04	7/10	–	a	–		
07/018Z	B	0,79	7/10	15–35 %	b	40 %		etapizace
07/019Z	Z	1,88	3/5	do 10 %	–	50 %		etapizace
07/020S	B	3,83	7/10	–	b	–		
07/021S	P	2,96	–	–	–	–		
07/022S	B	0,65	7/10	–	b	–		
07/023S	B	0,43	7/10	–	b	–		
07/024Z	O	0,27	7/10	do 40 %	a	20 %		etapizace
07/025N	P	0,69	–	–	–	–		
07/026S	R	0,43	5/7	–	s	–		zeleň parková
07/027N	W	2,57	–	–	–	–		
07/028N	R	0,46	–	–	–	–		zeleň parková
07/029Z	Z	0,71	3/5	do 10 %	–	50 %		etapizace
07/030Z	P	0,12	–	–	–	–		
07/031Z	B	0,35	7/10	15–35 %	b	40 %		etapizace
07/032S	B	1,14	7/10	–	b	–		
07/033Z	B	0,17	7/10	15–35 %	b	40 %		etapizace
07/034S	B	0,30	7/10	–	b	–		
07/035S	B	1,71	7/10	–	b	–		
07/036S	B	1,19	7/10	–	b	–		
07/037S	B	0,69	7/10	–	b	–		
07/038S	B	5,44	7/10	–	b	–		
07/039N	W	4,64	–	–	–	–		
07/040N	R	1,76	–	–	–	–		zeleň parková
07/041S	R	0,47	5/7	–	s	–		zeleň parková
07/042S	O	0,15	7/10	–	b	–		
07/043Z	R	0,85	5/7	do 3 %	s	50 %		zeleň parková, etapizace
07/044S	D	1,92	–	–	–	–		
07/045K	R	0,61	–	–	–	–		zeleň parková
07/046S	O	0,74	5/7	–	a	–		
07/047S	B	1,83	7/10	–	b	–		
07/048K	W	0,75	–	–	–	–		
07/049S	P	0,79	–	–	–	–		
07/050S	B	0,68	7/10	–	b	–		
07/051S	<b>DP</b>	0,74	–	–	–	–		<b>UR-11 (D)</b>
07/052S	B	2,14	7/10	–	b	–		
07/053P	B	1,64	7/10	15–35 %	b	40 %		
07/054P	P	0,41	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
07/055K	W	0,93	-	-	-	-		navržený ÚSES, zeleň rekreačních nábřeží
07/056N	W	0,38	-	-	-	-		UR-04 (D)
07/057K	W	1,06	-	-	-	-		UR-04 (D), navržený ÚSES, zeleň rekreačních nábřeží
07/058K	W	0,42	-	-	-	-		UR-04 (D)
07/059K	R	0,54	-	-	-	-		UR-04 (D), zeleň parková
07/060P	D	0,46	-	-	-	-		
07/061S	W	0,47	-	-	-	-		UR-01 (D)
07/062P	W	0,31	-	-	-	-		UR-01 (D), navržený ÚSES, zeleň rekreačních nábřeží
07/063K	W	3,54	-	-	-	-		navržený ÚSES, zeleň rekreačních nábřeží
07/064Z	D	<del>2,69</del> 2,87	-	-	-	-		
07/065K	R	<del>4,37</del> 4,39	-	-	-	-		US-24, zeleň parková
07/066R	R	0,67	-	-	-	-		US-24, zeleň parková
07/067P	P	0,19	-	-	-	-		
07/068S	B	0,57	7/10	-	b	-		
07/069S	B	0,59	7/10	-	b	-		
07/070S	B	0,96	7/10	-	b	-		
07/071S	B	0,97	7/10	-	b	-		
07/072S	P	1,41	-	-	-	-		
07/073S	O	2,18	7/10	-	a	-		
07/074S	B	1,09	7/10	-	b	-		
07/075S	O	0,36	13/17	-	a	-		
07/076P	O	0,28	13/17	do 40 %	a	20 %	školství	
07/077S	V	12,45	13/17	-	a	-		etapizace
07/078S	O	3,31	5/7	-	a	-		
07/079S	O	1,73	13/17	-	a	-		
07/080S	P	2,49	-	-	-	-		
07/081S	O	2,15	5/7	-	a	-		US-26, UR-05 (D)
07/082S	P	0,69	-	-	-	-		
07/083N	W	2,35	-	-	-	-		
07/084K	R	2,85	-	-	-	-		US-26, zeleň parková
07/085S	O	0,34	5/7	-	a	-		US-26
07/086S	P	0,48	-	-	-	-		UR-05 (D)
07/087P	R	0,27	5/7	do 3 %	s	50 %		US-25, UR-05 (D), zeleň parková
07/088P	D	0,72	-	-	-	-		
07/089S	D	2,78	5/7	-	-	-		
07/090P	W	0,73	-	-	-	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
07/091P	R	4,09	5/7	do 3 %	s	50 %		US-25, zeleň parková
07/092P	P	0,97	–	–	–	–		US-25
07/093P	R	7,46	5/7	do 3 %	s	50 %		US-25, zeleň parková
07/094S	R	2,21	5/7	–	s	–		zeleň parková
07/095S	O	1,66	5/7	–	a	–		
07/096S	B	1,45	5/7	–	a	–		
07/097P	R	<del>2,04</del> 1,59	5/7	do 3 %	s	50 %		US-25, zeleň parková
07/098R	N	0,41	–	–	–	–		
07/099N	N	2,38	–	–	–	–		
07/100Z	P	1,02	–	–	–	–		
07/101S	O	1,89	13/17	–	a	–		
07/102N	N	4,12	–	–	–	–		
07/103K	W	0,28	–	–	–	–		
07/104N	N	0,54	–	–	–	–		UR-11(D)
07/105Z	<del>D</del> P	0,49	–	–	–	–		UR-11(D)
07/106Z	<del>D</del> P	0,77	5/7	–	–	–		UR-11(D)
07/107N	N	12,10	–	–	–	–		
07/108P	W	0,41	–	–	–	–		
07/109N	L	7,10	–	–	–	–		
07/110N	L	9,02	–	–	–	–		
07/111N	N	2,47	–	–	–	–		
07/112K	N	1,14	–	–	–	–		navržený ÚSES
07/113N	N	11,91	–	–	–	–		
07/114N	N	9,47	–	–	–	–		
07/115N	N	19,06	–	–	–	–		
07/116K	N	5,90	–	–	–	–		navržený ÚSES
07/117N	W	6,68	–	–	–	–		
07/118N	N	47,22	–	–	–	–		
07/119S	V	<del>1,07</del> 2,92	5/7	–	a	–		etapizace
07/120N	D	0,16	–	–	–	–		
07/121K	W	0,35	–	–	–	–		navržený ÚSES, zeleň rekreačních nábřeží
07/122P	B	0,30	7/10	15-35 %	b	40 %		
07/123P	P	0,31	–	–	–	–		US-25
07/124P	P	0,14	–	–	–	–		
07/125S	O	1,58	5/7	–	a	–		
<b>Lokalita 08 – Černovírský les</b>								
08/001S	D	4,53	7/10				sběrný dvůr	
08/002S	D	0,47	–	–	–	–		
08/003S	D	0,70	–	–	–	–		etapizace
08/004S	D	3,41	5/7	–	–	–		UR-28 (D)
08/005P	D	0,61	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
08/006Z	D	0,46	–	–	–	–		
08/007 <del>ZN</del>	<del>ZN</del>	0,62	<del>3/5</del>	<del>do 10 %</del>	–	<del>50 %</del>		
08/008S	Z	1,63	3/5	–	–	–		
08/009 <del>ZN</del>	<del>ZN</del>	0,74	<del>3/5</del>	<del>do 10 %</del>	–	<del>50 %</del>		
08/010N	D	1,73	–	–	–	–		etapizace
08/011N	N	3,76	–	–	–	–		UR-28 (D)
08/012S	D	6,81	5/7	–	–	–		
08/013S	D	1,20	5/7	–	–	–		UR-11 (D)
08/014N	N	3,30	–	–	–	–		UR-11 (D)
08/015N	N	26,94	–	–	–	–		
08/016S	Z	0,98	3/5	–	–	–		
08/017S	Z	0,94	3/5	–	–	–		UR-28 (D)
08/018N	D	2,47	–	–	–	–		
08/019N	N	1,43	–	–	–	–		
08/020N	W	0,17	–	–	–	–		
08/021K	N	1,98	–	–	–	–		navržený ÚSES
08/022N	W	1,32	–	–	–	–		
08/023N	L	19,25	–	–	–	–		
08/024S	D	7,21	5/7	–	–	–		
08/025Z	P	0,74	–	–	–	–		
08/026N	P	0,90	–	–	–	–		
08/027S	T	1,99	7/10	–	a	–		
08/028S	T	0,73	7/10	–	a	–		
08/029N	D	4,69	–	–	–	–		
08/030N	N	15,47	–	–	–	–		
08/031N	L	82,47	–	–	–	–		
08/032K	N	3,33	–	–	–	–		navržený ÚSES
08/033N	D	6,83	–	–	–	–		
08/034N	N	0,56	–	–	–	–		UR-28 (D)
08/035K	W	0,34	–	–	–	–		
08/036N	N	1,30	–	–	–	–		
08/037N	L	1,77	–	–	–	–		
08/038N	N	1,99	–	–	–	–		
08/039N	L	0,49	–	–	–	–		
08/040S	D	12,46	5/7	–	–	–		
<b>Lokalita 09 – Chválkovice, Pavlovičky a Bělidla</b>								
09/001S	B	4,37	7/10	–	v	–		
09/002S	P	2,61	–	–	–	–		
09/003S	O	0,29	7/10	–	s	–		
09/004S	B	0,55	7/10	–	v	–		
09/005S	R	0,23	5/7	–	s	–		zeleně parková
09/006 <del>SP</del>	<del>RO</del>	0,58	<del>5/7 7/10</del>	<del>– do 20 %</del>	s	–	specifická výška 2 (03)	<del>zeleně parková</del>

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
09/007S	B	5,68	7/10	–	a	–		
09/008Z	B	<del>1,14</del> 0,47	7/10	do 55 %	a	15 %		DP-19, etapizace
09/009Z	P	0,50	–	–	–	–		
09/010Z	P	0,16	–	–	–	–		
09/011S	B	0,43	7/10	–	b	–		
09/012S	O	0,74	7/10	–	a	–		zeleň hřbitovů
09/013S	O	1,34	7/10	–	a	–		
09/014S	B	0,69	7/10	–	b	–		
09/015Z	B	0,82	7/10	15–35 %	b	40 %		DP-20, etapizace
09/016Z	R	0,17	5/7	do 3 %	s	50 %		DP-20, zeleň parková, etapizace
09/017Z	P	0,18	–	–	–	–		DP-20, etapizace
09/018Z	B	1,72	7/10	15–35 %	b	40 %		DP-20, etapizace
09/019S	O	8,22	7/10	–	a	–		
09/020N	N	19,37	–	–	–	–		
09/021N	D	0,41	–	–	–	–		
09/022S	O	3,79	5/7	–	s	–	obrana a bezpečnost	
09/023S	B	0,37	7/10	–	b	–		
09/024S	B	0,49	7/10	–	b	–		
09/025S	R	1,15	5/7	–	s	–		zeleň parková
09/026S	B	0,32	7/10	–	b	–		
09/027S	B	0,40	7/10	–	v	–		
09/028S	R	0,37	5/7	–	s	–		zeleň parková
09/029S	B	1,91	7/10	–	b	–		
09/030S	P	2,17	–	–	–	–		
09/031S	B	1,49	7/10	–	b	–		
09/032S	D	4,80	–	–	–	–		US-95
09/034N	P	0,63	–	–	–	–		
09/035K	N	5,69	–	–	–	–		navržený ÚSES
09/036N	N	9,57	–	–	–	–		
09/037K	N	22,73	–	–	–	–		ochranné zatravnění
09/038K	N	8,25	–	–	–	–		ochranné zatravnění
09/039N	N	5,31	–	–	–	–		
09/040Z	P	0,32	–	–	–	–		DP-23
09/041Z	B	0,42	7/10	15–40 %	b	30 %		DP-23
09/042S	B	1,48	7/10	–	b	–		
09/043S	B	5,80	7/10	–	v	–		
09/044S	D	2,68	–	–	–	–		
09/045S	B	<del>5,54</del> 5,62	7/10	–	v	–		
09/046S	O	0,33	7/10	–	v	–		
09/047P	P	0,19	–	–	–	–		
09/048S	P	<del>0,53</del> 0,46	–	–	–	–		
09/049S	B	3,65	7/10	–	a	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
09/050S	B	0,87	7/10	-	b	-		
09/051S	B	2,22	7/10	-	b	-		
09/052S	O	0,37	7/10	-	b	-		
09/053S	P	0,70	-	-	-	-		
09/054S	B	2,88	7/10	-	b	-		
09/055S	B	1,07	10/14	-	b	-		
09/056S	P	0,12	-	-	-	-		
09/057P	P	1,15	-	-	-	-		
09/058P	B	0,30	10/14	15-40 %	b	30 %		
09/059P	B	0,91	10/14	15-40 %	b	30 %		DP-24
09/060P	B	0,37	10/14	15-40 %	s	30 %		
09/061Z	P	0,46	-	-	-	-		
09/062P	B	1,02	10/14	15-40 %	b	30 %		
09/063S	B	0,32	10/14	-	b	-		
09/064S	P	0,25	-	-	-	-		
09/065S	B	1,16	7/10	-	b	-		
09/066Z	B	1,21	7/10	15-40 %	b	30 %		DP-25
09/067Z	P	1,19	-	-	-	-		DP-25
09/068Z	B	1,04	7/10	15-40 %	b	30 %		DP-25, etapizace
09/069P	P	0,28	-	-	-	-		DP-25
09/070S	B	2,55	10/14	-	b	-		
09/071S	B	1,00	7/10	-	b	-		
09/072S	B	0,48	7/10	-	b	-		
09/073S	P	1,09	-	-	-	-		
09/074S	O	0,26	10/14	-	b	-		
09/075S	B	0,49	10/14	-	b	-		
09/076P	B	3,16	10/14	do 40 %	b	20 %		US-62
09/077S	B	5,28	10/14	-	b	-		
09/078S	B	0,97	10/14	-	b	-		
09/079S	P	1,42	-	-	-	-		
09/080S	O	1,63	10/14	-	a	-		
09/081Z	B	1,36	7/10	15-40 %	b	30 %		
09/082S	B	1,20	7/10	-	b	-		
09/083S	B	1,60	7/10	-	b	-		
09/084S	B	0,94	10/14	-	b	-		
09/085Z	D	0,11	-	-	-	-		
09/086P	D	0,56	-	-	-	-		
09/087S	B	2,29	10/14	-	a	-		
09/088S	O	0,29	10/14	-	a	-		
09/089P	D	1,35	-	-	-	-		US-95
09/090P	B	3,25	13/17	10-40 %	a	10 %		US-61
09/091S	D	0,57	-	-	-	-		US-95
09/092S	B	0,95	13/17	-	b	-		
09/093S	P	0,39	-	-	-	-		US-60
09/094S	D	1,11	-	-	-	-		US-60, US-95, etapizace

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
09/095P	B	3,60	13/17	15-45 %	b	30 %		US-60, US-95
09/096S	D	1,70	–	–	–	–		US-60, US-95
09/097S	D	1,39	–	–	–	–		US-60, US-95
09/098S	B	1,35	13/17	–	b	–		
09/099S	P	0,34	–	–	–	–		
09/100S	W	0,71	–	–	–	–		
09/101S	D	0,64	–	–	–	–		
09/102P	B	3,90	10/14	10–35 %	b	40 %		US-27
09/103S	B	0,72	10/14	–	b	–		
09/104S	B	<del>0,98</del> 1,02	10/14	–	b	–		
09/105S	B	0,53	10/14	–	b	–		
09/106S	O	0,22	10/14	–	b	–		
09/107S	P	2,94	–	–	–	–		
09/108S	B	0,67	10/14	–	b	–		
09/109S	O	0,67	10/14	–	a	–		
09/110P	B	1,07	10/14	10–35 %	b	40 %		US-28
09/111S	V	<del>3,20</del> 3,21	11/11	–	a	–		
09/112S	D	0,75	–	–	–	–		
09/113S	D	1,55	–	–	–	–		
09/114S	V	2,96	11/11	–	a	–		
09/115S	P	0,50	–	–	–	–		
09/116S	V	1,75	11/11	–	a	–		
09/117S	B	0,42	10/14	–	b	–		
09/118S	B	1,18	10/14	–	b	–		
09/119S	P	<del>3,24</del> 3,27	–	–	–	–		
09/120S	B	<del>1,29</del> 1,36	10/14	–	b	–		
09/121S	B	0,60	10/14	–	b	–		
09/122S	B	1,14	10/14	–	b	–		
09/123S	B	1,18	10/14	–	b	–		
09/124S	B	0,11	10/14	–	b	–		
09/125S	B	4,08	10/14	–	b	–		
09/126N	L	3,49	–	–	–	–		
09/127S	B	0,51	10/14	–	b	–		
09/128S	B	0,32	10/14	–	b	–		
09/129S	B	3,12	10/14	–	b	–		
09/130S	B	<del>1,44</del> 1,52	10/14	–	b	–		
09/131S	B	0,68	10/14	–	b	–		
09/132S	B	0,48	10/14	–	b	–		
09/133 S	V	0,99	11/11	–	a	–		
09/134S	V	1,64	11/11	–	a	–		
09/135Z	V	1,03	11/11	do 55 %	a	15 %		DP-16
09/136Z	P	0,24	–	–	–	–		DP-16
09/137S	V	1,73	11/11	–	a	–		
09/138Z	V	1,64	11/11	do 55 %	a	15 %		
09/139S	D	3,56	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
09/140S	V	16,02	15/15	–	a	–		
09/141P	V	0,73	15/15	do 55 %	a	15 %		
09/142P	D	1,57	–	–	–	–		
09/143P	R	2,31	5/7	do 3 %	s	50 %		zeleň parková
09/144S	V	11,39	15/15	–	a	–	obrana a bezpečnost	
09/145S	V	0,60	15/15	–	a	–		
09/146Z	V	0,89	15/15	do 55 %	a	15 %		
09/147S	V	0,65	15/15	–	a	–		
09/148S	P	1,35	–	–	–	–		
09/149S	V	14,96	15/15	–	a	–	obrana a bezpečnost	
09/150S	D	0,65	–	–	–	–		
09/151Z	D	7,16	–	–	–	–		
09/152P	D	2,90	–	–	–	–		
09/153P	V	4,69	15/15	do 55 %	a	15 %		
09/154S	T	2,19	15/15	–	a	–	odpadové hospodářství	
09/155S	V	17,98	15/15	–	a	–		
09/156S	D	1,89	–	–	–	–		
09/157S	V	9,29	15/15	–	a	–		
09/158Z	D	2,10	–	–	–	–		
09/159N	N	7,95	–	–	–	–		UR-38 (V)
09/160Z	D	5,87	–	–	–	–		
09/161P	B	0,68	7/10	15–35 %	a	40 %		
09/162Z	V	9,00	11/11	do 55 %	a	15 %		DP-18
09/163Z	R	4,02	5/7	do 3 %	s	50 %		DP-18, zeleň parková
09/164S	D	2,49	–	–	–	–		
09/165S	V	5,65	7/10	–	a	–		UR-65 (B)
09/166S	V	4,68	<b>11/11</b> <b>15/15</b>	–	a	–		
09/167S	P	0,42	–	–	–	–		
09/168S	V	4,27	<b>11/11</b> <b>15/15</b>	–	a	–		
09/169Z	V	6,72	<b>11/11</b> <b>15/15</b>	do 55 %	a	15 %		DP-17
09/170Z	D	4,14	–	–	–	–		DP-17
09/171N	N	6,08	–	–	–	–		
09/172P	B	0,08	10/14	15–40 %	s	30 %		
09/173N	N	10,23	–	–	–	–		
09/174P	P	0,22	–	–	–	–		
09/175Z	P	0,15	–	–	–	–		
09/176N	L	0,77	–	–	–	–		
09/177N	W	<b>2,022,06</b>	–	–	–	–		
09/178K	R	2,24	–	0 %	–	–		zeleň rekreační krajiny
09/179N	W	3,37	–	–	–	–		



kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
09/180Z	D	0,85	5/7	do 10 %	s	40 %	tramvajové obratiště	US-95, etapizace
09/181P	B	2,58	13/17	10–40 %	a	10 %		US-60, US-95
09/182P	P	0,43	–	–	–	–		
09/183S	T	2,36	15/15	–	a	–	odpadové hospodářství	
09/184S	V	0,75	15/15	–	a	–		
09/185Z	V	0,25	7/10	do 55 %	a	15 %		DP-17, <b>etapizace</b>
09/186Z	B	0,18	10/14	15–40 %	b	30 %		DP-16
09/187P	B	<del>0,39</del> 0,33	10/14	15–40 %	b	30 %		DP-16
09/188Z	B	0,68	10/14	15–40 %	b	30 %		DP-16
09/189Z	B	0,40	10/14	15–40 %	b	30 %		DP-16
09/190Z	B	0,91	10/14	15–40 %	b	30 %		DP-16
09/191Z	P	0,66	–	–	–	–		DP-16
09/192P	P	0,28	–	–	–	–		DP-16
09/193P	B	0,46	10/14	15–40 %	b	30 %		DP-16
09/194Z	R	0,45	5/7	do 3 %	s	50 %		zeleň parková, DP-16
09/195S	B	<del>1,33</del> 1,35	10/14	–	a	–		
<b>09/196Z</b>	<b>B</b>	<b>0,67</b>	<b>7/10</b>	<b>do 55 %</b>	<b>a</b>	<b>15 %</b>		<b>DP-19, etapizace</b>
<b>Lokalita 10 – Hodolany a Rolsberk</b>								
10/001S	B	2,11	10/14	–	b	–		
10/002S	B	1,79	10/14	–	b	–		
10/003S	B	0,92	10/14	–	b	–		
10/004S	O	0,06	10/14	–	s	–		
10/005S	B	0,12	10/14	–	b	–		
10/006S	P	<del>3,13</del> 3,22	–	–	–	–		US-43
10/007S	B	0,96	10/14	–	b	–		
10/008S	B	1,39	10/14	–	b	–		
10/009S	B	0,57	10/14	–	b	–		
10/010S	B	0,33	10/14	–	b	–		
10/011S	B	0,89	10/14	–	b	–		US-43
10/012S	B	0,52	10/14	–	b	–		US-43
10/013S	B	0,34	10/14	–	a	–		US-43
10/014S	D	1,11	–	–	–	–		US-43, US-44, US-94
10/015P	D	<del>1,11</del> 1,34	–	–	–	–		US-43
10/016P	B	<del>2,09</del> 2,88	10/14	do 55 %	a	15 %		US-43, US-65
10/017S	B	1,57	10/14	–	a	–		
10/018S	D	<del>5,40</del> 4,94	11/11	–	a	–		US-43
10/019P	D	<del>1,76</del> 1,80	–	–	–	–		US-58, <b>US-43</b>
10/020P	B	2,52	10/14	do 75 %	b	0 %		US-64
10/021S	B	0,46	10/14	–	b	–		
10/022S	B	0,34	10/14	–	b	–		
10/023S	P	2,13	–	–	–	–		
10/024S	B	0,72	10/14	–	b	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
10/025S	B	0,51	10/14	-	b	-		
10/026S	B	0,14	10/14	-	b	-		
10/027S	B	0,25	10/14	-	b	-		
10/028S	B	0,58	10/14	-	b	-		
10/029S	B	0,75	10/14	-	b	-		
10/030S	B	0,53	10/14	-	b	-		
10/031P	P	0,22	-	-	-	-		US-58
10/032P	B	0,93	10/14	do 40 %	a	20 %		US-58
10/033S	B	0,31	10/14	-	a	-		
10/034N	L	<del>1,02</del> 0,55	-	-	-	-		
10/035S	P	0,27	-	-	-	-		
10/036S	D	2,41	-	-	-	-		US-43, US-44, US-94
10/037S	B	<del>1,46</del> 1,50	10/14	-	b	-		
10/038S	B	1,16	10/14	-	b	-		US-44
10/039S	P	<del>3,34</del> 3,06	-	-	-	-		US-44
10/040S	B	0,69	10/14	-	b	-		US-44
10/041S	B	<del>0,58</del> 0,62	10/14	-	b	-		
10/042S	B	<del>1,38</del> 1,44	10/14	-	b	-		
10/043P	B	<del>1,68</del> 2,60	10/14	15-40 %	b	30 %		US-44, US-69
10/044S	B	<del>0,35</del> 0,38	10/14	-	b	-		
10/045P	B	0,96	10/14	15-40 %	a	30 %		US-69
10/046P	T	<del>0,37</del> 0,48	10/14	do 55 %	a	15 %	sběrný dvůr	US-69
10/047S	B	0,59	10/14	-	a	-		
10/048S	B	<del>1,32</del> 1,36	10/14	-	b	-		
10/049S	B	<del>0,71</del> 0,74	10/14	-	b	-		
10/050S	B	<del>0,19</del> 0,22	10/14	-	b	-		
10/051S	O	0,33	10/14	-	b	-		
10/052S	R	0,56	5/7	-	s	-		zeleň parková
10/053S	B	<del>0,62</del> 0,66	10/14	-	b	-		
10/054S	B	<del>1,08</del> 1,12	10/14	-	b	-		
10/055S	B	<del>1,12</del> 1,15	10/14	-	b	-		
10/056S	B	<del>1,23</del> 1,27	10/14	-	b	-		
10/057S	P	<del>1,65</del> 1,50	-	-	-	-		
10/058S	B	0,59	10/14	-	b	-		
10/059 <del>PS</del>	<del>BV</del>	<del>7,68</del> 8,04	10/14	<del>10-35 %</del>	a	<del>15 %</del>		US-30
10/060N	L	<del>3,77</del> 2,20	-	-	-	-		
10/061S	B	<del>0,42</del> 0,49	7/10	-	b	-		
10/062S	B	<del>0,81</del> 0,95	10/14	-	b	-		
10/063P	B	<del>0,65</del> 0,47	10/14	15-35 %	b	40 %		
10/064S	P	<del>2,67</del> 2,60	-	-	-	-		
10/065S	B	0,37	10/14	-	b	-		
10/066P	B	0,19	10/14	15-40 %	b	30 %		
10/067S	B	0,59	10/14	-	b	-		
10/068P	B	0,33	10/14	15-40 %	b	30 %		
10/069P	R	0,09	5/7	do 3 %	s	50 %		zeleň parková

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
10/070P	B	0,32	10/14	15-40 %	b	30 %		
10/071S	B	1,36	10/14	-	b	-		
10/072S	V	<del>5,64</del> 5,68	15/15	-	a	-		
10/073S	V	4,93	15/15	-	a	-		
10/074PZ	P	<del>0,90</del> 1,25	-	-	-	-		
10/075S	Z	<del>1,45</del> 1,61	3/5	-	-	-		
10/076P	<del>VP</del>	<del>0,57</del> 0,72	<del>15/15</del> -	<del>do 55 %</del> -	<del>a-</del>	<del>15 %</del> -		
10/077S	Z	<del>0,42</del> 2,93	3/5	-	-	-		
<del>10/078Z</del>	<del>Z</del>	<del>1,83</del>	<del>3/5</del>	<del>do 10 %</del>	<del>-</del>	<del>50 %</del>		
10/079S	V	<del>4,51</del> 4,81	15/15	-	a	-		
10/080S	P	<del>0,49</del> 0,50	-	-	-	-		
10/081P	V	<del>1,28</del> 1,06	15/15	do 55 %	a	15 %		US-69
10/082P	P	<del>1,75</del> 1,84	-	-	-	-		US-44, US-69
10/083S	V	10,93	15/15	-	a	-		
10/084S	P	0,32	-	-	-	-		
10/085P	V	<del>1,92</del> 0,96	15/15	do 55 %	a	15 %		US-44, US-69
10/086S	V	7,78	15/15	-	a	-		US-44
10/087S	D	1,05	-	-	-	-		US-44
10/088S	V	3,88	15/15	-	a	-		US-44
10/089Z	V	1,86	15/15	do 55 %	a	15 %		US-44
10/090S	O	1,35	7/10	-	a	-		US-44, zeleň hřbitovů
10/091ZK	<del>ZL</del>	<del>0,49</del> 0,37	<del>3/5</del> -	<del>do 10 %</del> -	-	<del>50 %</del> -		
10/092Z	V	1,35	15/15	do 55 %	a	15 %		
10/093Z	D	5,76	-	-	-	-		US-44
10/094P	D	0,87	-	-	-	-		US-44
10/095S	D	<del>3,45</del> 3,41	-	-	-	-		US-44
<del>10/096S</del>	<del>B</del>	<del>1,70</del>	<del>10/14</del>	<del>-</del>	<del>b</del>	<del>-</del>		<del>US-44</del>
10/097S	B	0,52	13/17	-	b	-		US-44
10/098Z	B	<del>0,86</del> 0,91	13/17	15-40 %	<del>p-</del>	30 %		DP-44, US-44, etapizace
10/099P	B	<del>0,51</del> 1,84	13/17	15-40 %	<del>p-</del>	30 %		DP-44, US-44, etapizace
10/100P	P	<del>0,34</del> 0,25	-	-	-	-		US-44
10/101P	B	<del>0,29</del> 0,21	13/17	15-40 %	<del>p-</del>	30 %		DP-45, etapizace
10/102Z	B	<del>1,31</del> 1,66	13/17	15-40 %	<del>p-</del>	30 %		DP-45, etapizace
10/103S	B	<del>0,37</del> 0,36	13/17	-	b	-		
10/104S	B	0,16	10/14	-	b	-		
10/105S	B	0,16	10/14	-	b	-		
10/106Z	P	<del>0,08</del> 0,09	-	-	-	-		
10/107S	P	0,89	-	-	-	-		US-44
10/108S	B	1,00	10/14	-	b	-		
10/109S	B	1,78	13/17	-	s	-		US-43
10/110S	P	0,49	-	-	-	-		US-43
10/111S	B	6,42	13/17	-	a	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
10/112S	P	0,80	-	-	-	-		
10/113S	B	2,76	13/17	-	a	-		
10/114S	B	2,08	13/17	-	a	-		US-43
10/115P	B	1,70	13/17	do 40 %	a	20 %		US-43, etapizace (západní část plochy)
10/116S	D	4,92 <del>4,87</del>	-	-	-	-		US-43
10/117S	B	<del>6,66</del> 0,49	13/17	-	b	-		US-43
10/118S	P	0,13	-	-	-	-		
10/119S	B	0,44	13/17	-	b	-		
10/120P	B	<del>6,67</del> 0,66	13/17	15-45 %	a	30 %		US-43
10/121S	V	13,58	15/15	-	a	-		
10/122S	D	<del>5,72</del> 5,70	-	-	-	-		US-43
10/123P	D	1,85	-	-	-	-		
10/124S	B	2,85	13/17	-	a	-		
10/125S	B	1,03	13/17	-	b	-		
10/126S	B	0,73	13/17	-	b	-		
10/127S	P	0,70	-	-	-	-		
10/128S	B	<del>4,06</del> 1,06	13/17	-	a	-		
10/129S	V	<del>12,13</del> 15,07	15/15	-	a	-		
10/130S	B	2,09	13/17	-	a	-		
10/131S	D	3,19	-	-	-	-		US-43, US-44, US-94
10/132P	B	1,70	13/17	10-40 %	b	30 %		<del>US-31, etapizace</del> RP-14
10/133Z	B	<del>6,10</del> 6,25	13/17	10-35 %	b	40 %		<del>US-31, etapizace</del> RP-14
10/134P	B	<del>1,15</del> 1,16	13/17	10-35 %	b	40 %		<del>US-31, etapizace</del> RP-14
10/135S	B	0,44	13/17	-	b	-		<del>US-31</del>
10/136S	B	0,77	13/17	-	b	-		
10/137P	B	1,81	13/17	15-40 %	b	30 %		
10/138S	P	1,16	-	-	-	-		
10/139S	B	2,25	13/17	-	a	-		
10/140P	B	0,94	13/17	15-40 %	a	30 %		
10/141S	B	3,87	13/17	-	a	-		
10/142Z	B	0,38	13/17	15-40 %	a	30 %		
10/143S	B	0,47	13/17	-	a	-		
10/144S	D	0,28	-	-	-	-		
10/145N	D	0,79	-	-	-	-		
10/146Z	D	1,74	-	-	-	-		
10/147Z	B	1,41	10/14	15-40 %	b	30 %		
10/148Z	P	0,47	-	-	-	-		
10/149Z	V	2,88	15/15	do 55 %	a	15 %		DP-15
10/150Z	P	<del>1,39</del> 1,34	-	-	-	-		
10/151Z	R	0,26	5/7	do 3 %	s	50 %		zeleň parková

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
10/152S	V	7,39	15/15	-	a	-		
10/153Z	<b>RV</b>	<b>0,99</b> <b>0,96</b>	<b>5/7</b> <b>15/15</b>	<b>do 3%</b> <b>do 55%</b>	<b>s a</b>	<b>50%</b> <b>15%</b>		<b>zeleň parková</b>
<b>10/154Z</b>	<b>V</b>	<b>0,51</b>	<b>15/15</b>	<b>do 55%</b>	<b>a</b>	<b>15%</b>		
<b>10/155S</b>	<b>V</b>	<b>1,25</b>	<b>15/15</b>	<b>-</b>	<b>a</b>	<b>-</b>		<b>US-44</b>
10/156S	T	3,31	15/15	-	a	-	<b>specifická výška 2 (04)</b>	US-44
10/157S	T	2,28	15/15	-	a	-		US-44
10/158S	V	5,17	15/15	-	a	-	<b>fotovoltaika</b>	US-44
10/159S	P	<b>0,91</b> <b>0,90</b>	-	-	-	-		
10/160S	D	0,81	-	-	-	-		US-44
10/161S	P	0,20	-	-	-	-		
10/162S	V	1,95	15/15	-	a	-		US-44
10/163Z	V	14,85	15/15	do 55 %	a	15 %		DP-14
10/164S	V	3,16	15/15	-	a	-		
10/165S	V	11,61	15/15	-	a	-		
10/166Z	V	0,73	10/14	do 55 %	a	15 %		DP-29
10/167S	D	1,58	-	-	-	-		
10/168Z	V	0,94	15/15	do 55 %	a	15 %		DP-29
10/169P	D	0,31	-	-	-	-		
10/170Z	D	2,01	-	-	-	-		
10/171Z	V	3,40	15/15	do 55 %	a	15 %		DP-29
10/172S	V	1,04	15/15	-	a	-		DP-29
10/173N	D	0,75	-	-	-	-		
<b>10/174Z</b>	<b>P</b>	<b>0,29</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>		
<b>10/175Z</b>	<b>P</b>	<b>0,19</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>		
10/176Z	D	0,41	-	-	-	-		DP-29
10/177S	O	<b>3,00</b> <b>2,67</b>	10/14	-	s	-		
10/178S	D	0,45	-	-	-	-		US-43
10/179P	P	<b>0,05</b> <b>0,14</b>	-	-	-	-		
10/180Z	P	<b>0,15</b> <b>0,17</b>	-	-	-	-		
10/181S	B	0,45	15/15	-	a	-		
<b>10/182N</b>	<b>L</b>	<b>0,54</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>		
<b>10/183P</b>	<b>O</b>	<b>0,93</b>	<b>10/14</b>	<b>do 40%</b>	<b>b</b>	<b>20%</b>		<b>US-101</b>
<b>10/184P</b>	<b>P</b>	<b>0,56</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>		<b>US-43</b>
<b>Lokalita 11 – Holice</b>								
11/001S	B	7,47	7/10	-	v	-		
11/002S	O	0,48	7/10	-	a	-		
11/003S	P	4,19	-	-	-	-		
11/004S	O	0,34	7/10	-	s	-		
11/005S	B	5,04	7/10	-	v	-		
11/006S	O	0,59	7/10	-	v	-		
11/007S	B	2,92	7/10	-	v	-		
11/008S	O	0,50	7/10	-	v	-		zeleň hřbitovů

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
11/009S	P	0,99	-	-	-	-		
11/010P	B	2,15	10/14	do 55 %	b	15 %		
11/011S	B	1,38	10/14	-	a	-		
11/012S	B	0,30	10/14	-	a	-		
11/013S	B	2,18	10/14	-	a	-		
11/014S	O	6,05	10/14	-	a	-		
11/015S	P	0,23	-	-	-	-		
11/016Z	P	0,47	-	-	-	-		
11/017Z	O	0,52	10/14	do 40 %	a	20 %		
11/018Z	B	3,01	10/14	10-35 %	b	40 %		DP-13
11/019Z	B	0,77	10/14	15-40 %	b	30 %		DP-13
11/020S	B	0,97	10/14	-	b	-		
11/021S	B	2,79	10/14	-	b	-		
11/022Z	B	1,62	10/14	15-40 %	b	30 %		DP-13
11/023Z	P	0,38	-	-	-	-		DP-13
11/024Z	B	1,40	10/14	15-40 %	b	30 %		DP-13
11/025Z	D	1,86	-	-	-	-		
11/026S	B	1,38	10/14	-	b	-		
11/027S	B	1,69	10/14	-	b	-		
11/028S	B	1,17	10/14	-	b	-		
11/029S	P	<del>1,72</del> 1,66	-	-	-	-		
11/030S	P	1,10	-	-	-	-		US-74
11/031S	D	0,98	-	-	-	-		
11/032S	B	0,13	10/14	-	s	-		
11/033S	B	0,51	10/14	-	b	-		
11/034S	P	2,42	-	-	-	-		
11/035S	B	1,48	10/14	-	b	-		
11/036S	B	1,49	10/14	-	b	-		
11/037S	B	2,69	10/14	-	b	-		
11/038S	B	1,18	10/14	-	b	-		
11/039S	B	1,72	10/14	-	b	-		
11/040Z	D	0,89	-	-	-	-		
11/041S	B	1,06	10/14	-	b	-		
11/042S	D	2,56	-	-	-	-		US-94
11/043S	B	3,70	10/14	-	a	-		
11/044S	B	0,75	10/14	-	b	-		
11/045S	P	0,45	-	-	-	-		
11/046S	B	2,08	10/14	-	b	-		
11/047S	B	0,24	10/14	-	b	-		
11/048S	D	0,82	-	-	-	-		
11/049S	B	0,13	10/14	-	v	-		
11/050S	R	0,18	5/7	-	s	-		zeleň parková
11/051S	B	0,36	10/14	-	v	-		
11/052P	B	1,41	10/14	do 55 %	b	15 %		US-74
11/053P	B	0,28	10/14	do 55 %	b	15 %		US-74

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
11/054P	D	1,34	–	–	–	–		
11/055Z	D	0,25	–	–	–	–		
11/056Z	V	1,96	11/11	do 55 %	a	15 %		DP-30
11/057S	V	2,51	11/11	–	a	–		DP-30
11/058Z	P	1,72	–	–	–	–		DP-30
11/059Z	V	1,18	11/11	do 55 %	a	15 %		DP-30
11/060Z	V	4,33	11/11	do 55 %	a	15 %		DP-30
11/061S	V	7,06	11/11	–	a	–	sběrný dvůr	
11/062P	P	0,28	–	–	–	–		
11/063S	B	0,31	7/10	–	v	–		
11/064S	P	1,92	–	–	–	–		
11/065S	V	9,84	11/11	–	a	–		
11/066S	P	1,27	–	–	–	–		
11/067S	V	12,28	11/11	–	a	–		
11/068S	B	0,84	7/10	–	v	–		
11/069S	B	4,94	13/17	–	a	–		
11/070Z	B	0,38	10/14	15–40 %	b	30 %		DP-13
11/071S	D	1,80	–	–	–	–		
11/072S	B	0,24	7/10	–	b	–		
11/073S	P	3,23	–	–	–	–		
11/074P	B	0,76	7/10	15–40 %	b	30 %		
11/075S	B	1,65	7/10	–	b	–		
11/076S	B	2,25	7/10	–	b	–		
11/077S	B	1,07	7/10	–	v	–		
11/078Z	B	0,76	7/10	15–35 %	b	40 %		
11/079Z	P	0,17	–	–	–	–		
11/080Z	B	3,88	10/14	do 55 %	b	15 %		DP-28
11/081S	B	0,25	10/14	–	b	–		DP-28
11/082S	B	3,08	7/10	–	b	–		
11/083S	B	2,53	7/10	–	b	–		
11/084P	B	0,41	7/10	10–35 %	b	40 %		DP-07
11/085Z	B	4,24	7/10	10–35 %	b	40 %		DP-07
11/086S	B	0,31	7/10	–	b	–		
11/087Z	B	1,86	7/10	15–40 %	b	30 %		
11/088Z	Z	2,11	3/5	do 10 %	–	50 %	chatová osada	
11/089Z	P	1,97	–	–	–	–		US-37
11/090P	O	2,06	5/7	do 30 %	a	30 %	kemp	US-37
11/091P	O	0,82	5/7	do 20 %	a	40 %	kemp	US-37
11/092S	Z	0,55	3/5	–	–	–		
11/093N	L	1,12 1,03	–	–	–	–		
11/094Z	P	0,93	–	–	–	–		
11/095 <del>PS</del>	<del>ΘZ</del>	0,31	<del>5/7 3/5</del>	<del>do 20 %</del>	<del>a</del>	<del>40 %</del>	<del>kemp</del>	
<del>11/096Z</del>	<del>Θ</del>	<del>0,77</del>	<del>5/7</del>	<del>do 20 %</del>	<del>a</del>	<del>40 %</del>	<del>kemp</del>	
11/097K	R	1,14 1,13	–	–	–	–		zeleň rekreační krajiny

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
11/098K	R	2,35	-	-	-	-		US-37, zeleň rekreační krajiny
11/099N	R	0,84	-	-	-	-		US-37, zeleň rekreační krajiny
11/100N	N	14,38	-	-	-	-		
11/101N	D	4,79	-	-	-	-		
11/102N	N	18,96	-	-	-	-		
11/103Z	V	<del>25,02</del> 25,08	15/15	do 55 %	a	15 %		DP-08, etapizace
11/104S	B	0,61	15/15	-	a	-		
11/105Z	R	<del>6,59</del> 0,54	5/7	do 3 %	s	50 %		zeleň parková
11/106Z	B	0,81	10/14	15-35 %	b	40 %		
11/107Z	P	0,31	-	-	-	-		
11/108N	D	2,76	-	-	-	-		US-94
11/109S	V	17,28	15/15	-	a	-	logistika	
11/110Z	V	5,14	15/15	do 55 %	a	15 %	logistika	<del>DP-09</del>
11/111Z	R	0,98	5/7	do 3 %	s	50 %		<del>DP-09</del> zeleň parková
11/112Z	V	6,56	15/15	do 55 %	a	15 %	logistika	<del>DP-09</del>
11/113P	V	2,13	15/15	do 55 %	a	15 %		<del>DP-09</del>
11/114S	T	0,46	15/15	-	a	-		
11/115Z	D	13,33	-	-	-	-		
11/116Z	D	0,71	-	-	-	-		
11/117P	D	0,35	-	-	-	-		
11/118S	V	5,76	11/11	-	a	-		
11/119Z	V	8,89	11/11	do 55 %	a	15 %		DP-10
11/120Z	V	6,22	11/11	do 55 %	a	15 %		
11/121S	D	2,45	-	-	-	-		US-94
11/122K	R	<del>15,17</del> 15,09	-	-	-	-		US-37, zeleň rekreační krajiny
11/123N	N	<del>19,09</del> 20,04	-	-	-	-		UR-17 (V)
11/124Z	B	2,39	7/10	10-35 %	b	40 %		DP-07
11/125Z	B	0,91	7/10	10-35 %	b	40 %		DP-07
11/126Z	Z	0,90	3/5	do 10 %	-	50 %	chatová osada	
11/127S	B	<del>6,70</del> 0,75	10/14	-	b	-		
11/128N	W	0,88	-	-	-	-		US-37
11/129N	W	1,99	-	-	-	-		US-37
11/130S	W	0,75	-	-	-	-	chatová osada	
11/131Z	D	0,69	10/14	do 10 %	s	40 %	tramvajové obratiště	DP-28, US-94
11/132Z	D	0,62	15/15	do 10 %	s	40 %	tramvajové obratiště	DP-08, US-94
11/133Z	P	0,28	-	-	-	-		DP-07
11/134Z	P	0,25	-	-	-	-		US-37
11/135Z	P	0,51	-	-	-	-		DP-13
11/136Z	P	0,16	-	-	-	-		DP-13



kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
<b>Lokalita 12 – Nový svět a Šlechtitelů</b>								
12/001S	B	4,92	10/14	–	b	–		
12/002S	B	0,22	10/14	–	b	–		
12/003S	B	0,47	10/14	–	b	–		
12/004S	B	0,24	10/14	–	b	–		
12/005S	B	0,86	10/14	–	b	–		
12/006S	P	0,80	–	–	–	–		
12/007S	B	4,00	13/17	–	p	–		
12/008P	R	1,61	5/7	do 3 %	s	50 %		zeleň parková
12/009S	B	1,24	10/14	–	b	–		
12/010P	B	0,35	10/14	15–40 %	b	30 %		
12/011P	P	0,15	–	–	–	–		
12/012P	O	0,46	10/14	15–40 %	b	30 %		
12/013S	B	0,41	10/14	–	b	–		
12/014S	P	0,42	–	–	–	–		
12/015S	O	0,26	10/14	–	b	–		
12/016S	D	1,77	–	–	–	–		
12/017S	B	0,70	10/14	–	b	–		
12/018S	B	0,52	10/14	–	b	–		
12/019S	B	2,80	10/14	–	b	–		
12/020P	B	1,47	10/14	15–40 %	b	30 %		
12/021P	P	0,41	–	–	–	–		
12/022P	B	0,17	10/14	15–40 %	b	30 %		
12/023P	B	1,97	10/14	15–40 %	b	30 %		
12/024P	R	0,22	5/7	3 %	s	50 %		zeleň parková
12/025P	P	0,13	–	–	–	–		
12/026P	B	0,16	11/11	15-45 %	b	30 %		
12/027S	B	3,51	11/11	–	a	–		
12/028S	V	5,83	11/11	–	a	–	zemědělství	
12/029Z	B	10,17	7/10	10–35 %	b	40 %		DP-06, etapizace
12/030P	D	0,39	–	–	–	–		
12/031Z	D	1,66	–	–	–	–		
12/032Z	T	0,52	7/10	do 55 %	a	15 %		
12/033Z	B	0,90	7/10	10–35 %	b	40 %		etapizace
12/034S	B	1,84	7/10	–	b	–		
12/035S	B	0,45	7/10	–	b	–		
12/036S	P	0,60	–	–	–	–		
12/037S	B	2,11	10/14	–	b	–		
12/038P	D	0,20	–	–	–	–		
12/039S	B	0,50	10/14	–	b	–		
12/040S	B	0,27	10/14	–	b	–		
12/041S	B	1,58	13/17	–	p	–		
12/042K	D	1,93	–	–	–	–		
12/043N	W	1,62	–	–	–	–		
12/044S	B	1,28	5/7	–	a	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
12/045K	R	2,51	-	-	-	-		navržený ÚSES, zeleň rekreační krajiny
12/046S	O	0,84	5/7	-	a	-		
12/047N	R	0,37	-	-	-	-		zeleň rekreační krajiny
12/048Z	D	0,90	-	-	-	-		
12/049K	W	1,18	-	-	-	-		US-42
12/050Z	O	1,62	5/7	do 20 %	a	40 %	kemp	etapizace
12/051N	P	0,23	-	-	-	-		
12/052K	W	0,69	-	-	-	-		
12/053S	B	0,50	17/21	-	b	-		DP-41
12/054Z	B	5,26	17/21	10-40 %	b	30 %		DP-41, etapizace
12/055S	B	0,65	17/21	-	b	-		DP-41
12/056P	B	17,36	17/21	10-40 %	b	30 %		US-42, <del>US-15</del> RP-15
12/057P	D	2,36	-	-	-	-		
12/058S	P	0,48	-	-	-	-		
12/059S	B	0,36	17/21	-	a	-		
12/060S	B	2,00	17/21	-	a	-		
12/061S	D	0,69	-	-	-	-		US-42, US-43
12/062S	B	0,76	17/21	-	a	-		US-43
12/063S	D	2,90	-	-	-	-		US-43, US-93
12/064S	B	0,13	17/21	-	a	-		US-43
12/065S	B	0,22	17/21	-	a	-		
12/066S	B	0,37	17/21	-	a	-		
12/067S	P	1,26	-	-	-	-		US-43
12/068S	B	0,93	17/21	-	a	-		US-43
12/069S	B	0,82	17/21	-	a	-		
12/070S	B	0,29	17/21	-	a	-		US-43
12/071P	D	2,88	-	-	-	-		US-43, US-93
12/072S	B	3,49	17/21	-	a	-		US-43
12/073S	P	1,21	-	-	-	-		US-43
12/074K	W	0,85	-	-	-	-		
12/075S	V	9,79	15/15	-	a	-		US-43
12/076Z	D	8,39	15/15	do 55 %	a	15 %	vozovna HD	US-93
12/077S	V	4,93	15/15	-	a	-		
12/078S	D	0,63	-	-	-	-		US-93
12/079S	V	2,63	15/15	-	a	-		
12/080Z	D	0,73	-	-	-	-		
12/081S	P	0,86	-	-	-	-		
12/082S	V	7,65	11/11	-	a	-		
12/083P	V	4,13	11/11	do 55 %	a	15 %		
12/084S	D	2,62	-	-	-	-		
12/085S	P	1,46	-	-	-	-		
12/086S	D	3,11	-	-	-	-		US-93
12/087P	V	2,54	11/11	do 55 %	a	15 %		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
12/088S	V	5,20	11/11	–	a	–		
12/089P	O	1,54	11/11	do 40 %	a	20 %	věda a výzkum	
12/090S	O	1,71	11/11	–	a	–	věda a výzkum	
12/091S	P	0,39	–	–	–	–		
12/092P	P	0,35	–	–	–	–		
12/093S	O	3,35	11/11	–	a	–	věda a výzkum	
12/094P	O	5,26	11/11	do 40 %	a	20 %	věda a výzkum	
12/095S	O	18,79	11/11	–	a	–	věda a výzkum	
12/096Z	O	1,22	11/11	do 40 %	a	20 %		etapizace
12/097N	D	0,72	–	–	–	–		
12/098K	R	52,86	–	–	–	–		zeleň rekreační krajiny
12/099K	R	4,89	–	–	–	–		zeleň rekreační krajiny
12/100K	R	1,84	–	–	–	–		navržený ÚSES, zeleň rekreační krajiny
12/101N	W	3,03	–	–	–	–		
12/102P	O	0,55	5/7	do 55 %	s	15 %		
12/103N	P	1,05	–	–	–	–		
12/104N	D	3,44	–	–	–	–		
12/106K	L	32,89	–	–	–	–		
12/107N	D	1,27	–	–	–	–		
12/108S	Z	1,27	3/5	–	–	–		
12/109N	N	34,61	–	–	–	–		
12/110N	D	1,80	–	–	–	–		
12/111N	N	45,11	–	–	–	–		
12/112Z	T	5,02	11/11	do 55 %	a	15 %	bez ČS PHM, odpadové hospodářství	
12/113N	N	46,84	–	–	–	–		
12/114N	N	44,51	–	–	–	–		
12/115N	D	3,23	–	–	–	–		
12/116N	D	6,67	–	–	–	–		
12/117S	B	1,95	17/21	–	a	–		US-15
12/118S	B	0,40	13/17	–	b	–		
12/119S	V	0,98	11/11	–	a	–		
12/120P	P	<del>0,68</del> 0,57	–	–	–	–		
12/121S	B	7,93	11/11	–	a	–		
12/122S	V	4,81	11/11	–	a	–		
12/123P	B	1,11	10/14	do 40 %	a	20 %		DP-06
12/124Z	B	1,64	10/14	do 40 %	b	20 %		DP-06, etapizace
12/125Z	P	0,32	–	–	–	–		DP-06
12/126P	P	0,34	–	–	–	–		DP-06
12/127P	B	0,74	7/10	10–35 %	a	40 %		DP-06
12/128P	B	0,83	10/14	do 40 %	b	20 %		
12/129K	N	2,34	–	–	–	–		navržený ÚSES

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
12/130K	W	1,43	-	-	-	-		navržený ÚSES, zeleň rekreačních nábřeží
12/131N	W	4,09	-	-	-	-		
12/132K	N	4,61	-	-	-	-		navržený ÚSES
12/133K	W	1,62	-	-	-	-		
12/134K	W	1,84	-	-	-	-		navržený ÚSES
12/135N	W	4,58	-	-	-	-		
12/136K	R	4,47	-	-	-	-		zeleň rekreační krajiny
12/137Z	R	0,46	5/7	do 3 %	s	50 %		zeleň parková, etapizace
12/138K	W	3,17	-	-	-	-		
12/139N	W	0,85	-	-	-	-		
12/140K	R	12,65	-	-	-	-		navržený ÚSES, zeleň rekreační krajiny
12/141N	W	4,40	-	-	-	-		
12/142N	W	1,28	-	-	-	-		US-42
12/143P	D	1,34	-	-	-	-	tramvajové obratiště	US-93
12/144S	D	0,44	-	-	-	-		US-43
<b>12/145S</b>	<b>V</b>	<b>0,11</b>	<b>11/11</b>	<b>-</b>	<b>a</b>	<b>-</b>		<b>UR-60 (P)</b>
<b>Lokalita 13 – Povel, Slavonín-sever a Nové Sady-sever</b>								
13/001S	B	3,65	13/17	-	p	-		<b>US-50 RP-19</b>
13/002S	B	0,43	13/17	-	p	-		<b>US-50 RP-19</b>
13/003S	R	1,16	5/7	-	s	-		<b>US-50 RP-19</b> , zeleň parková
13/004S	B	0,43	13/17	-	b	-		<b>US-50 RP-19</b>
13/005S	P	0,57	-	-	-	-		<b>US-50 RP-19</b>
13/006S	B	1,21	13/17	-	p	-		<b>US-50 RP-19</b>
13/007S	P	4,13	-	-	-	-		<b>US-50 RP-19, US-51 RP-20</b>
13/008S	O	2,32	13/17	-	a	-		<b>US-50 RP-19</b>
13/009S	P	1,33	-	-	-	-		<b>US-50 RP-19</b>
13/010S	B	2,59	13/17	-	p	-		<b>US-50 RP-19</b>
13/011S	B	2,17	13/17	-	p	-		<b>US-50 RP-19</b>
13/012S	P	0,32	-	-	-	-		<b>US-50 RP-19</b>
13/013S	B	1,53	13/17	-	p	-		<b>US-50 RP-19</b>
13/014S	B	1,19	7/10	-	b	-		
13/015S	P	0,69	-	-	-	-		
13/016S	B	5,49	7/10	-	b	-		
13/017S	D	2,04	-	-	-	-		
13/018N	W	1,66	-	-	-	-		
13/019S	O	1,89	13/17	-	a	-		
13/020S	B	0,77	13/17	-	b	-		<b>US-51 RP-20</b>
13/021S	O	2,76	13/17	-	a	-		<b>US-51 RP-20</b>

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
13/022S	R	3,08	5/7	-	s	-		<del>US-51</del> RP-20, zeleň parková
13/023S	B	1,79	13/17	-	p	-		<del>US-50</del> RP-19, <del>US-51</del> RP-20
13/024S	B	1,63	13/17	-	p	-		
13/025S	B	2,06	13/17	-	p	-		<del>US-51</del> RP-20
13/026 <del>S</del> SP	B	1,18	13/17	-do 50 %	<del>bs</del>	-10%		<del>US-51</del> RP-20
13/027S	B	0,64	13/17	-	p	-		<del>US-51</del> RP-20
13/028S	B	0,87	13/17	-	p	-		
13/029S	B	0,46	13/17	-	p	-		
13/030S	B	0,34	13/17	-	p	-		
13/031S	B	0,62	13/17	-	p	-		
13/032S	B	1,42	13/17	-	p	-		
13/033S	B	0,75	10/14	-	b	-		
13/034S	B	0,82	13/17	-	b	-		
13/035S	D	1,59	-	-	-	-		
13/036S	B	2,03	10/14	-	b	-		
13/037S	D	1,56	-	-	-	-		US-91
13/038S	B	1,62	13/17	-	b	-		<del>US-12</del> RP-18
13/039Z	P	0,51	-	-	-	-		<del>US-12</del> RP-18, etapizace
13/040S	O	0,29	13/17	-	a	-		<del>US-48</del> RP-17
13/041Z	B	11,90	13/17	10-40 %	b	30 %		<del>US-12</del> RP-18, etapizace
13/042S	B	4,28	7/10	-	b	-		
13/043Z	P	<del>3,29</del> 2,82	-	-	-	-		<del>US-12</del> , <del>DP-42</del> RP-18, US-106
13/044Z	B	<del>1,91</del> 2,38	13/17	15-45 %	b	30 %		<del>US-12</del> RP-18, etapizace
13/045Z	B	2,43	10/14	10-35 %	b	40 %		<del>DP-42</del> US-106
13/046S	B	1,26	10/14	-	b	-		
13/047S	B	0,39	10/14	-	b	-		
13/048S	B	1,18	10/14	-	b	-		
13/049S	B	3,61	10/14	-	b	-		
13/050S	P	1,03	-	-	-	-		
13/051S	B	4,69	10/14	-	b	-		
13/052S	D	1,72	-	-	-	-		
13/053S	P	2,65	-	-	-	-		
13/054S	D	1,55	-	-	-	-		
13/055S	B	1,77	11/11	-	a	-		
13/056S	B	5,00	10/14	-	b	-		
13/057S	O	0,27	10/14	-	b	-		
13/058S	B	0,92	10/14	-	b	-		
13/059S	B	0,84	10/14	-	b	-		
13/060S	B	0,67	10/14	-	b	-		
13/061S	D	0,29	-	-	-	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
13/062Z	B	1,84	10/14	10–35 %	b	40 %		<del>US-12</del> US-106
13/063S	B	0,78	10/14	–	b	–		<del>US-12</del> US-106
13/064Z	B	7,79	13/17	10–35 %	b	40 %		<del>US-12</del> RP-18, etapizace
13/065Z	B	0,46	10/14	10–35 %	b	40 %		
13/066S	B	0,21	10/14	–	b	–		
13/067S	O	1,00	13/17	–	a	–		
13/068S	B	<del>3,51</del> 2,70	13/17	–	b	–		
13/069Z	B	1,66	10/14	15–40 %	b	30 %		<del>BP-43</del> US-106
13/070S	B	3,44	10/14	–	b	–		<del>BP-43</del> US-106
13/071S	B	1,01	13/17	–	b	–		US-12
13/072Z	D	2,84	–	–	–	–		
13/073S	D	0,59	–	–	–	–		
13/074S	B	2,90	13/17	–	p	–		<del>US-48</del> RP-17
13/075S	R	0,35	5/7	–	s	–		<del>US-48</del> RP-17, zeleň parková
13/076S	B	0,43	13/17	–	b	–		<del>US-48</del> RP-17
13/077S	B	0,29	13/17	–	b	–		US-07
13/078Z	B	2,06	13/17	15–45 %	b	30 %		US-07
13/079Z	P	0,21	–	–	–	–		US-07
13/080Z	B	0,44	13/17	15–45 %	b	30 %		US-07
13/081P	B	0,70	13/17	15–45 %	b	30 %		US-07
13/082Z	B	0,79	13/17	15–45 %	b	30 %		US-07
13/083Z	P	0,52	–	–	–	–		US-07
13/084Z	B	1,52	13/17	15–45 %	b	30 %		US-07
13/085P	B	1,13	13/17	15–45 %	b	30 %		US-07
13/086Z	B	1,00	13/17	15–45 %	b	30 %		US-07
13/087S	B	0,49	13/17	–	s	–		<del>US-48</del> RP-17
13/088S	B	0,46	13/17	–	p	–		<del>US-48</del> RP-17
13/089S	B	0,61	13/17	–	p	–		<del>US-48</del> RP-17
13/090S	B	1,18	13/17	–	p	–		<del>US-48</del> RP-17
13/091S	B	0,73	13/17	–	s	–		<del>US-48</del> RP-17
13/092S	P	6,56	–	–	–	–		US-41, <del>US-48</del> RP-17
13/093S	D	3,85	–	–	–	–		US-89
13/094S	B	1,21	13/17	–	p	–		<del>US-48</del> RP-17
13/095S	O	4,30	13/17	–	a	–		<del>US-48</del> RP-17
13/096S	R	0,59	5/7	–	s	–		<del>US-48</del> RP-17, zeleň parková
13/097S	B	1,42	13/17	–	p	–		<del>US-48</del> RP-17
13/098S	B	0,81	13/17	–	p	–		US-41, <del>US-48</del> RP-17
13/099P	D	0,61	–	–	–	–		US-41
13/100S	B	0,65	13/17	–	b	–		US-41, <del>US-48</del> RP-17
13/101S	B	0,73	13/17	–	b	–		US-41, <del>US-48</del> RP-17
13/102S	B	0,94	13/17	–	p	–		<del>US-48</del> RP-17
13/103S	B	0,41	13/17	–	b	–		<del>US-48</del> RP-17
13/104S	B	1,23	13/17	–	p	–		<del>US-48</del> RP-17

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
13/105S	O	0,40	13/17	-	a	-		<del>US-48</del> RP-17
13/106S	O	0,62	13/17	-	a	-		<del>US-48</del> RP-17
13/107S	R	0,26	5/7	-	s	-		<del>US-48</del> RP-17, zeleň parková
13/108S	B	2,04	13/17	-	p	-		<del>US-48</del> RP-17
13/109S	B	0,61	13/17	-	p	-		<del>US-48</del> RP-17
13/110S	B	0,45	13/17	-	b	-		<del>US-48</del> RP-17
13/111S	R	0,28	5/7	-	s	-		<del>US-48</del> RP-17, zeleň parková
13/112S	B	0,50	13/17	-	b	-		<del>US-48</del> RP-17
13/113S	O	0,65	13/17	-	a	-		<del>US-48</del> RP-17
13/114S	B	0,43	13/17	-	p	-		US-41, <del>US-48</del> RP-17
13/115N	W	2,02	-	-	-	-		US-42
13/116S	B	0,37	13/17	-	p	-		US-41, <del>US-48</del> RP-17
13/117S	B	1,57	13/17	-	p	-		<del>US-48</del> RP-17
13/118S	R	0,23	5/7	-	s	-		<del>US-48</del> RP-17, zeleň parková
13/119S	B	0,20	13/17	-	b	-		<del>US-48</del> RP-17
13/120S	B	0,24	13/17	-	p	-		<del>US-48</del> RP-17
13/121S	D	1,36	-	-	-	-		US-41, US-42, US-91
13/122S	O	2,90	13/17	-	a	-		US-42, <del>US-49</del> RP-16
13/123P	W	2,05	-	-	-	-		
13/124S	B	2,55	13/17	-	p	-		US-42, <del>US-49</del> RP-16
13/125S	P	2,15	-	-	-	-		US-42, <del>US-49</del> RP-16
13/126S	B	3,50	13/17	-	p	-		<del>US-49</del> RP-16
13/127S	B	0,32	13/17	-	p	-		<del>US-49</del> RP-16
13/128S	O	0,84	13/17	-	a	-		<del>US-49</del> RP-16
13/129S	B	0,22	13/17	-	b	-		<del>US-49</del> RP-16
13/130S	O	1,84	13/17	-	a	-		<del>US-49</del> RP-16
13/131S	B	0,21	13/17	-	s	-		<del>US-49</del> RP-16
13/132S	D	1,91	-	-	-	-		US-91
13/133S	B	0,56	13/17	-	p	-		<del>US-49</del> RP-16
13/134S	B	5,68	13/17	-	p	-		<del>US-49</del> RP-16
13/135S	R	0,74	5/7	-	s	-		<del>US-49</del> RP-16, zeleň parková
13/136S	O	0,27	13/17	-	p	-		<del>US-49</del> RP-16
13/137S	R	0,34	5/7	-	s	-		<del>US-49</del> RP-16, zeleň parková
13/138S	O	0,37	13/17	-	a	-		<del>US-49</del> RP-16
13/139S	B	0,50	13/17	-	p	-		<del>US-49</del> RP-16
13/140S	D	1,06	-	-	-	-		US-42, US-91
13/141S	B	1,10	10/14	-	b	-		
13/142K	W	<del>1,49</del> 1,41	-	-	-	-		US-42
13/143S	O	5,12	13/17	-	a	-		US-42
13/144S	B	0,28	13/17	-	b	-		
13/145S	P	0,43	-	-	-	-		
13/146P	P	0,25	-	-	-	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
13/147K	W	2,34	-	-	-	-		US-42, zeleň rekreačních nábřeží
13/148S	B	1,21	10/14	-	b	-		
13/149S	B	1,02	10/14	-	b	-		
13/150S	R	0,19	5/7	-	s	-		<del>US-40</del> RP-17, zeleň parková
13/151Z	B	2,08	10/14	10-35 %	b	40 %		<del>BP-42</del> US-106
13/152Z	B	0,84	10/14	10-35 %	b	40 %		<del>US-12</del> US-106
13/153Z	B	1,93	10/14	10-35 %	b	40 %		<del>US-12</del> US-106
13/154P	B	0,57	10/14	15-40 %	b	30 %		
13/155Z	D	0,65	13/17	do 10 %	s	40 %	tramvajové obrátiště	<del>US-12</del> , US-91
13/156Z	P	0,89	-	-	-	-		<del>BP-42</del> US-106
13/157Z	P	0,21	-	-	-	-		<del>US-12</del> US-106
13/158Z	P	0,18	-	-	-	-		<del>US-12</del> US-106
13/159Z	P	0,34	-	-	-	-		
<b>13/160S</b>	<b>Z</b>	<b>0,89</b>	<b>3/5</b>	<b>-</b>	<b>-</b>	<b>-</b>		<b>UR-61 (R)</b>
<b>Lokalita 14 – Tabulový vrch a Nová Ulice</b>								
14/001S	B	4,96	13/17	-	p	-		<del>US-46</del> RP-22
14/002S	R	2,27	5/7	-	s	-		<del>US-46</del> RP-22, zeleň parková
14/003S	B	4,19	13/17	-	p	-		<del>US-46</del> RP-22
14/004S	R	0,47	5/7	-	s	-		<del>US-46</del> RP-22, zeleň parková
14/005S	B	3,49	13/17	-	p	-		<del>US-46</del> RP-22
14/006S	B	2,47	13/17	-	p	-		<del>US-46</del> RP-22
14/007S	R	0,29	5/7	-	s	-		<del>US-46</del> RP-22, zeleň parková
14/008S	B	0,46	13/17	-	p	-		<del>US-46</del> RP-22
14/009S	R	0,65	5/7	-	s	-		<del>US-46</del> RP-22, zeleň parková
14/010S	B	0,68	13/17	-	p	-		<del>US-46</del> RP-22
14/011S	B	1,30	13/17	-	b	-		<del>US-46</del> RP-22
14/012S	D	1,74	-	-	-	-		
14/013S	B	2,74	13/17	-	p	-		<del>US-46</del> RP-22
14/014S	B	0,75	13/17	-	b	-		<del>US-46</del> RP-22
14/015S	O	0,86	13/17	-	a	-		<del>US-46</del> RP-22
14/016S	D	1,58	-	-	-	-		US-39, US-40
14/017S	B	0,85	13/17	-	p	-		<del>US-46</del> RP-22
14/018S	O	2,08	13/17	-	a	-		<del>US-46</del> RP-22
14/019S	B	1,10	13/17	-	p	-		<del>US-46</del> RP-22
14/020S	P	3,50	-	-	-	-		US-40, <del>US-46</del> RP-22
14/021S	B	0,35	13/17	-	p	-		US-40, <del>US-46</del> RP-22
14/022S	O	0,29	13/17	-	a	-		US-40, <del>US-46</del> RP-22
14/023S	B	1,03	13/17	-	p	-		US-40, <del>US-46</del> RP-22
14/024S	B	0,35	13/17	-	p	-		<del>US-46</del> RP-22
14/025S	O	0,26	13/17	-	p	-		<del>US-46</del> RP-22



kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
14/026S	D	3,85	–	–	–	–		US-40, <del>US-46</del> RP-22
14/027S	B	2,52	13/17	–	p	–		US-40, <del>US-46</del> RP-22
14/028S	R	0,32	5/7	–	s	–		US-40, <del>US-46</del> RP-22, zeleň parková
14/029S	P	2,95	–	–	–	–		US-40, <del>US-46</del> RP-22
14/030S	D	1,49	–	–	–	–		US-90
14/031S	B	2,42	13/17	–	p	–		US-40, <del>US-46</del> RP-22
14/032S	B	0,66	13/17	–	s	–		<del>US-46</del> RP-22
14/033S	B	0,34	13/17	–	p	–		<del>US-46</del> RP-22
14/034S	B	<del>1,38</del> 3,61	13/17	–	p	–		
14/035S	B	0,51	13/17	–	p	–		<del>US-46</del> RP-22
14/036P	B	1,59	13/17	15–45 %	b	30 %		<del>US-46</del> US-103
14/037S	B	1,87	13/17	–	b	–		
14/038S	B	0,58	13/17	–	b	–		
14/039P	B	0,37	7/10	15–35 %	b	40 %		DP-49
14/040S	B	0,81	13/17	–	b	–		US-40
14/041S	B	1,07	13/17	–	b	–		US-40
14/042S	B	1,69	13/17	–	b	–		
14/043S	D	2,97	–	–	–	–		US-40, US-41, US-90
14/044S	B	1,30	13/17	–	p	–		<del>US-46</del> RP-22
14/045S	R	0,31	5/7	–	s	–		<del>US-46</del> RP-22, zeleň parková
14/046S	P	0,30	–	–	–	–		<del>US-46</del> RP-22
14/047S	O	1,71	13/17	–	a	–		<del>US-46</del> RP-22
14/048S	R	0,71	5/7	–	s	–		<del>US-46</del> RP-22, zeleň parková
14/049S	B	2,68	13/17	–	p	–		<del>US-46</del> RP-22
14/050S	R	0,59	5/7	–	s	–		<del>US-46</del> RP-22, zeleň parková
14/051S	B	1,13	13/17	–	p	–		<del>US-46</del> RP-22
14/052S	B	2,39	13/17	–	p	–		<del>US-46</del> RP-22
14/053S	B	0,88	7/10	–	b	–		
14/054S	B	0,98	13/17	–	p	–		
14/055P	B	3,00	13/17	15–45 %	b	<del>36</del> 20 %		US-82
14/056S	B	2,27	7/10	–	b	–		
14/057S	B	1,51	7/10	–	b	–		
14/058S	D	1,79	–	–	–	–		
14/059P	B	0,20	7/10	15–35 %	b	40 %		DP-49
14/060S	B	0,26	7/10	–	b	–		
14/061S	B	0,55	7/10	–	b	–		
14/062S	P	3,87	–	–	–	–		<del>US-46</del> RP-22
14/063S	B	0,68	7/10	–	b	–		
14/064S	B	0,27	7/10	–	b	–		
14/065S	B	0,65	7/10	–	b	–		
14/066S	R	0,86	5/7	–	s	–		<del>US-46</del> RP-22, zeleň parková
14/067S	B	5,55	13/17	–	p	–		<del>US-46</del> RP-22

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
14/068S	O	1,28	13/17	-	p	-		<b>US-46-RP-22</b>
14/069S	R	0,52	5/7	-	s	-		<b>US-46-RP-22</b> , zeleň parková
14/070S	P	0,52	-	-	-	-		
14/071S	B	2,01	13/17	-	p	-		
14/072S	P	1,30	-	-	-	-		
<b>14/073S</b>	<b>B</b>	<b>1,55</b>	<b>13/17</b>	<b>-</b>	<b>p</b>	<b>-</b>		
14/074S	B	0,92	13/17	-	p	-		
14/075P	P	0,32	-	-	-	-		
14/076P	B	0,76	13/17	15-45 %	b	30 %		
14/077P	O	<del>2,70</del> <b>1,34</b>	13/17	do 40 %	s	20 %		<b>US-102</b>
14/078S	B	0,35	13/17	-	p	-		
14/079P	D	0,90	-	-	-	-		
14/080S	B	1,38	7/10	-	b	-		
14/081P	B	3,11	13/17	15-45 %	b	30 %		
14/082S	O	17,34	13/17	-	a	-	<b>věda a výzkum</b>	US-41
14/083P	O	3,46	10/14	do 40 %	a	20 %	<b>věda a výzkum</b>	
14/084S	B	1,56	7/10	-	b	-		
14/085S	P	0,34	-	-	-	-		
14/086P	R	1,04	5/7	do 3 %	s	50 %		zeleň parková
14/087S	B	1,27	13/17	-	p	-		
14/088S	B	1,44	7/10	-	b	-		
14/089S	P	0,23	-	-	-	-		
14/090S	B	0,67	7/10	-	b	-		
14/091S	P	1,23	-	-	-	-		US-41
14/092P	R	0,26	5/7	do 3 %	s	50 %		zeleň parková
14/093S	O	9,02	13/17	-	a	-	<b>věda a výzkum</b>	US-41
14/094P	P	0,20	-	-	-	-		<b>DP-49</b>
14/095P	D	1,44	-	-	-	-		US-89
14/096S	D	0,79	-	-	-	-		
14/097S	B	0,60	13/17	-	p	-		
14/098P	<b>P-B</b>	<del>0,45</del> <b>0,42</b>	<del>13/17</del> <b>13/17</b>	<del>15-25%</del> <b>15-25%</b>	<del>b</del> <b>b</b>	<del>40%</del> <b>40%</b>		
14/099S	P	<del>0,51</del> <b>0,53</b>	-	-	-	-		
14/100S	B	1,29	13/17	-	p	-		
14/101P	D	1,85	-	-	-	-		US-89
14/102S	B	5,76	13/17	-	p	-		
14/103S	O	1,30	13/17	-	a	-		
14/104S	P	0,53	-	-	-	-		
14/105S	B	2,27	13/17	-	p	-		
14/106S	D	0,98	-	-	-	-		US-89
14/107S	B	3,13	13/17	-	p	-		<b>US-22-RP-21</b>
14/108S	R	0,36	5/7	-	s	-		<b>US-22-RP-21</b> , zeleň parková
14/109S	O	0,92	13/17	-	a	-		<b>US-22-RP-21</b>
14/110S	P	1,45	-	-	-	-		<b>US-22-RP-21</b>

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
14/111S	R	0,40	5/7	-	s	-		<del>US-22</del> RP-21, zeleň parková
14/112S	O	0,30	13/17	-	a	-		<del>US-22</del> RP-21
14/113S	B	0,50	13/17	-	b	-		<del>US-22</del> RP-21
14/114S	B	3,48	13/17	-	p	-		<del>US-22</del> RP-21
14/115S	D	1,78	-	-	-	-		
<del>14/116S</del>	<del>R</del>	<del>0,69</del>	<del>5/7</del>	<del>-</del>	<del>s</del>	<del>-</del>		<del>zeleň parková</del>
14/117S	R	0,62	5/7	-	s	-		<del>US-22</del> RP-21, zeleň parková
14/118S	B	3,06	13/17	-	p	-		<del>US-22</del> RP-21
14/119S	O	2,52	13/17	-	a	-		<del>US-22</del> RP-21
14/120S	B	1,28	13/17	-	p	-		<del>US-22</del> RP-21
14/121S	R	0,44	5/7	-	s	-		<del>US-22</del> RP-21, zeleň parková
14/122S	B	0,47	13/17	-	b	-		<del>US-22</del> RP-21
14/123S	T	1,10	13/17	-	a	-		
14/124P	O	2,84	13/17	do 40 %	a	20 %	věda a výzkum	
14/125S	B	0,66	13/17	-	b	-		
14/126S	B	0,51	13/17	-	p	-		<del>US-46</del> RP-22
<del>14/127P</del>	<del>B</del>	<del>1,36</del>	<del>13/17</del>	<del>15-40 %</del>	<del>b</del>	<del>30 %</del>		<del>US-102</del>
<b>Lokalita 15 – Neředín a Cihelna</b>								
15/001S	B	1,74	<del>10/14</del> 7/10	-	b	-		
15/002S	B	2,06	<del>10/14</del> 7/10	-	b	-		
15/003S	B	1,60	<del>10/14</del> 7/10	-	b	-		
15/004S	B	0,97	10/14	-	p	-		
15/005S	B	0,58	<del>10/14</del> 7/10	-	b	-		
15/006S	R	0,55	5/7	-	s	-		zeleň parková
15/007S	B	0,42	<del>10/14</del> 7/10	-	b	-		
15/008S	B	1,29	<del>10/14</del> 7/10	-	b	-		
15/009S	P	3,45	-	-	-	-		
15/010S	O	3,45	10/14	-	p	-		
15/011S	B	0,35	10/14	-	b	-		
15/012S	D	1,76	-	-	-	-		US-54
15/013S	B	0,81	10/14	-	b	-		
15/014S	B	2,91	10/14	-	b	-		
15/015S	B	1,44	10/14	-	b	-		
15/016S	B	0,27	10/14	-	b	-		
15/017S	B	1,14	10/14	-	b	-		
15/018S	B	0,81	10/14	-	b	-		
15/019S	R	<del>0,73</del> 0,19	5/7	-	s	-		zeleň parková
15/020S	B	0,59	10/14	-	b	-		
15/021S	B	<del>4,48</del> 4,42	7/10	-	v	-		
15/022S	B	3,39	7/10	-	v	-		
15/023S	B	0,90	<del>10/14</del> 7/10	-	b	-		
15/024S	P	<del>3,99</del> 4,11	-	-	-	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
15/025S	B	2,09	7/10	-	b	-		
15/026S	B	0,19	7/10	-	v	-		
15/028K	R	0,84	<del>5/7</del>	-	-	-		zeleň rekreační krajiny, navržený ÚSES
15/029Z	B	1,37	<del>10/14</del> 7/10	15-40 %	b	30 %		
15/030P	B	0,46	<del>10/14</del> 7/10	15-40 %	b	30 %		
15/031P	B	0,75	<del>10/14</del> 7/10	15-40 %	b	30 %		
15/032Z	P	0,18	-	-	-	-		
15/033Z	B	0,52	<del>10/14</del> 7/10	15-40 %	b	30 %		
15/034S	B	0,44	<del>10/14</del> 7/10	-	b	-		
15/035P	B	0,65	<del>10/14</del> 7/10	15-40 %	b	30 %		
15/036P	P	2,71	-	-	-	-		
15/037S	B	0,17	13/17	-	a	-		
15/038S	D	3,74	-	-	-	-		US-54
15/039S	B	0,47	13/17	-	a	-		
15/040S	B	2,50	13/17	-	a	-		
15/041P	V	2,18	15/15	do 55 %	a	15 %		etapizace
15/042P	V	7,35	15/15	do 55 %	a	15 %		etapizace
15/043P	V	<del>3,64</del> 2,66	15/15	do 55 %	a	15 %		etapizace
15/044P	V	2,62	15/15	do 55 %	a	15 %		etapizace
15/045P	V	0,54	15/15	do 55 %	a	15 %		etapizace
15/046S	R	0,81	5/7	-	s	-		zeleň parková
15/047RS	RO	5,45	5/7	-	<del>s</del>	-		<del>zeleň rekreační krajiny</del> UR-64 (R)
15/048S	O	17,25	5/7	-	s	-		
15/049S	D	14,89	-	-	-	-	letišťe	
15/050P	D	1,24	-	-	-	-		
15/051 S	O	14,15	5/7	-	s	-		
15/052R	R	0,32	-	-	-	-		zeleň rekreační krajiny
15/053N	L	2,29	-	-	-	-		
15/054K	R	2,65	-	-	-	-		zeleň rekreační krajiny, navržený ÚSES
15/055S	B	0,11	7/10	-	b	-		
15/056K	R	0,54	-	-	-	-		zeleň rekreační krajiny
15/057Z	B	2,13	7/10	10-35 %	b	40 %		<del>RP-07</del> US-108
15/058P	B	1,27	7/10	15-40 %	b	30 %		<del>RP-07</del> US-108
15/059Z	B	1,20	10/14	15-40 %	b	30 %		<del>RP-07</del> US-108
15/060Z	R	<del>1,70</del> 0,56	5/7	do 3 %	s	50 %		DP-46, zeleň parková
15/061P	O	0,24	11/11	do 100 %	s	0 %		
15/062Z	P	<del>2,17</del> 2,41	-	-	-	-		<del>RP-07</del> US-108

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
15/063Z	B	4,17	10/14	10–40 %	b	30 %		<del>RP-07</del> US-108
15/064K	R	<del>8,42</del> 7,62	–	–	–	–		zeleň rekreační krajiny
15/065Z	P	1,55	–	–	–	–		
15/066N	N	2,12	–	–	–	–		
15/067N	N	18,34	–	–	–	–		
15/068 <del>ZN</del>	<del>EN</del>	5,75	<del>11/11</del> –	<del>do 20 %</del> –	<del>a</del> –	<del>40 %</del> –		UR-63 (B)
15/069P	O	1,02	5/7	do 40 %	a	20 %		
15/070Z	O	0,51	5/7	do 40 %	a	20 %		
15/071Z	O	0,21	11/11	do 40 %	a	20 %		
15/072 <del>RS</del>	<del>RO</del>	<del>1,09</del> 2,29	<del>5/7</del> 11/11	–	<del>a</del>	–		<del>RP-07, etapizace, zeleň rekreační krajiny</del>
15/073P	B	<del>2,03</del> 1,85	13/17	10–40 %	b	30 %		<del>RP-07</del> US-104
15/074P	P	0,99	–	–	–	–		
15/075S	D	0,46	–	–	–	–		US-90
15/076 <del>PS</del>	<del>BD</del>	3,44	<del>13/17</del> 5/7	<del>15-45 %</del> –	<del>ba</del>	<del>30 %</del> –		<del>DP-33, UR-62 (B)</del>
15/077S	O	2,43	5/7	–	a	–		zeleň hřbitovů
15/078Z	P	0,79	–	–	–	–		
15/079Z	B	7,25	11/11	10–35 %	b	40 %		US-08
15/080Z	D	2,22	–	–	–	–		US-08
15/081Z	P	0,29	–	–	–	–		
15/082P	B	0,35	11/11	10–35 %	b	40 %		
15/083N	N	8,32	–	–	–	–		UR-20 (B)
15/084N	N	0,60	–	–	–	–		UR-21 (R)
15/085Z	B	0,58	10/14	15–35 %	b	40 %		
15/086Z	B	1,09	10/14	15–35 %	b	40 %		
15/087Z	B	0,68	10/14	15–35 %	b	40 %		
15/088P	B	0,30	10/14	15–35 %	b	40 %		
15/089S	B	2,20	10/14	–	b	–		
15/090S	P	0,80	–	–	–	–		
15/091S	B	0,34	10/14	–	b	–		
15/092S	B	0,83	13/17	–	b	–		
15/093P	B	0,44	10/14	15–40 %	b	30 %		
15/094P	B	0,42	10/14	15–40 %	b	30 %		
15/095P	B	0,28	10/14	15–40 %	b	30 %		
15/096P	P	0,56	–	–	–	–		
15/097Z	D	0,95	5/7	do 10 %	s	40 %	tramvajové obratiště	US-89
15/098P	B	0,65	10/14	15–40 %	b	30 %		
15/099P	B	0,50	10/14	15–40 %	b	30 %		
15/100S	B	2,57	10/14	–	b	–		
15/101S	B	1,35	13/17	–	b	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
15/102S	B	2,53	13/17	-	p	-		
15/103P	B	0,58	13/17	15-45 %	b	30 %		
15/104S	P	1,06	-	-	-	-		
15/105S	B	1,96	13/17	-	b	-		
15/106S	B	4,96	13/17	-	a	-		
15/107S	P	1,45	-	-	-	-		
15/108S	B	12,08	13/17	-	a	-		
15/109S	D	1,64	-	-	-	-		
15/110S	D	1,05	-	-	-	-		
15/111S	B	1,71	13/17	-	a	-		
15/112S	P	0,49	-	-	-	-		
15/113S	B	10,93	13/17	-	a	-		
15/114S	O	2,36	13/17	-	a	-		
15/115Z	B	0,52	13/17	do 55 %	a	15 %		
<b>15/116P</b>	<b>B</b>	<b>1,04</b>	<b>11/11</b>	<b>10-35%</b>	<b>b</b>	<b>40%</b>		<b>RP-07</b>
15/117Z	P	0,38	-	-	-	-		
15/118S	D	1,78	-	-	-	-		US-89
15/119S	B	2,44	13/17	-	a	-		
15/120P	B	<del>1,64</del> <b>1,73</b>	13/17	15-45 %	b	30 %		DP-34
15/121Z	B	<del>1,41</del> <b>1,07</b>	13/17	15-45 %	b	30 %		<b>DP-34 DP-47</b>
15/122Z	P	<del>0,58</del> <b>0,55</b>	-	-	-	-		<b>DP-34 DP-47</b>
15/123P	P	<del>0,33</del> <b>0,76</b>	-	-	-	-		DP-34
15/124P	B	0,74	13/17	15-35 %	b	40 %		DP-34
15/125S	B	0,61	13/17	-	b	-		
15/126S	B	<del>1,36</del> <b>1,47</b>	13/17	-	b	-		
15/127K	R	<del>6,33</del> <b>7,68</b>	-	-	-	-		zeleň rekreační krajiny, navržený ÚSES
15/128P	O	<del>1,36</del> <b>1,58</b>	11/11	do 30 %	a	30 %	specifická rekreace	DP-34
15/129Z	R	<del>4,06</del> <b>3,76</b>	5/7	do 3 %	s	50 %		<b>DP-34 DP-47</b> , zeleň parková
15/130Z	O	1,40	15/15	do 40 %	a	20 %		<b>DP-34 DP-47</b>
15/131S	O	2,63	5/7	-	a	-		
15/132R	R	4,43	-	-	-	-		etapizace, zeleň rekreační krajiny
15/133P	B	7,03	13/17	10-40 %	b	30 %		US-11, etapizace
15/134N	N	1,79	-	-	-	-		
15/135N	P	0,37	-	-	-	-		
15/136S	P	0,34	-	-	-	-		
15/137N	P	0,17	-	-	-	-		
15/138S	B	0,61	11/11	-	b	-		
15/139N	N	3,27	-	-	-	-		UR-22 (B)
15/140N	N	16,64	-	-	-	-		
15/141N	N	5,80	-	-	-	-		
15/142N	N	2,30	-	-	-	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
15/143N	D	2,65	–	–	–	–		US-89
15/144Z	P	<del>0,12</del> 0,33	–	–	–	–		DP-46
15/145N	D	9,52	–	–	–	–		
15/146P	B	<del>0,68</del> 1,00	13/17	15–35 %	b	40 %		DP-34
15/147S	B	1,83	13/17	–	b	–		
15/148S	B	1,15	10/14	–	b	–		
15/149K	R	1,08	<del>5/7</del> –	–	–	–		US-08, zeleň rekreační krajiny
15/150P	P	<del>0,15</del> 0,18	–	–	–	–		RP-07, etapizace
15/151Z	B	<del>2,33</del> 2,58	7/10	10–35 %	b	40 %		RP-07 US-108
15/152P	P	0,22	–	–	–	–		
15/153S	P	0,66	–	–	–	–		
15/154Z	P	0,68	–	–	–	–		
15/155Z	P	0,36	–	–	–	–		
15/156Z	P	0,49	–	–	–	–		
15/157N	N	4,38	–	–	–	–		
15/158Z	B	<del>2,54</del> 2,83	7/10	10–35 %	b	40 %		RP-07 US-108
15/159Z	B	2,54	10/14	10–40 %	b	30 %		RP-07 US-108
15/160Z	R	0,42	5/7	do 3 %	s	50 %		US-108, zeleň parková
<b>15/161Z</b>	<b>P</b>	<b>0,20</b>	<b>–</b>	<b>–</b>	<b>–</b>	<b>–</b>		
<b>15/162Z</b>	<b>B</b>	<b>0,31</b>	<b>10/14</b>	<b>10–40 %</b>	<b>b</b>	<b>30 %</b>		<b>DP-46</b>
<b>15/163Z</b>	<b>B</b>	<b>0,55</b>	<b>10/14</b>	<b>10–40 %</b>	<b>b</b>	<b>30 %</b>		<b>DP-46</b>
<b>15/164P</b>	<b>B</b>	<b>0,54</b>	<b>10/14</b>	<b>10–40 %</b>	<b>b</b>	<b>30 %</b>		<b>DP-46</b>
<b>15/165S</b>	<b>B</b>	<b>0,87</b>	<b>15/15</b>	<b>–</b>	<b>p</b>	<b>–</b>		
<b>15/166P</b>	<b>P</b>	<b>0,11</b>	<b>–</b>	<b>–</b>	<b>–</b>	<b>–</b>		
<b>Lokalita 16 – Pražská a Řepčín</b>								
16/001S	B	4,48	10/14	–	v	–		
16/002S	B	1,23	10/14	–	v	–		
16/003S	B	0,74	10/14	–	v	–		
16/004S	B	1,24	10/14	–	v	–		
16/005S	P	<del>2,93</del> 2,96	–	–	–	–		
16/006S	B	1,89	10/14	–	v	–		
16/007S	B	0,50	10/14	–	b	–		
16/008S	B	<del>0,42</del> 0,60	10/14	–	b	–		
16/009S	B	0,58	10/14	–	b	–		
16/010S	B	<del>0,60</del> 0,72	10/14	–	b	–		
16/011S	B	0,69	13/17	–	v	–		
16/012S	O	0,30	13/17	–	a	–		
16/013S	B	0,47	13/17	–	v	–		
16/014S	O	0,11	10/14	–	v	–		
16/015S	D	1,59	–	–	–	–		
16/016S	B	0,57	10/14	–	v	–		
16/017S	O	1,36	10/14	–	a	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
16/018S	B	0,61	10/14	–	b	–		
16/019S	B	0,93	10/14	–	v	–		
16/020S	B	4,31	10/14	–	v	–		
16/021S	P	2,31	–	–	–	–		
16/022S	B	<del>2,46</del> 2,97	10/14	–	p	–		
16/023N	W	2,98	–	–	–	–		
<del>16/024S</del>	<del>R</del>	<del>0,49</del>	<del>5/7</del>	<del>–</del>	<del>s</del>	<del>–</del>		<del>zeleň parková</del>
16/025S	B	<del>0,97</del> 0,98	10/14	–	p	–		
16/026S	B	<del>0,94</del> 1,04	10/14	–	p	–		
16/027S	O	2,84	10/14	–	a	–	obrana a bezpečnost	
16/028S	B	1,44	10/14	–	v	–		
16/029S	B	1,49	13/17	–	v	–		
16/030P	O	1,87	13/17	do 40 %	a	20 %	školství	
16/031S	B	<del>0,43</del> 0,45	13/17	–	v	–		
16/032S	B	1,12	13/17	–	p	–		
16/033P	D	1,07	–	–	–	–		
16/034P	O	0,60	13/17	do 55 %	b	20 %	<del>školství</del>	
16/035Z	D	1,98	5/7	do 10 %	s	40 %	tramvajové obrátiště	US-05, US-54
16/036S	D	1,45	–	–	–	–		US-92, US-96
16/037S	D	0,56	–	–	–	–		
16/038S	B	1,24	13/17	–	b	–		
16/039S	B	1,34	13/17	–	b	–		
16/040S	B	1,37	13/17	–	b	–		
16/041S	P	<del>2,75</del> 2,73	–	–	–	–		
16/042S	O	0,26	13/17	–	s	–		
16/043S	B	0,86	13/17	–	b	–		
16/044S	O	0,29	13/17	–	a	–		
16/045P	B	0,31	13/17	15–40 %	b	30 %		
16/046S	B	0,34	13/17	–	b	–		
16/047Z	B	0,30	13/17	15–40 %	b	30 %		DP-32
16/048Z	P	3,55	–	–	–	–		<del>US-04</del> , US-39, US-96, DP-32, <del>RP-24</del>
16/049Z	B	0,71	13/17	15–40 %	b	30 %		DP-32
16/050S	B	1,63	13/17	–	b	–		
16/051S	B	0,61	13/17	–	b	–		
16/052Z	B	0,30	13/17	15–40 %	b	30 %		DP-32
16/053Z	O	<del>1,01</del> 1,31	13/17	do 40 %	a	20 %		<del>US-04</del>
16/054S	O	<del>2,03</del> 2,72	13/17	–	a	–		<del>US-04</del>
16/055Z	B	<del>0,79</del> 0,42	13/17	10–35 %	b	40 %		<del>US-04</del> , <del>RP-27</del> , US-96
16/056S	D	0,33	–	–	–	–		
16/057Z	D	0,22	–	–	–	–		
16/058Z	B	2,15	13/17	do 55 %	a	15 %		US-85
16/059P	V	5,76	<del>11/11</del> 13/13	do 55 %	a	15 %	specifická výška 1	US-85



kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
16/060Z	V	0,53	11/11	do 55 %	a	15 %		US-85
16/061S	D	0,54	-	-	-	-		
16/062Z	B	4,49	15/15	do 55 %	a	15 %	obchod nad 2500 m <sup>2</sup>	DP-31
16/063S	V	<del>7,24</del> 6,91	11/11	-	a	-		UR-02 (D)
16/064S	B	0,89	13/17	-	b	-		
16/065N	W	0,75	-	-	-	-		UR-02 (D)
16/066N	W	3,48	-	-	-	-		
16/067S	V	8,05	15/15	-	a	-		
16/068S	V	<del>22,78</del> 25,78	15/15	-	a	-		
<del>16/069R</del>	<del>N</del>	<del>3,80</del>	<del>-</del>	<del>-</del>	<del>-</del>	<del>-</del>		
16/070N	N	13,09	-	-	-	-		
16/071S	T	0,44	5/7	-	a	-		
16/072R	N	1,84	-	-	-	-		
16/073S	D	2,52	-	-	-	-		US-92
16/074S	D	3,21	-	-	-	-		
16/075N	N	23,17	-	-	-	-		
16/076S	V	3,58	11/11	-	a	-		
16/077S	O	0,30	11/11	-	a	-		
16/078Z	V	1,50	11/11	do 55 %	a	15 %		
16/079Z	D	1,83	-	-	-	-		
16/080K	R	6,73	-	-	-	-		US-03, zeleň rekreační krajiny
16/081S	O	1,34	5/7	-	a	-		US-03
16/082S	O	1,40	5/7	-	a	-		
16/083N	R	2,20	-	-	-	-		zeleň rekreační krajiny
16/084S	O	0,12	5/7	-	a	-		
16/085N	N	0,34	-	-	-	-		
16/086N	L	1,73	-	-	-	-		
16/087N	N	4,66	-	-	-	-		
16/088N	D	2,12	-	-	-	-		
16/089N	N	4,37	-	-	-	-		
16/090Z	D	1,39	-	-	-	-		
16/091Z	B	2,64	13/17	do 55 %	b	15 %		<del>US-04</del> RP-24, US-39
16/092Z	B	12,42	13/17	10-40 %	b	30 %		<del>US-04</del> RP-24, US-39
16/093Z	B	7,18	13/17	10-40 %	b	30 %		US-39, DP-32
16/094S	B	1,00	13/17	-	p	-		
16/095S	B	0,81	13/17	-	p	-		
16/096P	O	0,76	13/17	do 55 %	b	20 %	školství	
16/097K	N	2,92	-	-	-	-		navržený ÚSES
16/098S	B	0,83	13/17	-	b	-		US-39
16/099S	B	0,94	13/17	-	b	-		US-39
16/100S	B	0,72	13/17	-	b	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
16/101S	O	0,29	13/17	-	a	-		<del>US-45</del> RP-23
16/102S	B	3,49	13/17	-	b	-		<del>US-45</del> RP-23
16/103S	O	1,01	13/17	-	a	-		<del>US-45</del> RP-23
16/104S	P	4,45	-	-	-	-		US-39, <del>US-45</del> RP-23
16/105S	B	3,73	13/17	-	b	-		<del>US-45</del> RP-23
16/106S	B	0,98	13/17	-	p	-		<del>US-45</del> RP-23
16/107S	B	5,45	13/17	-	p	-		US-39
16/108S	D	3,77	-	-	-	-		US-39, <del>US-96</del>
16/109S	B	13,89	15/15	-	a	-		US-39
16/110P	B	0,94	15/15	do 55 %	a	15 %		US-39
16/111S	D	0,64	-	-	-	-		
16/112S	B	0,48	13/17	-	p	-		
16/113S	P	2,05	-	-	-	-		US-39, <del>US-96</del>
16/114S	B	0,90	13/17	-	p	-		
16/115Z	B	0,56	13/17	do 75 %	p	0 %		
16/116Z	R	0,91	5/7	do 3 %	s	50 %		zeleň parková
16/117Z	P	0,34	-	-	-	-		
16/118Z	D	1,73	-	-	-	-		
16/119Z	B	3,83	13/17	15-45 %	p	30 %		
16/120Z	R	1,23	5/7	do 3 %	s	50 %		zeleň parková
16/121S	B	3,34	13/17	-	p	-		
16/122K	N	4,92	-	-	-	-		navržený ÚSES
16/123S	O	12,01	13/17	-	a	-		zeleň hřbitovů
16/124S	P	0,84	-	-	-	-		
16/125Z	B	2,70	13/17	15-45 %	b	30 %		DP-02
16/126Z	O	1,10	13/17	do 40 %	a	20 %		zeleň hřbitovů
16/127Z	T	0,48	13/17	do 55 %	a	15 %	sběrný dvůr	
16/128N	N	25,15	-	-	-	-		
16/129N	P	1,24	-	-	-	-		
16/130K	R	4,28	-	-	-	-		US-05, zeleň rekreační krajiny
16/131P	O	4,58	5/7	do 30 %	a	30 %		US-05
16/132 N	N	5,37	-	-	-	-		
16/133Z	D	<del>5,73</del> 5,51	-	-	-	-		
16/134N	N	12,26	-	-	-	-		UR-10 (V)
16/135N	D	1,25	-	-	-	-		
16/136N	N	<del>19,50</del> 18,77	-	-	-	-		
16/137Z	D	<del>3,06</del> 2,12	11/11	-	s	-		
16/138Z	D	<del>10,00</del> 15,17	-	-	-	-		
16/139N	N	<del>23,03</del> 23,36	-	-	-	-		
16/140S	O	1,06	5/7	-	a	-		
16/141N	D	7,33	-	-	-	-		US-39
16/142N	D	5,01	-	-	-	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
<del>16/143Z</del>	<del>D</del>	<del>0,67</del>	-	-	-	-		
<del>16/144N</del>	<del>N</del>	<del>0,72</del>	-	-	-	-		
16/145N	P	<del>0,91</del> 0,62	-	-	-	-		
16/146N	N	<del>43,28</del> 42,96	-	-	-	-		
16/147N	L	3,04	-	-	-	-		
16/148N	N	6,99	-	-	-	-		
16/149S	T	0,13	13/17	-	s	-		
16/150P	P	<del>0,52</del> 0,51	-	-	-	-		
16/151N	N	2,99	-	-	-	-		
16/152N	L	6,18	-	-	-	-		
16/153P	O	0,25	13/17	do 80 %	s	20 %	<del>školský</del>	
16/154P	P	0,73	-	-	-	-		
16/155S	R	0,34	5/7	-	s	-		<del>US-45</del> RP-23, zeleň parková
16/156N	N	12,54	-	-	-	-		
16/157P	W	0,38	-	-	-	-		UR-02 (D)
16/158Z	P	0,45	-	-	-	-		DP-31
16/159Z	B	6,43	11/11	do 55 %	a	15 %	obchod nad 2500 m <sup>2</sup>	DP-31
16/160K	R	4,19	-	-	-	-		US-03, zeleň rekreační krajiny
16/161N	N	3,40	-	-	-	-		
16/162N	N	5,88	-	-	-	-		
16/163Z	P	0,14	-	-	-	-		DP-32
16/164Z	P	0,08	-	-	-	-		DP-32
16/165Z	P	1,06	5/7	do 3 %	s	-		DP-32
16/166S	R	1,14	5/7	-	s	-		zeleň parková
16/167S	O	1,34	10/14	-	a	-		
16/168P	P	0,14	-	-	-	-		navržený ÚSES, US-05
16/169 <del>SP</del>	<del>RB</del>	<del>0,39</del> 0,28	<del>5/7</del> 10/14	<del>-</del> do 30 %	<del>s-</del>	<del>-</del> 30 %		<del>zeleň parková</del>
<b>Lokalita 17 – Černovír – Střelnice</b>								
17/001S	O	4,12	5/7	-	a	-		
17/002N	W	2,12	-	-	-	-		
17/003S	O	10,08	5/7	-	a	-		
17/004N	N	23,83	-	-	-	-		
17/005N	N	2,36	-	-	-	-		
17/006S	Z	1,67	3/5	-	-	-		
17/007S	P	0,26	-	-	-	-		
17/008N	N	0,82	-	-	-	-		
17/009S	D	0,58	-	-	-	-		
17/010N	N	1,30	-	-	-	-		
17/011K	N	0,86	-	-	-	-		navržený ÚSES
17/012S	Z	0,27	3/5	-	-	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
17/013N	N	17,54	-	-	-	-		
17/014N	D	2,13	-	-	-	-		
17/015S	Z	1,91	3/5	-	-	-		
17/016N	N	1,64	-	-	-	-		
17/017N	W	3,88	-	-	-	-		zeleň rekreační krajiny
17/018S	Z	3,40	3/5	-	-	-		
17/019N	W	5,89	-	-	-	-		
17/020K	N	1,92	-	-	-	-		navržený ÚSES
17/021N	N	20,39	-	-	-	-		
17/022N	N	42,37	-	-	-	-		
17/023N	N	3,24	-	-	-	-		
17/024S	Z	1,92	3/5	-	-	-		
17/025N	W	2,05	-	-	-	-		
17/026N	N	0,95	-	-	-	-		
17/027N	N	7,59	-	-	-	-		
17/028N	L	1,50	-	-	-	-		
17/029N	N	9,11	-	-	-	-		
17/030S	Z	0,65	3/5	-	-	-		
17/031N	N	56,40	-	-	-	-		
17/032N	L	0,38	-	-	-	-		
17/033K	N	2,16	-	-	-	-		navržený ÚSES
17/034N	N	16,84	-	-	-	-		
17/035N	N	3,57	-	-	-	-		UR-02 (D)
17/036N	N	8,06	-	-	-	-		
17/037S	T	1,11	7/10	-	a	-		
17/038S	Z	0,34	3/5	-	-	-		
17/039N	W	<del>4,78</del> 0,50	-	-	-	-		
17/040N	W	2,41	-	-	-	-		
17/041N	W	<del>1,65</del> 0,90	-	-	-	-		
17/042N	W	2,70	-	-	-	-		
17/043N	R	1,59	-	-	-	-		zeleň rekreační krajiny
17/044N	W	1,24	-	-	-	-		
17/045N	P	0,36	-	-	-	-		
17/046N	W	0,82	-	-	-	-		
17/047K	N	14,12	-	-	-	-		navržený ÚSES
17/048K	N	13,06	-	-	-	-		navržený ÚSES
17/049S	L	1,56	-	-	-	-		
17/050N	W	0,38	-	-	-	-		
17/051K	W	1,67	-	-	-	-		UR-02 (D)
17/052K	W	2,50	-	-	-	-		
17/053N	N	0,88	-	-	-	-		UR-02 (D)
17/054N	N	0,76	-	-	-	-		

Lokalita 18 – Chomoutov

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
18/001S	B	5,34	7/10	–	v	–		
18/002S	R	0,33	5/7	–	s	–		zeleň parková
18/003S	O	0,24	7/10	–	v	–		
18/004S	B	2,31	7/10	–	v	–		
18/005S	R	0,56	5/7	–	s	–		zeleň parková
18/006S	B	4,30	7/10	–	v	–		
18/007Z	B	0,61	7/10	10–35 %	v	40 %		etapizace
18/008S	D	1,52	–	–	–	–		
18/009S	B	1,55	7/10	–	v	–		
18/010Z	O	0,61	7/10	do 40 %	a	20 %		etapizace
18/011Z	P	0,23	–	–	–	–		
18/012S	P	1,06	–	–	–	–		
18/013S	B	4,32	7/10	–	v	–		
18/014Z	B	0,79	7/10	10–35 %	v	40 %		etapizace
18/015S	B	1,45	7/10	–	a	–		
18/016Z	P	0,29	–	–	–	–		
18/017K	W	1,22	–	–	–	–		
18/018N	L	1,81	–	–	–	–		
18/019K	N	1,55	–	–	–	–		navržený ÚSES
18/020N	N	2,64	–	–	–	–		
18/021N	D	0,32	–	–	–	–		
18/022Z	B	0,37	7/10	10–35 %	v	40 %		etapizace
18/023S	B	2,11	7/10	–	v	–		
18/024S	D	1,89	–	–	–	–		
18/025S	P	0,20	–	–	–	–		
18/026S	B	0,99	7/10	–	v	–		
18/027K	N	1,43	–	–	–	–		navržený ÚSES
18/028N	L	6,39	–	–	–	–		
18/029S	O	0,88	5/7	–	a	–		
18/030N	N	1,27	–	–	–	–		
18/031S	B	1,45	7/10	–	v	–		
18/032S	D	0,25	–	–	–	–		
18/033S	B	1,20	7/10	–	v	–		
18/034S	B	0,42	7/10	–	v	–		
18/035S	P	0,70	–	–	–	–		
18/036S	B	1,72	7/10	–	b	–		
18/037N	W	1,05	–	–	–	–		
18/038Z	B	0,22	7/10	10–35 %	b	40 %		etapizace
18/039Z	P	0,61	–	–	–	–		
18/040Z	B	1,09	7/10	10–35 %	b	40 %		etapizace
18/041Z	B	0,79	7/10	10–35 %	b	40 %		etapizace
18/042N	N	10,77	–	–	–	–		
18/043N	D	1,30	–	–	–	–		
18/044S	R	0,35	5/7	–	s	–		zeleň parková
18/045S	P	1,17	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
18/046S	B	0,11	7/10	-	b	-		
18/047S	B	0,53	7/10	-	b	-		
18/048K	R	1,91	-	-	-	-		zeleň rekreační krajiny, navržený ÚSES
18/049N	W	1,19	-	-	-	-		
18/050S	O	0,27	7/10	-	a	-		zeleň hřbitovů
18/051N	L	2,50	-	-	-	-		
18/052S	B	4,71	7/10	-	b	-		
18/053S	B	0,90	7/10	-	b	-		
18/054Z	B	0,69	7/10	10-35 %	b	40 %		etapizace
18/055S	Z	5,02	3/5	-	-	-		
18/056N	N	1,51	-	-	-	-		
18/057K	N	1,93	-	-	-	-		navržený ÚSES
18/058N	N	5,46	-	-	-	-		
18/059K	N	2,07	-	-	-	-		navržený ÚSES
18/060N	N	6,53	-	-	-	-		
18/061K	R	0,62	-	-	-	-		zeleň rekreační krajiny
18/062N	L	3,07	-	-	-	-		
18/063S	B	0,71	7/10	-	b	-		
18/064S	B	1,72	7/10	-	v	-		
18/065S	P	0,50	-	-	-	-		
18/066S	O	0,11	7/10	-	v	-		
18/067S	B	0,60	7/10	-	b	-		
18/068Z	B	0,68	7/10	10-35 %	b	40 %		etapizace
18/069Z	P	0,44	-	-	-	-		
18/070Z	B	1,19	7/10	10-35 %	b	40 %		DP-01, etapizace
18/071S	B	0,31	7/10	-	b	-		
18/072S	P	0,14	-	-	-	-		
18/073S	B	1,60	7/10	-	v	-		
18/074P	B	0,97	7/10	10-35 %	b	40 %		
18/075P	P	0,23	-	-	-	-		
18/076N	L	6,29	-	-	-	-		
18/077S	B	1,94	7/10	-	v	-		
18/078S	B	0,60	7/10	-	v	-		
18/079S	P	0,52	-	-	-	-		
18/080S	B	0,48	7/10	-	b	-		
18/081S	B	1,86	7/10	-	v	-		
18/082N	N	4,22	-	-	-	-		
18/083R	N	0,29	-	-	-	-		
18/084N	N	8,82	-	-	-	-		
18/085N	L	4,42	-	-	-	-		
18/086K	W	8,28	-	-	-	-		
18/087K	W	7,82	-	-	-	-		
18/088N	P	0,20	-	-	-	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
18/089K	W	29,87	–	–	–	–		
18/090R	N	0,18	–	–	–	–		
18/091N	N	17,52	–	–	–	–		
18/092S	O	0,55	5/7	–	a	–		
18/093N	P	0,24	–	–	–	–		
18/094S	O	0,94	5/7	–	a	–		
18/095N	N	27,14	–	–	–	–		
18/096K	N	1,10	–	–	–	–		navržený ÚSES
18/097N	L	0,80	–	–	–	–		
18/098N	N	15,94	–	–	–	–		
18/099N	D	0,70	–	–	–	–		
18/100N	N	12,73	–	–	–	–		
18/101S	Z	0,57	3/5	–	–	–		
18/102N	L	5,73	–	–	–	–		
18/103RP	<del>NO</del>	0,66	<del>–3/5</del>	<del>–do 10 %</del>	<del>–s</del>	<del>–40 %</del>	specifická rekreace	<del>navržený ÚSES</del> US-107
18/104Z	B	1,25	7/10	10–35 %	b	40 %		etapizace
18/105Z	R	0,36	5/7	do 3 %	s	50 %		etapizace, zeleň parková
18/106Z	B	1,60	7/10	10–35 %	b	40 %		etapizace
18/107Z	P	0,43	–	–	–	–		
18/108Z	B	1,30	7/10	10–35 %	b	40 %		etapizace
18/109N	N	2,11	–	–	–	–		UR-14 (W)
18/110N	W	73,42	–	–	–	–		
18/111N	W	5,10	–	–	–	–		
18/112N	N	0,90	–	–	–	–		
18/113N	W	12,91	–	–	–	–		
18/114S	W	1,29	–	–	–	–		
18/115N	W	3,08	–	–	–	–		
18/116N	N	4,04	–	–	–	–		
18/117P	W	0,52	–	–	–	–		
18/118K	W	1,20	–	–	–	–		
18/119N	R	0,52	–	–	–	–		UR-14 (W), zeleň rekreační krajiny
18/120S	B	0,22	7/10	–	v	–		UR-12 (W)
18/121N	N	0,63	–	–	–	–		UR-12 (W)
18/122K	N	0,91	–	–	–	–		navržený ÚSES
18/123R	N	0,40	–	–	–	–		UR-13 (W)
18/124N	N	0,69	–	–	–	–		UR-13 (W)
18/125N	N	1,70	–	–	–	–		UR-13 (W)
18/126Z	R	0,61	5/7	do 3 %	s	50 %		etapizace, zeleň parková
18/127P	R	0,57	5/7	do 3 %	s	50 %		zeleň parková
18/128Z	R	0,23	5/7	do 3 %	s	50 %		etapizace, zeleň parková
18/129P	W	0,19	–	–	–	–		
18/130K	W	1,65	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
18/131Z	R	0,47	5/7	do 3 %	s	50 %		etapizace, zeleň parková
18/132N	N	0,75	–	–	–	–		UR-15 (W)
18/133K	N	1,26	–	–	–	–		navržený ÚSES
18/134Z	P	0,18	–	–	–	–		
18/135Z	P	0,17	–	–	–	–		
18/136Z	P	0,19	–	–	–	–		
18/137N	N	0,85	–	–	–	–		UR-40 (B)
<b>Lokalita 19 – Týneček</b>								
19/001S	B	3,50	7/10	–	v	–		
19/002S	B	1,01	7/10	–	v	–		
19/003S	P	0,15	–	–	–	–		
19/004S	B	1,33	7/10	–	v	–		
19/005S	P	0,14	–	–	–	–		
19/006S	B	2,19	7/10	–	b	–		
19/007S	D	2,67	–	–	–	–		
19/008S	B	0,17	7/10	–	v	–		
19/009S	R	0,30	5/7	–	s	–		zeleň parková
19/010S	P	1,38	–	–	–	–		
19/011S	B	1,19	7/10	–	v	–		
19/012Z	B	0,54	7/10	10–35 %	b	40 %		DP-22
19/013Z	P	<del>1,50</del> 1,76	–	–	–	–		DP-22
19/014Z	B	0,38	7/10	10–35 %	b	40 %		DP-22
19/015Z	O	0,38	7/10	do 40 %	a	20 %		DP-22
19/016Z	B	0,33	7/10	10–35 %	b	40 %		DP-22
19/017Z	B	1,35	7/10	10–35 %	b	40 %		DP-22
19/018Z	R	0,17	5/7	do 3 %	s	50 %		DP-22, zeleň parková
19/019Z	B	<del>0,35</del> 0,34	7/10	10–35 %	b	40 %		DP-22
19/020Z	B	<del>0,97</del> 1,39	7/10	10–35 %	b	40 %		DP-22
19/021Z	B	<del>1,26</del> 1,82	7/10	10–35 %	b	40 %		DP-22
19/022S	B	1,94	7/10	–	v	–		
19/023S	B	0,69	7/10	–	v	–		
19/024S	O	0,61	7/10	–	a	–		
19/025S	B	0,11	7/10	–	b	–		
19/026Z	B	0,38	7/10	10–35 %	b	40 %		
19/027Z	B	0,86	7/10	10–35 %	b	40 %		
19/028Z	P	0,91	–	–	–	–		
19/029Z	B	0,74	7/10	10–35 %	b	40 %		
19/030N	D	0,47	–	–	–	–		
19/031S	B	0,71	7/10	–	a	–		
19/032N	N	24,48	–	–	–	–		
19/033Z	D	11,38	–	–	–	–		
19/034S	B	4,08	7/10	–	v	–		
19/035S	B	1,05	7/10	–	v	–		



kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
19/036Z	R	0,21	5/7	do 3 %	s	50 %		DP-21, zeleň parková
19/037Z	B	1,39	7/10	10-35 %	b	40 %		DP-21
19/038Z	P	1,06	-	-	-	-		DP-21
19/039Z	B	1,99	7/10	10-35 %	b	40 %		DP-21
19/040N	D	0,79	-	-	-	-		
19/041S	B	0,35	5/7	-	a	-		
19/042Z	D	2,33	-	-	-	-		UR-06 (D)
19/043N	N	1,08	-	-	-	-		UR-06 (D)
19/044N	D	0,11	-	-	-	-		
19/045N	N	0,13	-	-	-	-		
19/046N	N	0,18	-	-	-	-		UR-06 (D)
19/047N	N	84,93	-	-	-	-		
19/048N	D	1,34	-	-	-	-		
19/049N	N	<del>35,65</del> 35,14	-	-	-	-		
19/050N	N	24,38	-	-	-	-		
19/051K	N	5,36	-	-	-	-		ochranné zatravnění
19/052K	N	1,48	-	-	-	-		navržený ÚSES
19/053N	L	1,02	-	-	-	-		
19/054K	N	0,73	-	-	-	-		navržený ÚSES
19/055N	N	<del>13,53</del> 13,23	-	-	-	-		
19/056N	N	4,96	-	-	-	-		
19/057N	N	9,08	-	-	-	-		
19/058K	N	8,52	-	-	-	-		ochranné zatravnění
19/059N	N	<del>8,26</del> 7,53	-	-	-	-		
<b>19/060Z</b>	<b>B</b>	<b>0,30</b>	<b>7/10</b>	<b>do 10%</b>	<b>s</b>	<b>15%</b>	<b>zemědělství</b>	
<b>Lokalita 20 – Droždín</b>								
20/001S	B	1,75	7/10	-	v	-		
20/002K	N	7,30	-	-	-	-		ochranné zatravnění
20/003S	O	0,46	7/10	-	v	-		
20/004S	B	2,66	7/10	-	v	-		
20/005S	P	1,22	-	-	-	-		
20/006S	O	0,11	7/10	-	s	-		
20/007S	P	0,40	-	-	-	-		
20/008S	R	0,25	5/7	-	s	-		zeleň parková
20/009P	P	0,27	-	-	-	-		
20/010S	B	4,40	7/10	-	v	-		
20/011S	D	1,61	-	-	-	-		
20/012S	B	1,55	7/10	-	v	-		
20/013S	P	0,39	-	-	-	-		
20/014S	B	0,18	7/10	-	b	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
20/015S	B	2,84	7/10	-	b	-		
20/016S	B	1,90	7/10	-	v	-		
20/017S	B	0,64	7/10	-	b	-		
20/018S	B	0,75	7/10	-	v	-		
20/019P	B	5,16	5/7	do 30 %	b	30 %		RP-02
20/020P	P	0,80	-	-	-	-		RP-02
20/021S	R	0,64	5/7	-	s	-		zeleň parková
20/022P	P	1,30	-	-	-	-		
20/023S	Z	3,11	3/5	-	-	-	chatová osada	
20/024Z	Z	3,20	3/5	do 10 %	-	50 %		etapizace
20/025P	P	0,51	-	-	-	-		
20/026S	Z	0,38	3/5	-	-	-	chatová osada	
20/027S	Z	0,60	3/5	-	-	-	chatová osada	
20/028N	N	18,94	-	-	-	-		
20/029N	N	31,37	-	-	-	-		
20/030N	N	28,96	-	-	-	-		
20/031S	Z	5,50	3/5	-	-	-		
20/032Z	P	0,26	-	-	-	-		
20/033S	Z	0,55	3/5	-	-	-		
20/034N	N	4,17	-	-	-	-		
20/035N	N	2,55	-	-	-	-		
20/036Z	P	1,30	-	-	-	-		
20/037S	Z	0,41	3/5	-	-	-		
20/038Z	Z	1,74	3/5	do 10 %	-	50 %		
20/039S	P	<del>0,26</del> 0,21	-	-	-	-		
20/040S	B	0,28	7/10	-	b	-		
20/041Z	B	0,70	7/10	10-35 %	b	40 %		
20/042S	B	<del>0,55</del> 0,61	7/10	-	b	-		
20/043Z	B	<del>0,68</del> 0,73	7/10	10-35 %	b	40 %		DP-26, etapizace
20/044Z	P	<del>0,59</del> 0,58	-	-	-	-		DP-26
20/045Z	B	<del>0,56</del> 0,52	7/10	10-35 %	b	40 %		DP-26, etapizace
20/046N	D	0,49	-	-	-	-		
20/047Z	B	1,29	7/10	10-35 %	b	40 %		
20/048S	B	0,40	7/10	-	b	-		
20/049Z	P	0,79	-	-	-	-		
20/050Z	B	0,93	7/10	10-35 %	b	40 %		
20/051Z	B	1,01	7/10	10-35 %	b	40 %		
20/052Z	B	1,00	7/10	10-35 %	b	40 %		
20/053Z	B	0,56	7/10	10-35 %	b	40 %		
20/054K	N	4,54	-	-	-	-		navržený ÚSES
20/055N	L	1,02	-	-	-	-		
20/056N	R	1,27	-	-	-	-		zeleň rekreační krajiny
20/057S	B	1,27	7/10	-	b	-		
20/058S	P	0,27	-	-	-	-		
20/059S	B	3,37	7/10	-	b	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
20/060P	P	0,16	–	–	–	–		
20/061S	P	2,26	–	–	–	–		
20/062S	O	0,42	7/10	–	a	–		
20/063S	B	1,58	7/10	–	v	–		
20/064S	B	0,98	7/10	–	b	–		
20/065P	B	0,77	7/10	10–35 %	b	40 %		
20/066P	P	<del>0,62</del> 0,57	–	–	–	–		
20/067P	B	<del>0,27</del> 0,32	7/10	10–35 %	b	40 %		
20/068P	B	0,53	7/10	10–35 %	b	40 %		
20/069P	O	0,28	11/11	do 40 %	s	20 %		
20/070P	R	0,59	5/7	do 3 %	s	50 %		zeleň parková
20/071S	B	0,92	7/10	–	b	–		
20/072S	B	1,18	7/10	–	b	–		
20/073S	B	0,78	7/10	–	b	–		
20/074N	N	37,20	–	–	–	–		
20/075N	D	1,78	–	–	–	–		
20/076P	B	<del>1,47</del> 3,39	7/10	10–35 %	b	40 %		US-105
20/077P	P	<del>1,20</del> 0,87	–	–	–	–		
20/078P	B	0,19	7/10	10–35 %	b	40 %		
20/079Z	B	0,54	7/10	10–35 %	b	40 %		
20/080P	B	0,58	7/10	10–35 %	b	40 %		
20/081S	B	2,50	7/10	–	b	–		
20/082Z	R	0,53	5/7	do 3 %	s	50 %		zeleň parková
20/083Z	B	0,16	7/10	10–35 %	b	40 %		
20/084Z	P	0,28	–	–	–	–		
20/085Z	B	0,31	7/10	10–35 %	b	40 %		
20/086S	B	0,60	7/10	–	b	–		
20/087S	B	1,56	7/10	–	b	–		
20/088Z	B	0,30	7/10	10–35 %	b	40 %		
20/089N	N	2,29	–	–	–	–		
20/090S	B	1,19	7/10	–	b	–		
20/091Z	P	0,10	–	–	–	–		
20/092S	B	1,42	7/10	–	b	–		
20/093S	P	1,44	–	–	–	–		
20/094S	D	1,19	–	–	–	–		
20/095Z	R	0,37	5/7	do 3 %	s	50 %		zeleň parková
20/096S	B	0,21	7/10	–	b	–		
20/097Z	B	1,12	7/10	10–35 %	b	40 %		
20/098S	B	1,56	7/10	–	b	–		
20/099S	B	1,21	7/10	–	b	–		
20/100S	B	1,18	7/10	–	v	–		
20/101N	N	0,32	–	–	–	–		
20/102N	P	0,14	–	–	–	–		
20/103N	N	1,00	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
20/104S	T	2,61	5/7	-	a	-		
20/105N	N	17,75	-	-	-	-		
20/106N	D	1,14	-	-	-	-		
20/107R	N	0,40	-	-	-	-		
20/108N	N	41,23	-	-	-	-		
20/109S	B	0,37	5/7	-	s	-		
20/110K	N	3,67	-	-	-	-		navržený ÚSES
20/111N	P	1,04	-	-	-	-		
20/112N	N	3,97	-	-	-	-		
20/113N	D	0,40	-	-	-	-		
20/114N	N	17,56	-	-	-	-		
20/115N	N	29,07	-	-	-	-		
20/116N	N	103,72	-	-	-	-		
20/117N	N	39,94	-	-	-	-		UR-07 (D)
20/118N	D	0,45	-	-	-	-		UR-07 (D)
20/119N	N	13,87	-	-	-	-		UR-07 (D)
20/120K	N	1,51	-	-	-	-		UR-07 (D), navržený ÚSES
20/121K	N	3,48	-	-	-	-		navržený ÚSES
20/122N	N	0,16	-	-	-	-		UR-07 (D)
20/123N	N	63,27	-	-	-	-		
20/124N	D	0,95	-	-	-	-		
20/125Z	D	7,64	-	-	-	-		
20/126N	N	33,84	-	-	-	-		
20/127N	N	37,29	-	-	-	-		
20/128K	N	0,94	-	-	-	-		navržený ÚSES
20/129N	N	29,26	-	-	-	-		
20/130N	D	0,40	-	-	-	-		
20/131N	N	1,49	-	-	-	-		
20/132S	B	0,33	7/10	-	b	-		
20/133S	B	0,06	7/10	-	b	-		
20/134K	N	2,07	-	-	-	-		ochranné zatravnění
20/135P	B	1,52	5/7	do 30 %	b	30 %		RP-02
20/136P	B	1,94	5/7	do 30 %	b	30 %		RP-02
20/137S	Z	0,42	3/5	-	-	-	chatová osada	
20/138Z	D	10,07	-	-	-	-		
20/139Z	D	5,59	-	-	-	-		
20/140N	N	2,62	-	-	-	-		
<b>20/141P</b>	<b>B</b>	<b>0,36</b>	<b>7/10</b>	<b>10-35%</b>	<b>b</b>	<b>40%</b>		
<b>20/142P</b>	<b>R</b>	<b>0,24</b>	<b>5/7</b>	<b>do 3%</b>	<b>s</b>	<b>50%</b>		<b>zeleň parková</b>
<b>20/143P</b>	<b>B</b>	<b>0,41</b>	<b>7/10</b>	<b>10-35%</b>	<b>b</b>	<b>40%</b>		
<b>20/144P</b>	<b>B</b>	<b>0,58</b>	<b>7/10</b>	<b>10-40%</b>	<b>b</b>	<b>30%</b>		
20/145R	N	0,33	-	-	-	-		
20/146N	N	2,01	-	-	-	-		UR-23 (B)
20/147N	N	0,56	-	-	-	-		UR-24 (B)

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
20/148N	N	0,60	–	–	–	–		UR-25 (B)
20/149N	N	0,79	–	–	–	–		UR-41 (P)
<b>Lokalita 21 – Svatý Kopeček</b>								
21/001S	B	3,52	7/10	–	b	–		
21/002S	B	0,32	7/10	–	b	–		
21/003S	R	0,23	5/7	–	s	–		zeleň parková
21/004S	O	0,62	7/10	–	b	–		
21/005S	B	0,39	7/10	–	b	–		
21/006S	B	0,32	7/10	–	b	–		
21/007S	P	3,11	–	–	–	–		
21/008S	B	0,24	7/10	–	b	–		
21/009S	O	0,27	7/10	–	a	–		zeleň hřbitovů
21/010S	O	0,24	7/10	–	a	–		zeleň hřbitovů
21/011S	R	0,35	5/7	–	s	–		zeleň parková
21/012S	B	1,03	7/10	–	b	–		
21/013S	B	1,97	7/10	–	b	–		
21/014S	B	0,95	7/10	–	b	–		
21/015S	B	0,76	7/10	–	b	–		
21/016S	B	1,04	7/10	–	b	–		
21/017S	R	1,25	5/7	–	s	–		zeleň parková
21/018S	P	0,11	–	–	–	–		
21/019S	O	1,19	7/10	–	a	–		
21/020S	O	1,03	7/10	–	a	–		
21/021S	P	1,46	–	–	–	–		
21/022S	B	0,34	7/10	–	b	–		
21/023S	P	1,09	–	–	–	–		
21/024S	O	2,26	7/10	–	a	–		
21/025S	R	0,33	5/7	–	s	–		zeleň parková
21/026S	B	1,02	7/10	–	b	–		
21/027R	N	0,22	–	–	–	–		
21/028R	N	0,77	–	–	–	–		
21/029R	N	0,18	–	–	–	–		
21/030N	N	15,78	–	–	–	–		
21/031R	N	0,31	–	–	–	–		
21/032R	N	0,44	–	–	–	–		
21/033R	N	4,68	–	–	–	–		
21/034S	T	0,24	5/7	–	a	–		
21/035N	D	2,04	–	–	–	–		
21/036N	N	5,07	–	–	–	–		
21/037S	D	1,01	–	–	–	–		
21/038S	B	2,02	7/10	–	p	–		
21/039S	P	0,19	–	–	–	–		
21/040S	B	2,41	7/10	–	b	–		
21/041S	O	0,35	7/10	–	b	–		
21/042Z	B	0,35	5/7	10–35 %	b	40 %		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
21/043S	B	0,46	7/10	-	b	-		
21/044Z	P	<del>2,55</del> 2,29	-	-	-	-		
21/045Z	D	1,06	-	-	-	-		
21/046Z	R	0,78	5/7	do 3 %	s	50 %		zeleň parková
21/047N	L	81,54	-	-	-	-		
21/048Z	B	1,63	7/10	10-35 %	b	40 %		
21/049Z	R	0,24	5/7	do 3 %	s	50 %		zeleň parková
21/050Z	D	0,34	-	-	-	-		
21/051P	D	0,37	-	-	-	-		
21/052S	O	0,89	7/10	-	a	-		
21/053S	P	0,68	-	-	-	-		
21/054S	B	0,36	7/10	-	b	-		
21/055S	B	1,78	7/10	-	b	-		
21/056N	L	1,14	-	-	-	-		
21/057N	L	0,82	-	-	-	-		
21/058Z	D	1,18	-	-	-	-		
21/059S	D	0,88	-	-	-	-		
21/060N	D	0,89	-	-	-	-		
21/061S	B	2,97	7/10	-	b	-		
21/062S	B	0,67	7/10	-	b	-		
21/063N	L	2,14	-	-	-	-		
21/064Z	O	1,34	11/11	do 40 %	s	20 %		<del>etapizace</del> US-98
21/065P	O	0,41	13/17	do 40 %	s	20 %		etapizace, US-98
21/066Z	O	1,43	13/17	do 40 %	s	20 %		etapizace, US-98
21/067Z	D	1,32	-	-	-	-		
21/068N	D	1,44	-	-	-	-		
21/069N	L	23,18	-	-	-	-		
21/070S	O	24,83	11/11	-	a	-		zeleň ZOO
21/071N	L	16,43	-	-	-	-		
21/072N	L	50,43	-	-	-	-		
21/073Z	P	0,23	-	-	-	-		
21/074Z	B	0,11	5/7	10-35 %	b	40 %		
21/075P	B	0,57	7/10	10-35 %	b	40 %		
21/076P	B	0,63	7/10	10-35 %	b	40 %		
<del>21/077Z</del>	<del>R</del>	<del>0,32</del>	<del>5/7</del>	<del>do 3%</del>	<del>s</del>	<del>50%</del>	<del>poldr</del>	<del>zeleň parková</del>
21/078Z	B	1,44	7/10	10-35 %	b	40 %		
21/079Z	B	<del>1,49</del> 1,83	7/10	10-35 %	b	40 %		
21/080Z	B	<del>1,20</del> 1,24	7/10	10-35 %	b	40 %		
21/081Z	B	<del>0,96</del> 0,99	7/10	10-35 %	b	40 %		
21/082Z	B	<del>1,03</del> 1,06	7/10	10-35 %	b	40 %		
21/083Z	B	<del>0,51</del> 0,53	7/10	10-35 %	b	40 %		
21/084Z	B	<del>0,55</del> 0,56	7/10	10-35 %	b	40 %		
21/085Z	B	<del>0,70</del> 0,72	7/10	10-35 %	b	40 %		
21/086N	W	0,65	-	-	-	-		
21/087Z	R	0,20	5/7	do 3 %	s	50 %		zeleň parková

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
<b>21/088Z</b>	<b>P</b>	<b>0,08</b>	-	-	-	-		
<b>Lokalita 22 – Radíkov</b>								
22/001S	B	0,53	7/10	-	v	-		
22/002S	P	<del>2,14</del> 2,21	-	-	-	-		
22/003S	B	0,73	7/10	-	v	-		
22/004S	B	2,20	7/10	-	v	-		
22/005P	P	0,41	-	-	-	-		
22/006S	D	0,67	-	-	-	-		
22/007S	B	0,97	7/10	-	v	-		
22/008Z	B	0,21	7/10	10–35 %	v	40 %		
22/009S	Z	0,28	3/5	-	-	-	chatová osada	
22/010S	Z	0,14	3/5	-	-	-		
22/011S	Z	0,28	3/5	-	-	-	chatová osada	
22/012S	P	0,58	-	-	-	-		
22/013S	B	0,99	7/10	-	v	-		
22/014S	Z	0,37	3/5	-	-	-	chatová osada	
22/015N	L	49,16	-	-	-	-		
22/016P	P	0,25	-	-	-	-		
22/017Z	Z	0,56	3/5	do 10 %	-	50 %		
22/018S	Z	0,44	3/5	-	-	-		
22/019N	N	0,75	-	-	-	-		
22/020N	R	2,33	-	-	-	-		zeleň rekreační krajiny
22/021S	Z	0,69	3/5	-	-	-		
22/022N	L	0,48	-	-	-	-		
22/023N	N	12,37	-	-	-	-		
22/024S	B	0,72	7/10	-	s	-		
22/025S	B	0,60	7/10	-	v	-		
22/026S	B	2,62	7/10	-	v	-		
22/027S	O	0,34	7/10	-	v	-		
22/028S	B	0,33	7/10	-	v	-		
22/029S	B	0,05	7/10	-	v	-		
22/030S	B	0,19	7/10	-	v	-		
22/031S	B	<del>1,09</del> 0,78	7/10	-	v	-		
22/032S	B	0,44	5/7	-	v	-		
22/033S	B	0,45	7/10	-	v	-		
22/034Z	B	1,13	5/7	10–35 %	b	40 %		
22/035S	B	<del>1,27</del> 1,15	7/10	-	v	-		
22/036N	W	1,22	-	-	-	-		
22/037P	B	3,96	7/10	10–35 %	v	40 %		
22/038Z	P	0,42	-	-	-	-		
22/039S	Z	0,60	3/5	-	-	-		
22/040N	N	17,18	-	-	-	-		
22/041S	Z	0,56	3/5	-	-	-		
22/042N	L	52,61	-	-	-	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
22/043N	L	33,53	–	–	–	–		
22/044N	N	0,68	–	–	–	–		
22/045N	P	0,29	–	–	–	–		
22/046N	N	11,14	–	–	–	–		
22/047N	L	74,53	–	–	–	–		
22/048S	B	0,27	5/7	–	a	–		
22/049N	N	4,98	–	–	–	–		
22/050S	B	0,49	5/7	–	a	–		
22/051N	L	60,76	–	–	–	–		
22/052N	R	11,03	–	–	–	–		zeleň rekreační krajiny
22/053S	O	4,90	5/7	–	a	–		
22/054S	O	1,97	11/11	–	a	–		
22/055K	N	0,70	–	–	–	–		ochranné zatravnění
22/056N	R	0,48	–	–	–	–		zeleň rekreační krajiny
22/057Z	B	1,79	5/7	10–35 %	b	40 %		
22/058Z	P	0,40	–	–	–	–		
22/059Z	R	0,15	5/7	do 3 %	s	50 %		zeleň parková
<b>22/060S</b>	<b>B</b>	<b>0,07</b>	<b>7/10</b>	<b>–</b>	<b>–</b>	<b>–</b>		
<b>22/061S</b>	<b>B</b>	<b>0,29</b>	<b>7/10</b>	<b>–</b>	<b>v</b>	<b>–</b>		
<b>Lokalita 23 – Lošov</b>								
23/001S	B	<del>0,89</del> 0,39	7/10	–	v	–		
23/002S	O	1,33	7/10	–	a	–		
23/003S	B	0,51	7/10	–	v	–		
23/004S	B	0,60	7/10	–	b	–		
23/005S	P	0,23	–	–	–	–		
23/006S	B	<del>2,94</del> 1,78	7/10	–	v	–		
23/007S	D	0,98	–	–	–	–		
23/008S	B	0,43	7/10	–	v	–		
23/009S	P	0,35	–	–	–	–		
23/010S	B	1,21	7/10	–	v	–		
23/011S	B	3,84	7/10	–	v	–		
23/012Z	B	0,51	7/10	10–35 %	b	40 %		DP-27
23/013Z	B	0,45	7/10	10–35 %	b	40 %		DP-27
23/014Z	B	0,62	7/10	10–35 %	b	40 %		DP-27
23/015Z	B	0,62	7/10	10–35 %	b	40 %		DP-27
23/016Z	B	1,51	7/10	10–35 %	b	40 %		DP-27
23/017Z	B	0,37	7/10	10–35 %	b	40 %		DP-27
23/018Z	P	1,50	–	–	–	–		DP-27
23/019Z	R	0,29	5/7	do 3 %	s	50 %		DP-27, zeleň parková
23/020S	T	0,20	7/10	–	a	–		
23/021Z	R	<del>0,13</del> 0,08	5/7	do 3 %	s	50 %		DP-27, zeleň parková



kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
23/022Z	B	<del>0,41</del> 0,46	7/10	10–35 %	b	40 %		DP-27
23/023N	R	0,40	–	–	–	–		zeleň rekreační krajiny
23/024S	B	1,49	7/10	–	v	–		
23/025S	B	0,21	7/10	–	v	–		
23/026S	P	<del>0,41</del> 0,48	–	–	–	–		
23/027S	D	1,24	–	–	–	–		
23/028S	B	3,51	7/10	–	v	–		
23/029S	P	0,30	–	–	–	–		
23/030S	P	0,08	–	–	–	–		
23/031S	B	2,34	7/10	–	v	–		
23/032S	B	2,89	7/10	–	a	–		
23/033Z	B	0,47	7/10	10–35 %	b	40 %		
23/034P	B	0,19	5/7	10–35 %	b	40 %		
23/035Z	B	0,67	5/7	10–35 %	b	40 %		
23/036Z	P	0,90	–	–	–	–		
23/037Z	B	0,25	7/10	10–35 %	b	40 %		
23/038N	R	0,18	–	–	–	–		zeleň rekreační krajiny
23/039S	B	<del>1,00</del> 1,24	7/10	–	v	–		
23/040S	B	0,94 0,68	7/10	–	v	–		
23/041S	P	1,02 1,08	–	–	–	–		
23/042S	B	0,16	7/10	–	v	–		
23/043S	B	<del>0,56</del> 0,89	7/10	–	v	–		
23/044P	P	<del>0,39</del> 0,25	–	–	–	–		
23/045S	B	<del>0,97</del> 1,53	7/10	–	b	–		
23/046Z	P	0,15	–	–	–	–		
23/047Z	B	0,41	7/10	10–35 %	b	40 %		
23/048S	B	2,01	7/10	–	v	–		
23/049N	N	<del>8,59</del> 8,52	–	–	–	–		
<del>23/050Z</del>	<del>P</del>	<del>0,43</del>	<del>–</del>	<del>–</del>	<del>–</del>	<del>–</del>		
23/051Z	O	0,59	7/10	do 40 %	s	20 %		
23/052Z	P	<del>0,30</del> 0,29	–	–	–	–		
23/053S	B	0,44	7/10	–	v	–		
23/054N	R	1,24	–	–	–	–		zeleň rekreační krajiny
23/055Z	Z	1,74	3/5	do 10 %	–	50 %	chatová osada	
23/056S	Z	1,71	3/5	–	–	–	chatová osada	
23/057N	P	0,90	–	–	–	–		
23/058N	W	1,32	–	–	–	–		
23/059N	L	12,91	–	–	–	–		
23/060S	Z	2,08	3/5	–	–	–	chatová osada	
23/061S	P	<del>1,03</del> 1,11	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
23/062N	N	<del>30,22</del> 30,61	-	-	-	-		
23/063S	Z	0,28	3/5	-	-	-		
23/064N	L	73,84	-	-	-	-		
23/065N	N	18,91	-	-	-	-		
23/066S	Z	0,21	3/5	-	-	-		
23/067N	N	10,68	-	-	-	-		
23/068S	Z	0,18	3/5	-	-	-		
23/069N	R	2,78	-	-	-	-		zeleň rekreační krajiny
23/070N	R	0,29	-	-	-	-		zeleň rekreační krajiny
23/071N	L	5,24	-	-	-	-		
23/072S	Z	2,47	3/5	-	-	-		
23/073N	N	27,45	-	-	-	-		
23/074N	D	0,83	-	-	-	-		
23/075R	N	0,48	-	-	-	-		
23/076N	N	33,31	-	-	-	-		
23/077N	N	4,43	-	-	-	-		
23/078N	N	0,86	-	-	-	-		
23/079N	L	67,24	-	-	-	-		
23/080N	L	10,18	-	-	-	-		
23/081P	O	2,77	11/11	do 40 %	a	20 %		US-38
23/082N	N	1,53	-	-	-	-		
23/083N	N	13,93	-	-	-	-		
23/084S	Z	0,46	3/5	-	-	-		
23/085K	N	5,11	-	-	-	-		ochranné zatravnění
23/086S	Z	0,19	3/5	-	-	-		
23/087N	D	2,67	-	-	-	-		
23/088N	L	81,08	-	-	-	-		
23/089N	L	91,66	-	-	-	-		
23/090N	N	3,81	-	-	-	-		
23/091N	L	89,75	-	-	-	-		
23/092N	L	74,99	-	-	-	-		
23/093N	D	2,18	-	-	-	-		
23/094N	L	31,82	-	-	-	-		
23/095N	N	1,08	-	-	-	-		
23/096S	Z	0,37	3/5	-	-	-		
23/097N	N	0,62	-	-	-	-		
23/098S	Z	0,40	3/5	-	-	-		
23/099N	N	0,56	-	-	-	-		
23/100K	N	1,40	-	-	-	-		ochranné zatravnění
23/101K	N	<del>11,30</del> 11,33	-	-	-	-		ochranné zatravnění

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
23/102K	N	0,89	–	–	–	–		ochranné zatravnění
23/103Z	<b>RZ</b>	0,49	<b>5/7-3/5</b>	<b>do 3% do 10%</b>	<b>s-</b>	50 %		<b>zeleň parková</b>
23/104S	Z	0,17	3/5	–	–	–		
23/105K	N	1,20	–	–	–	–		ochranné zatravnění
23/106N	N	0,76	–	–	–	–		
23/107K	N	0,97	–	–	–	–		ochranné zatravnění
23/108K	N	2,10	–	–	–	–		ochranné zatravnění
<del>23/109P</del>	<del>B</del>	<del>0,28</del>	<del>7/10</del>	<del>10-35%</del>	<del>v</del>	<del>40%</del>		
<del>23/110P</del>	<del>B</del>	<del>0,48</del>	<del>7/10</del>	<del>10-35%</del>	<del>b</del>	<del>40%</del>		
23/112N	W	0,30	–	–	–	–		
23/113S	B	0,12	7/10	–	v	–		
23/114S	P	0,05	–	–	–	–		
<b>23/115S</b>	<b>B</b>	<b>0,29</b>	<b>7/10</b>	<b>–</b>	<b>v</b>	<b>–</b>		
<b>23/116S</b>	<b>B</b>	<b>0,23</b>	<b>7/10</b>	<b>–</b>	<b>v</b>	<b>–</b>		
<b>23/117S</b>	<b>B</b>	<b>0,47</b>	<b>7/10</b>	<b>–</b>	<b>v</b>	<b>–</b>		
<b>23/118S</b>	<b>P</b>	<b>0,05</b>	<b>–</b>	<b>–</b>	<b>–</b>	<b>–</b>		
<b>23/119S</b>	<b>B</b>	<b>1,10</b>	<b>7/10</b>	<b>–</b>	<b>v</b>	<b>–</b>		
<b>Lokalita 24 – Holice-východ</b>								
24/001P	B	3,77	10/14	10–35 %	p	40 %		DP-39
24/002S	B	2,26	7/10	–	a	–		DP-39
24/003Z	B	2,34	10/14	10–35 %	p	40 %		DP-39
24/004N	D	1,65	–	–	–	–		
24/005Z	D	5,86	–	–	–	–		
24/006Z	V	3,67	15/15	do 55 %	a	15 %	fotovoltaika	
24/007S	V	2,30	15/15	–	a	–	fotovoltaika	
24/008N	P	0,42	–	–	–	–		
24/009S	P	0,23	–	–	–	–		
24/010Z	V	1,55	15/15	do 55 %	a	15 %	fotovoltaika	
24/011N	P	0,50	–	–	–	–		
24/012S	D	1,49	–	–	–	–		
24/013P	R	3,75	5/7	do 3 %	s	50 %		zeleň parková
24/014P	D	0,63	–	–	–	–		
24/015S	V	8,03	15/15	–	a	–		
24/016N	N	38,07	–	–	–	–		
24/017Z	D	7,23	–	–	–	–		
24/018N	N	3,78	–	–	–	–		
24/019Z	V	19,79	15/15	do 55 %	a	15 %		DP-11, etapizace
24/020Z	D	15,71	–	–	–	–		
24/021Z	D	0,63	–	–	–	–		
24/022Z	V	19,03	15/15	do 55 %	a	15 %	logistika	DP-12, etapizace
24/023N	N	25,19	–	–	–	–		UR-09 (T)

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
24/024N	N	22,48	–	–	–	–		etapizace
24/025N	N	22,36	–	–	–	–		UR-08 (D)
24/026N	N	22,72	–	–	–	–		
24/027K	N	4,63	–	–	–	–		navržený ÚSES
24/028N	N	30,51	–	–	–	–		UR-08 (D)
24/029N	N	101,42	–	–	–	–		
24/030N	D	1,52	–	–	–	–		
24/031N	D	0,57	–	–	–	–		UR-08 (D)
24/032N	N	1,85	–	–	–	–		
24/033Z	V	14,56	15/15	do 55 %	a	15 %	logistika	DP-11, etapizace
24/034S	D	1,70	–	–	–	–		DP-39
24/035S	V	8,15	15/15	–	a	–		
24/036Z	B	3,08	7/10	10–35 %	p	40 %		DP-39
<b>Lokalita 25 – Nový Dvůr</b>								
25/001S	B	2,35	7/10	–	b	–	bez ČS PHM	
25/002S	V	6,04	15/15, <del>maximální</del> <del>výška zástavby pro</del> <del>zemědělská</del> <del>techno-</del> <del>logická</del> <del>zařízení je</del> <del>19/19 m</del>	–	a	–	zemědělství, <del>bez ČS PHM,</del> biologický odpad, specifická výška 2 (05)	
25/003S	B	0,65	7/10	–	b	–	bez ČS PHM	
25/004S	D	0,64	–	–	–	–		
25/005N	N	39,33	–	–	–	–		
25/006N	D	0,82	–	–	–	–		
25/007N	D	6,84	–	–	–	–		
25/008N	N	29,66	–	–	–	–		
25/009N	N	79,62	–	–	–	–		
25/010N	D	2,42	–	–	–	–		
25/011N	N	27,44	–	–	–	–		
25/012N	N	71,28	–	–	–	–		
25/013K	W	1,11	–	–	–	–		
25/014N	W	9,52	–	–	–	–		
25/015K	N	3,43	–	–	–	–		
<b>Lokalita 26 – Kaliště</b>								
26/001R	R	12,98	–	–	–	–		zeleň rekreační krajiny, navržený ÚSES
26/002K	R	2,18	–	–	–	–		zeleň rekreační krajiny, navržený ÚSES
26/003N	R	0,24	–	–	–	–		zeleň rekreační krajiny
26/004N	P	0,73	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
26/005N	D	9,46	–	–	–	–		
26/006N	N	12,64	–	–	–	–		
26/007N	D	3,22	–	–	–	–		
26/008N	W	12,91	–	–	–	–		
26/009K	N	26,39	–	–	–	–		navržený ÚSES
26/010N	N	24,55	–	–	–	–		
26/011K	D	1,49	–	–	–	–		
26/012N	N	8,91	–	–	–	–		
26/013N	N	4,06	–	–	–	–		navržený ÚSES
26/014N	R	0,78	–	–	–	–		zeleň rekreační krajiny
26/015N	W	1,61	–	–	–	–		navržený ÚSES
26/016K	R	1,98	–	–	–	–		zeleň rekreační krajiny, navržený ÚSES
26/017N	W	5,80	–	–	–	–		
26/018N	W	3,10	–	–	–	–		
26/019K	W	0,56	–	–	–	–		
<b>Lokalita 27 – Nemilany a Nové Sady-jih</b>								
27/001S	B	0,92	7/10	–	v	–		
27/002S	B	0,25	7/10	–	v	–		
27/003Z	R	0,20	5/7	do 3 %	s	50 %		zeleň parková
27/004S	B	1,10	7/10	–	v	–		
27/005S	B	1,00	7/10	–	v	–		
27/006S	O	0,34	7/10	–	a	–		
27/007P	B	0,97	7/10	10–35 %	b	40 %		
27/008P	B	0,31	7/10	10–35 %	b	40 %		
27/009P	P	0,59	–	–	–	–		
27/010P	B	0,26	7/10	10–35 %	b	40 %		
27/011S	O	0,66	7/10	–	a	–		
27/012P	B	1,22	7/10	10–35 %	b	40 %		
27/013S	B	1,80	7/10	–	v	–		
27/014S	P	2,78	–	–	–	–		
27/015S	B	4,41	7/10	–	v	–		
27/016N	N	1,74	–	–	–	–		
27/017N	P	0,07	–	–	–	–		
27/018K	D	2,79	–	–	–	–		
27/019S	B	2,17	7/10	–	a	–		
27/020S	B	3,88	7/10	–	v	–		
27/022Z	B	0,87	7/10	10–35 %	b	40 %		
27/023Z	R	0,20	5/7	10–35 %	b	40 %		zeleň parková
27/024Z	B	0,23	7/10	10–35 %	b	40 %		
27/025S	B	0,27	7/10	–	b	–		
27/026S	B	0,94	7/10	–	b	–		
27/027N	N	20,89	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
27/028N	D	0,66	–	–	–	–		
27/029Z	P	0,09	–	–	–	–		
27/030Z	B	0,79	7/10	10–35 %	b	40 %		etapizace
27/031S	B	0,88	7/10	–	v	–		
27/032S	O	1,01	7/10	–	a	–		
27/033S	B	0,78	7/10	–	b	–		
27/034S	B	2,09	7/10	–	b	–		
27/035S	P	1,48	–	–	–	–		
27/036S	B	0,72	7/10	–	b	–		
27/037S	R	0,54	5/7	–	s	–		zeleň parková
27/038S	B	1,55	7/10	–	b	–		
27/039Z	B	0,88	7/10	10–35 %	b	40 %		etapizace
27/040Z	B	0,32	7/10	10–35 %	b	40 %		etapizace
27/041Z	B	1,17	7/10	10–35 %	b	40 %		etapizace, DP-04
27/042Z	B	1,09	7/10	10–35 %	b	40 %		etapizace
27/043Z	P	<del>1,59</del> 1,61	–	–	–	–		
27/044S	B	<del>1,25</del> 0,88	7/10	–	b	–		
27/045S	P	2,58	–	–	–	–		
27/046S	B	3,22	7/10	–	v	–		
27/047S	D	1,64	–	–	–	–		
27/048S	B	0,23	7/10	–	b	–		
27/049S	O	0,29	7/10	–	a	–		
27/050S	B	0,29	7/10	–	b	–		
27/051S	B	0,16	7/10	–	b	–		
27/052P	D	1,37	–	–	–	–		
27/053S	B	0,87	7/10	–	b	–		
27/054S	B	2,04	7/10	–	b	–		
27/055S	B	3,22	7/10	–	b	–		
27/056S	B	<del>0,25</del> 0,28	7/10	–	b	–		
27/057P	P	0,43	–	–	–	–		
27/058S	B	0,26	7/10	–	b	–		
27/059N	N	0,60	–	–	–	–		UR-51 (P)
27/060N	N	1,17	–	–	–	–		UR-26 (B)
27/061Z	B	0,34	7/10	10–35 %	b	40 %		etapizace
27/062Z	R	0,19	5/7	do 3 %	s	50 %		etapizace, zeleň parková
27/063Z	B	0,32	7/10	10–35 %	b	40 %		etapizace
27/064PS	<del>B-Z</del>	1,73	<del>7/10</del> 3/5	<del>10–35 %</del>	<del>b</del>	<del>40%</del>		
27/065Z	P	0,67	–	–	–	–		
27/066N	N	3,06	–	–	–	–		
27/067S	B	0,94	7/10	–	b	–		
27/068P	B	0,92	7/10	10–35 %	b	40 %		
27/069P	P	0,42	–	–	–	–		
27/070N	N	9,11	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
27/071S	B	0,10	7/10	-	-	-		
27/072N	P	0,55	-	-	-	-		
27/073K	D	4,24	-	-	-	-		
27/074N	N	<del>17,92</del> 17,88	-	-	-	-		
27/075S	Z	1,67	3/5	-	-	-	chatová osada	
27/076S	B	2,69	7/10	-	b	-		
27/077P	D	0,50	-	-	-	-		
27/078S	B	1,41	7/10	-	v	-		
27/079S	P	0,70	-	-	-	-		
27/080S	B	0,19	7/10	-	b	-		
27/081P	P	0,12	-	-	-	-		
27/082S	B	0,84	7/10	-	b	-		
27/083S	B	6,30	7/10	-	v	-		
27/084S	D	2,33	-	-	-	-		
27/085S	B	2,53	7/10	-	v	-		
27/086S	O	0,55	7/10	-	v	-		zeleně hřbitovů
27/087S	O	0,16	7/10	-	v	-		
27/088 <del>SP</del>	B	0,59	7/10	<del>-15-35</del> %	b	<del>-40%</del>		
27/089Z	B	1,19	11/11	15-35 %	b	40 %		DP-38, etapizace
27/090Z	P	0,41	-	-	-	-		
27/091P	D	0,86	-	-	-	-		
27/092K	W	2,97	-	-	-	-		
27/093Z	T	5,31	11/11	do 55 %	a	15 %	ČOV, sběrný dvůr, bez ČS PHM	etapizace
27/094S	T	11,32	7/10	-	a	-	bez ČS PHM	
27/095S	P	0,28	-	-	-	-		
27/096S	B	2,51	7/10	-	v	-		
27/097N	D	0,41	-	-	-	-		
27/098S	B	0,63	11/11	-	a	-	bez ČS PHM	
27/099S	B	1,00	11/11	-	a	-	bez ČS PHM	
27/100Z	B	0,49	7/10	15-35 %	b	40 %		etapizace, DP-05
27/101Z	P	1,90	-	-	-	-		DP-05
27/102Z	R	0,72	5/7	do 3 %	s	50 %		etapizace, zeleň parková, DP-05
27/103S	B	0,28	7/10	-	b	-		DP-05
27/104Z	B	1,76	7/10	15-35 %	b	40 %		etapizace, DP-05
27/105Z	B	2,89	7/10	15-35 %	b	40 %		etapizace, DP-05
27/106R	N	0,71	-	-	-	-		
27/107N	N	17,59	-	-	-	-		
27/108S	V	25,58	15/15	-	a	-	bez ČS PHM, logistika	
27/109S	D	0,72	-	-	-	-		
27/110Z	V	3,91	11/11	do 55 %	a	15 %	bez ČS PHM	etapizace
27/111Z	D	0,90	-	-	-	-		
27/112N	N	13,21	-	-	-	-		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
27/113N	D	1,53	-	-	-	-		
27/114N	D	8,62	-	-	-	-		
27/115N	N	32,30	-	-	-	-		
27/116Z	P	0,28	-	-	-	-		
27/117N	N	5,91	-	-	-	-		UR-29 (V)
27/118N	N	5,06	-	-	-	-		
27/119N	P	0,32	-	-	-	-		
27/120S	P	0,41	-	-	-	-		
27/121P	P	0,30	-	-	-	-		
27/122N	W	3,45	-	-	-	-		
27/123K	N	9,09	-	-	-	-		navržený ÚSES
27/124N	W	4,71	-	-	-	-		
27/125K	W	3,15	-	-	-	-		navržený ÚSES
27/126Z	T	0,48	7/10	do 55 %	a	15 %	bez ČS PHM	etapizace
27/127K	R	0,48	-	-	-	-		zeleň rekreační krajiny
27/128K	W	1,46	-	-	-	-		
27/129N	N	3,88	-	-	-	-		
27/130N	P	0,82	-	-	-	-		
27/131N	N	1,14	-	-	-	-		UR-27 (B)
27/132N	N	0,81	-	-	-	-		UR-50 (B)
<b>27/133S</b>	<b>B</b>	<b>0,35</b>	<b>7/10</b>	<b>-</b>	<b>b</b>	<b>-</b>		
<b>Lokalita 28 – Slavonín</b>								
28/001S	B	3,73	7/10	-	v	-		
28/002S	B	3,89	7/10	-	v	-	sběrný dvůr	
28/003S	P	0,59	-	-	-	-		
28/004S	D	1,66	-	-	-	-		
28/005S	B	3,47	7/10	-	v	-		
28/006S	O	0,31	7/10	-	v	-		
28/007S	B	0,71	7/10	-	v	-		
28/008S	O	0,20	7/10	-	v	-		
28/009S	P	2,36	-	-	-	-		
28/010S	B	0,46	7/10	-	b	-		
28/011S	B	0,66	7/10	-	b	-		
28/012K	N	<del>1,67</del> 3,04	-	-	-	-	poldr	
28/013S	B	0,32	7/10	-	b	-		
28/014S	B	1,58	7/10	-	b	-		
28/015S	R	0,35	5/7	-	s	-		zeleň parková
28/016S	P	0,19	-	-	-	-		
28/017S	B	3,15	7/10	-	b	-		
28/018Z	B	1,54	7/10	15-35 %	b	40 %		
28/019S	O	0,56	7/10	-	a	-		zeleň hřbitovní
28/020Z	P	0,54	-	-	-	-		
28/021Z	R	1,77	5/7	do 3 %	s	50 %		zeleň parková



kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
28/022N	P	0,28	–	–	–	–		
28/023N	N	1,73	–	–	–	–		UR-30 (B)
28/024P	B	2,60	7/10	do 55 %	a	15 %		DP-35
28/025N	N	0,71	–	–	–	–		UR-31(B)
28/026N	N	<del>39,69</del> 35,77	–	–	–	–		
28/027N	D	12,32	–	–	–	–		
28/028K	N	<del>1,64</del> 1,69	–	–	–	–		navržený ÚSES
28/029S	Z	0,88	3/5	–	–	–		
28/030N	D	1,92	–	–	–	–		
28/031N	N	36,70	–	–	–	–		
28/032R	N	1,76	–	–	–	–		
28/033K	N	2,60	–	–	–	–		navržený ÚSES
28/035N	N	4,43	–	–	–	–		
28/036N	N	5,13	–	–	–	–		
28/037S	P	0,13	–	–	–	–		
28/038R	R	3,90	–	–	–	–		zeleň rekreační krajiny
28/039S	O	2,45	5/7	–	a	–		
28/040N	N	69,55	–	–	–	–		
28/041S	D	3,12	11/11	–	s	–		
28/042N	P	2,49	–	–	–	–		
28/043N	N	26,78	–	–	–	–		
28/044N	D	10,39	–	–	–	–		
28/045K	L	7,56	–	–	–	–		navržený ÚSES
28/046N	L	2,71	–	–	–	–		
28/047K	L	3,37	–	–	–	–		navržený ÚSES
28/048N	N	19,93	–	–	–	–		UR-32 (L)
28/049S	B	0,49	5/7	–	b	–		
28/050N	L	1,76	–	–	–	–		
28/051N	L	7,14	–	–	–	–		
28/052K	R	2,73	–	–	–	–		zeleň rekreační krajiny
28/053S	B	1,12	7/10	–	b	–		
28/054S	P	0,15	–	–	–	–		
28/055P	P	0,13	–	–	–	–		
28/056K	L	0,82	–	–	–	–		
28/057S	Z	11,57	3/5	–	–	–		
28/058S	B	0,37	7/10	–	b	–		
28/059S	B	5,35	7/10	–	b	–		
28/060S	D	2,03	–	–	–	–		
28/061S	B	1,54	7/10	–	b	–		
28/062S	B	1,31	7/10	–	b	–		
28/063S	B	0,55	7/10	–	b	–		
28/064S	B	0,27	7/10	–	b	–		
28/065S	B	0,36	7/10	–	s	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavě- nost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
28/066S	P	0,33	-	-	-	-		
28/067Z	P	0,87	-	-	-	-		
28/068K	N	<del>2,20</del> 2,20	-	-	-	-	poldr	
28/069N	N	4,69	-	-	-	-		UR-33 (B)
28/070P	P	1,27	-	-	-	-		
28/071N	N	26,11	-	-	-	-		UR-34 (R)
28/072Z	B	2,30	7/10	15-35 %	b	40 %		etapizace
28/073S	B	0,67	7/10	-	b	-		
28/074S	O	1,42	13/17	-	a	-		
28/075P	O	0,64	13/17	do 40 %	a	20 %		
28/076Z	B	1,02	10/14	15-40 %	b	30 %		etapizace
28/077S	B	0,65	13/17	-	p	-		
28/078S	P	0,13	-	-	-	-		
28/079S	B	1,35	13/17	-	b	-		
28/080Z	B	0,38	10/14	15-40 %	b	30 %		etapizace
28/081Z	P	0,21	-	-	-	-		
28/082Z	<del>TB</del>	0,29	10/14	15-40 %	<del>a</del> b	30 %		etapizace
28/083S	P	0,12	-	-	-	-		
28/084P	<del>BT</del>	<del>0,93</del> 0,68	13/17	15-40 %	<del>b</del> a	30 %		
28/085P	B	0,73	13/17	15-40 %	b	30 %		
28/086P	P	0,24	-	-	-	-		
28/087S	B	0,50	13/17	-	p	-		
28/088S	P	0,51	-	-	-	-		
28/089S	B	0,70	13/17	-	b	-		
28/090S	B	0,36	13/17	-	p	-		
28/091Z	B	0,75	10/14	15-40 %	b	30 %		etapizace
28/092P	P	0,38	-	-	-	-		
28/093P	B	1,00	10/14	15-40 %	b	30 %		
28/094P	B	0,31	10/14	15-40 %	b	30 %		
28/095Z	O	0,49	5/7	do 20 %	a	40 %	kemp	etapizace
28/096P	R	0,32	5/7	do 3 %	s	50 %		zeleň parková
28/097S	W	2,08	-	-	-	-		
28/098S	P	0,42	-	-	-	-		
28/099P	B	0,86	10/14	15-40 %	b	30 %		
28/100Z	B	1,34	10/14	15-40 %	b	30 %		etapizace
28/101P	P	0,34	-	15-40 %	-	30 %		
28/102S	B	0,20	10/14	-	b	-		
28/103Z	B	1,36	13/17	15-40 %	b	30 %		etapizace
28/104Z	B	0,87	10/14	15-40 %	b	30 %		etapizace
28/105P	P	0,19	-	-	-	-		
28/106S	Z	1,01	3/5	-	-	-	chatová osada	
28/107N	P	0,10	-	-	-	-		
28/108S	Z	0,94	3/5	-	-	-	chatová osada	
28/109Z	R	2,08	5/7	do 3 %	s	50 %		etapizace, zeleň parková
28/110Z	B	1,25	13/17	15-40 %	b	30 %		etapizace

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
28/111Z	P	2,39	–	–	–	–		
28/112Z	B	1,66	13/17	15–40 %	b	30 %		etapizace
28/113S	B	1,74	13/17	–	b	–		
28/114P	P	0,95	–	–	–	–		
28/115Z	B	1,11	13/17	15–40 %	b	30 %		etapizace
28/116Z	B	0,69	13/17	15–40 %	b	30 %		etapizace
28/117S	B	0,50	13/17	–	b	–		
28/118S	B	0,79	7/10	–	b	–		
28/119S	B	0,61	7/10	–	b	–		
28/120P	B	0,57	7/10	15–40 %	b	30 %		
28/121P	B	1,38	10/14	15–40 %	b	30 %		
28/122Z	B	0,28	10/14	15–40 %	b	30 %		etapizace
28/123Z	B	1,60	10/14	15–40 %	b	30 %		etapizace
28/124S	P	0,10	–	–	–	–		
28/125Z	P	0,67	–	–	–	–		
28/126Z	P	0,45	–	–	–	–		
28/127N	N	<del>1,28</del> 1,44	–	–	–	–		
28/128N	N	0,55	–	–	–	–		UR-42 (P)
28/129N	N	<del>1,02</del> 1,90	–	–	–	–		UR-43 (P)
28/130Z	P	0,26	–	–	–	–		
28/131N	N	1,40	–	–	–	–		UR-53 (B)
28/132N	N	0,52	–	–	–	–		UR-54 (B)
28/133N	N	0,41	–	–	–	–		UR-19 (O)
28/134N	N	1,03	–	–	–	–		UR-55 (B)
28/135N	N	1,15	–	–	–	–		UR-56 (O)
28/136N	N	1,39	–	–	–	–		UR-57 (P)
<b>28/137S</b>	<b>B</b>	<b>0,96</b>	<b>5/7</b>	<b>–</b>	<b>–</b>	<b>–</b>		
<b>28/138N</b>	<b>L</b>	<b>1,34</b>	<b>–</b>	<b>–</b>	<b>–</b>	<b>–</b>		
<b>28/139S</b>	<b>B</b>	<b>0,25</b>	<b>13/17</b>	<b>–</b>	<b>b</b>	<b>–</b>		
<b>Lokalita 29 – Nedvězí</b>								
29/001S	B	3,49	7/10	–	v	–		
29/002S	B	0,55	7/10	–	v	–		
29/003S	B	1,65	7/10	–	v	–		
29/004S	R	0,19	5/7	–	s	–		zeleň parková
29/005S	B	2,28	7/10	–	v	–		
29/006S	P	0,24	–	–	–	–		
29/007S	D	1,77	–	–	–	–		
29/008S	B	1,32	7/10	–	v	–		
29/009S	P	1,19	–	–	–	–		
29/010S	B	1,52	7/10	–	v	–		
29/011N	N	0,27	–	–	–	–		UR-47 (P)
29/012N	N	1,44	–	–	–	–		UR-35 (B)
29/013S	B	1,92	7/10	–	a	–		
29/014S	P	0,90	–	–	–	–		
29/015S	B	0,94	7/10	–	a	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
29/016Z	P	0,70	–	–	–	–		
29/017Z	B	0,85	7/10	10–35 %	b	40 %		
29/018Z	B	0,93	7/10	10–35 %	b	40 %		
29/019N	P	0,36	–	–	–	–		
29/020S	O	1,04	7/10	–	a	–		
29/021S	B	0,48	7/10	–	b	–		
29/022S	B	1,02	7/10	–	b	–		
29/023P	B	1,24	7/10	10–35 %	b	40 %		
29/024S	O	0,19	7/10	–	b	–		
29/025S	B	0,32	7/10	–	b	–		
29/026Z	P	0,36	–	–	–	–		
29/027N	N	1,22	–	–	–	–		UR-44 (B)
29/028S	P	0,21	–	–	–	–		
29/029N	N	0,62	–	–	–	–		UR-46 (P)
29/030S	B	2,50	7/10	–	b	–		
29/031Z	B	1,21	7/10	10–35 %	b	40 %		
29/032S	B	0,55	7/10	–	b	–		
29/033P	R	0,15	5/7	do 3 %	s	50 %		zeleň parková
29/034Z	B	0,88	7/10	10–35 %	b	40 %		
29/035Z	B	0,67	7/10	10–35 %	b	40 %		
29/036Z	B	0,45	7/10	10–35 %	b	40 %		
29/037Z	B	0,46	7/10	10–35 %	b	40 %		
29/038Z	R	0,71	5/7	do 3 %	s	50 %		zeleň parková
29/039Z	P	1,13	–	–	–	–		
29/040Z	B	0,24	7/10	10–35 %	b	40 %		
29/041S	R	0,65	5/7	–	s	–		zeleň parková
29/042S	P	0,61	–	–	–	–		
29/043Z	B	0,34	7/10	10–35 %	b	40 %		
29/044S	B	0,48	7/10	–	b	–		
29/045S	B	0,22	7/10	–	b	–		
29/046Z	B	0,26	7/10	10–35 %	b	40 %		
29/047S	B	0,20	7/10	–	b	–		
29/048Z	B	0,21	7/10	10–35 %	b	40 %		
29/049Z	D	1,15	–	–	–	–		
29/050Z	B	1,11	7/10	10–35 %	b	40 %		
29/051Z	B	0,42	7/10	10–35 %	b	40 %		
29/052S	B	0,29	7/10	–	b	–		
29/053N	D	0,90	–	–	–	–		
29/054Z	B	0,96	7/10	10–35 %	b	40 %		DP-03
29/055Z	P	0,30	–	–	–	–		
29/056N	N	43,12	–	–	–	–		
29/057N	P	2,02	–	–	–	–		
29/058N	N	3,68	–	–	–	–		
29/059S	V	3,72	7/10	–	a	–	zemědělství	
29/060N	N	113,09	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
29/061N	N	4,22	–	–	–	–		
29/062N	D	8,16	–	–	–	–		
29/063Z	D	2,54	11/11	do 20 %	s	15 %		
29/064S	O	0,22	5/7	–	a	–		zeleň hřbitovů
29/065N	N	74,33	–	–	–	–		
29/066N	D	13,36	–	–	–	–		
29/067Z	T	1,43	11/11	do 55 %	a	15 %		
29/068N	D	1,25	–	–	–	–		
29/069N	D	4,94	–	–	–	–		
29/070N	N	107,64	–	–	–	–		
29/071N	N	1,00	–	–	–	–		
29/072N	N	59,61	–	–	–	–		
29/073N	D	0,59	–	–	–	–		
29/074N	N	0,51	–	–	–	–		UR-45 (B)
29/075Z	B	0,92	7/10	10–35 %	b	40 %		
29/076Z	B	0,63	7/10	10–35 %	b	40 %		
29/077Z	B	0,23	7/10	10–35 %	b	40 %		
29/078N	N	2,44	–	–	–	–		UR-36 (B)
29/079N	N	0,29	–	–	–	–		UR-52 (P)
<b>Lokalita 30 – Technopark</b>								
30/001S	V	1,54	15/15	–	a	–		
30/002S	V	<del>1,24</del> 1,32	15/15	–	a	–		
30/003Z	V	<del>22,69</del> 22,26	15/15	do 55 %	a	15 %	logistika	
30/004Z	P	<del>1,95</del> 1,68	–	–	–	–		
30/005Z	V	<del>22,02</del> 23,43	15/15	do 55 %	a	15 %	logistika	
30/006N	D	1,43	–	–	–	–		
30/007N	N	12,28	–	–	–	–		
30/008N	N	7,62	–	–	–	–		
30/009N	N	46,01	–	–	–	–		
30/010N	D	9,25	–	–	–	–		
30/011N	D	5,69	–	–	–	–		
30/012N	D	0,50	–	–	–	–		
30/013N	N	6,92	–	–	–	–		
<b>Lokalita 31 – Topolany</b>								
31/001S	B	2,44	7/10	–	v	–		
31/002S	P	1,06	–	–	–	–		
31/003S	O	0,30	7/10	–	a	–		
31/004S	B	0,44	7/10	–	v	–		
31/005Z	R	<del>1,14</del> 0,97	5/7	do 3 %	s	50 %		etapizace, zeleň parková, DP-48
31/006Z	P	0,10	–	–	–	–		
31/007Z	B	1,00	7/10	10–35 %	b	40 %		etapizace

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
31/008Z	B	0,55	7/10	10–35 %	b	40 %		DP-48
31/009Z	B	<del>0,30</del> 0,48	7/10	10–35 %	b	40 %		etapizace
31/010Z	B	0,92	7/10	10–35 %	b	40 %		
31/011Z	P	0,68	–	–	–	–		
31/012Z	B	0,19	7/10	10–35 %	b	40 %		
31/013Z	B	0,35	7/10	10–35 %	b	40 %		etapizace
31/014S	B	0,73	7/10	–	b	–		
31/015S	P	0,58	–	–	–	–		
31/016S	B	0,67	7/10	–	b	–		
31/017N	N	0,95	–	–	–	–		UR-37 (B)
31/018Z	P	0,18	–	–	–	–		
31/019S	B	0,54	7/10	–	b	–		
31/020P	B	0,40	7/10	10–35 %	b	40 %		
31/021P	P	0,27	–	–	–	–		
31/022S	B	1,83	7/10	–	a	–		
31/023S	B	0,99	7/10	–	b	–		
31/024N	N	3,18	–	–	–	–		
31/025S	B	1,01	7/10	–	v	–		
31/026S	O	1,49	7/10	–	a	–		
31/027S	R	0,39	5/7	–	s	–		zeleň parková
31/028N	N	1,53	–	–	–	–		
31/029N	N	50,45	–	–	–	–		
31/030Z	R	<del>1,05</del> 0,15	5/7	do 3 %	s	50 %		zeleň parková, etapizace
31/031K	N	5,66	–	–	–	–		navržený ÚSES
31/032Z	B	0,92	7/10	10–35 %	b	40 %		etapizace
31/033S	B	0,48	7/10	–	v	–		
31/034S	P	0,75	–	–	–	–		
31/035Z	P	<del>0,49</del> 0,71	–	–	–	–		
31/036Z	B	1,75	7/10	10–35 %	b	40 %		
31/037S	B	0,61	7/10	–	b	–		
31/038Sw	B	1,90	7/10	–	v	–		
31/039K	N	0,77	–	–	–	–		ochranné zatravnění
31/040N	D	0,46	–	–	–	–		
31/041N	N	1,58	–	–	–	–		
31/042S	B	0,82	7/10	–	b	–		
31/043S	D	0,92	–	–	–	–		
31/044S	B	0,28	7/10	–	v	–		
31/045S	B	0,38	7/10	–	v	–		
31/046K	N	3,54	–	–	–	–		ochranné zatravnění
31/047S	B	0,70	7/10	–	v	–		
31/048S	P	0,60	–	–	–	–		
31/049S	P	0,20	–	–	–	–		
31/050N	N	6,97	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
31/051S	B	0,17	7/10	–	–	–		
31/052S	B	1,50	7/10	–	b	–		
31/053S	B	0,80	7/10	–	b	–		
31/054N	N	0,68	–	–	–	–		UR-48 (B)
31/055S	B	0,14	5/7	–	–	–		
31/056N	N	78,40	–	–	–	–		
31/057N	D	3,49	–	–	–	–		
31/058N	D	3,41	–	–	–	–		
31/059Z	D	<del>7,55</del> 10,33	–	–	–	–		
31/060N	N	<del>100,60</del> 105,52	–	–	–	–		
31/061Z	D	<del>13,33</del> 12,98	–	–	–	–		
31/062N	N	<del>47,68</del> 47,74	–	–	–	–		
31/063N	D	1,12	–	–	–	–		
31/064N	N	157,25	–	–	–	–		
31/065N	D	0,38	–	–	–	–		
31/066N	N	3,08	–	–	–	–		
31/067N	D	1,16	–	–	–	–		
31/068N	N	3,49	–	–	–	–		
31/069Z	P	0,27	–	–	–	–		
31/070N	D	1,39	–	–	–	–		
31/071K	N	1,00	–	–	–	–		navržený ÚSES
31/072K	N	0,43	–	–	–	–		navržený ÚSES
31/073Z	P	0,11	–	–	–	–		
31/074K	N	1,25	–	–	–	–		ochranné zatravnění
31/075K	N	9,75	–	–	–	–	poldr	
31/076K	N	3,48	–	–	–	–	poldr	
31/077K	N	1,00	–	–	–	–		navržený ÚSES
31/078N	N	0,21	–	–	–	–		UR-49 (P)
<b>31/079Z</b>	<b>Z</b>	<b>0,68</b>	<b>3/5</b>	<b>do 10%</b>	<b>–</b>	<b>50%</b>		<b>etapizace</b>