


A2. PŘÍLOHA Č. 1 (TABULKA PLOCH) S VYZNAČENÝMI ZMĚNAMI



kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
01/001S	O	0,26	17/21PV	–	s	–		
01/002S	P	1,62	–	–	–	–		
01/003S	B	1,38	17/21PV	E%	mBe	e%		
01/004S	B	1,83	17/21PV	E%	mBe	e%		
01/005S	P	1,1	–	–	–	–		Zm. X
01/006S	D	1,65	–	–	–	–		
01/007S	B	0,350,13	17/21PV	E%	mBe	e%		Zm. X
01/008S	O	0,52	17/21PV	–	mBe	–		
01/009S	B	0,45	17/21PV	E%	mBe	e%		
01/010S	B	1,71	17/21PV	E%	mBe	e%		
01/011S	B	0,68	17/21PV	E%	mBe	e%		
01/012S	D	2,66	–	–	–	–		US-91
01/013S	B	2,22	17/21PV	E%	mBe	e%		
01/014S	B	0,18	17/21PV	E%	sBe	e%		
01/015P	B	0,97	18/22	do 50 %50 %	bBn	0 %		US-52
01/016S	B	0,35	17/21PV	E%	mBe	e%		
01/017S	P	2,44	–	–	–	–		
01/018S	B	0,5	17/21PV	E%	mBe	e%		
01/019S	B	0,44	17/21PV	E%	mBe	e%		
01/020S	O	0,83	17/21PV	–	mBe	–		
01/021S	R	6,79	5/7PV	–	s	–	park	zeleně-parková
01/022S	B	0,47	17/21PV	E%	mBe	e%		
01/023S	B	0,23	17/21PV	E%	mBe	e%		
01/024S	B	0,87	17/21PV	E%	mBe	e%		
01/025S	O	0,16	17/21PV	–	mBe	–		
01/026S	P	1,21	–	–	–	–		
01/027S	B	1,25	17/21PV	E%	mBe	e%		
01/028S	P	0,74	–	–	–	–		
01/029S	O	1,14	17/21PV	–	mBe	–		
01/030S	B	0,19	17/21PV	E%	mBe	e%		
01/031S	O	0,31	17/21PV	–	mBe	–		
01/032S	B	1,33	17/21PV	E%	mBe	e%		
01/033S	B	0,54	17/21PV	E%	mBe	e%		
01/034S	B	0,89	17/21PV	E%	mBe	e%		
01/035S	P	0,99	–	–	–	–		
01/036S	B	0,57	17/21PV	E%	mBe	e%		
01/037S	O	0,2	17/21PV	–	mBe	–		
01/038S	B	0,23	17/21PV	E%	mBe	e%		
01/039S	B	1,07	17/21PV	E%	mBe	e%		
01/040S	O	0,18	17/21PV	–	mBe	–		
01/041S	D	1,22	–	–	–	–		
01/042S	B	1,11	17/21PV	E%	mBe	e%		
01/043S	P	1,2	–	–	–	–		
01/044S	O	0,75	17/21PV	–	mBe	–		
01/045S	B	0,23	17/21PV	E%	mBe	e%		
01/046S	B	0,81	17/21PV	E%	mBe	e%		
01/047S	O	0,26	17/21PV	–	mBe	–		
01/048S	B	1,05	17/21PV	E%	mBe	e%		
01/049S	B	0,46	17/21PV	E%	mBe	e%		
01/050P	R	0,39	5/7	do 3 %3 %	s	50 %	park	zeleně-parková
01/051P	B	1,09	14/18	15–45 %45 %	mBn	30 %		etapizaceET-02
01/052S	P	2,44	–	–	–	–		
01/053S	B	1,08	17/21PV	E%	mBe	e%		
01/054S	O	0,88	17/21PV	–	mBe	–		
01/055P	R	0,28	5/7	do 3 %3 %	s	50 %	park	zeleně-parková
01/056S	B	1,21	17/21PV	E%	mBe	e%		
01/057S	D	1,13	–	–	–	–		
01/058S	B	0,83	17/21PV	E%	mBe	e%		
01/059S	O	0,32	17/21PV	–	mBe	–		
01/060S	R	3,28	5/7PV	–	s	–	park	zeleně-parková
01/061S	O	0,14	5/7PV	–	s	–		
01/062S	O	1,32	17/21PV	–	mBe	–		
01/063S	P	0,58	–	–	–	–		
01/064S	B	0,76	17/21PV	E%	mBe	e%		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
01/065S	B	0,23	17/21PV	E%	mBe	e%		
01/066S	P	1,31	–	–	–	–		
01/067S	B	0,33	17/21PV	E%	mBe	e%		
01/068S	B	0,19	17/21PV	E%	mBe	e%		
01/069S	O	3,51	17/21PV	–	mBe	–		
01/070S	P	0,54	–	–	–	–		
01/071S	O	0,92	17/21PV	–	mBe	–		Zm. I/28
01/072S	B	0,45	17/21PV	E%	mBe	e%		
01/073S	P	2,03	–	–	–	–		
01/074S	B	0,66	17/21PV	E%	mBe	e%		
01/075S	B	0,43	17/21PV	E%	mBe	e%		
01/076S	O	0,6	17/21PV	–	mBe	–		
01/077S	R	0,2	5/7PV	–	s	–	park	zelen-parková
01/078S	O	0,24	17/21PV	–	mBe	–		
01/079S	B	0,32	17/21PV	E%	mBe	e%		
01/080S	B	0,22	17/21PV	E%	mBe	e%		
01/081P	R	0,26	5/7	do 3-3%	s	50 %	park	zelen-parková, etapizace ET-02
01/082S	W	0,8	–	–	–	–		
01/083S	W	0,22	–	–	–	–		
01/084S	W	3,19	–	–	–	–		
01/085S	B	0,23	17/21PV	E%	mBe	e%		Zm. I/28
01/086S	O	0,31	17/21PV	–	mBe	–	obrana a bezpečnost	
01/087S	O	0,71	17/21PV	–	mBe	–	obrana a bezpečnost	
01/088S	O	1,15	17/21PV	–	mBe	–		
01/089S	B	0,23	PV	E%	Be	e%		Zm. X
Lokalita 02 – Masarykova – rozšířené centrum								
02/001S	B	0,56	19/23PV	E%	bBe	e%		
02/002S	O	0,28	19/23PV	–	bBe	–		
02/003S	B	0,7	19/23PV	E%	bBe	e%		
02/004S	B	0,38	19/23PV	E%	bBe	e%		
02/005S	B	0,5	19/23PV	E%	bBe	e%		
02/006S	B	1,23	19/23PV	E%	bBe	e%		
02/007S	B	1,13	19/23PV	E%	bBe	e%		
02/008S	W	1,13	–	–	–	–		
02/009S	B	0,55	19/23PV	E%	bBe	e%		
02/010S	R	0,26	5/7PV	–	s	–	park	zelen-parková
02/011S	B	0,96	17/21PV	E%	bBe	e%		
02/012S	P	4,14	–	–	–	–		
02/013S	B	1,46	17/21PV	E%	sBe	e%		
02/014S	B	2,59	17/21PV	E%	sBe	e%		
02/015S	B	2,58	17/21PV	E%	bBe	e%		
02/016S	B	0,56	17/21PV	E%	bBe	e%		
02/017S	R	0,43	5/7PV	–	s	–	park	zelen-parková
02/018S	O	0,39	19/23PV	–	a	–		
02/019S	B	1,46	19/23PV	E%	bBe	e%		
02/020S	P	0,15	–	–	–	–		
02/021S	W	0,26	–	–	–	–		
02/022S	B	1,19	19/23PV	E%	aBe	e%		
02/023S	B	1,24	19/23PV	E%	bBe	e%		
02/024S	B	0,68	19/23PV	E%	bBe	e%		
02/025S	P	1,53	–	–	–	–		
02/026S	B	1,04	19/23PV	E%	bBe	e%		
02/027S	D	2,18	–	–	–	–		
02/028S	B	2,35	29/29PV	E%	bBe	e%		
02/029S	B	2,09	29/29PV	E%	bBe	e%		RP-08
02/030S	O	0,29	19/23PV	–	a	–		
02/031S	O	1,52	19/23PV	–	a	–		
02/032S	B	0,35	19/23PV	E%	bBe	e%		
02/033S	B	0,99	19/23PV	E%	bBe	e%		
02/034S	P	2,573,58	–	–	–	–		RP-08Zm. X
02/035S	B	0,26	19/23PV	E%	sBe	e%		
02/036S	B	0,18	19/23PV	E%	aBe	e%		
02/037P	O	0,510	19/23	do 55 %	a	15 %		Zm. I/12

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
02/038PQ 2/038S	O	1,952,61	25/29PV	do 55 %	aBe	15 %		Zm. X
02/039S	D	3,383,24	–	–	–	–		Zm. X
02/040PQ 2/040S	R	0,750,61	5/7PV	do 3 %	s	50 %	park	zeleň-parkováZm. X
02/041S	O	0,32	19/23PV	–	s	–		
02/042S	W	0,460,47	–	–	–	–		Zm. X
02/043S	O	0,72	19/23PV	–	a	–	obrana a bezpečnost	
02/044S	P	0,92	–	–	–	–		
02/045S	B	0,28	19/23PV	E%	bBe	e%		
02/046S	R	0,730,77	5/7PV	–	s	–	park	zeleň-parkováZm. X
02/047S	B	1,03	19/23PV	E%	bBe	e%		
02/048S	O	1	19/23PV	–	bBe	–		
02/049S	O	1,38	19/23PV	–	bBe	–		
02/050S	P	1,26	–	–	–	–		
02/051S	O	2,08	19/23PV	–	s	–		
02/052S	O	6,176,34	19/23PV	–	s	–		Zm. X
02/053P	B	0,43	20/24	do 55 %55 %	sBn	15 %		
02/054S	D	2,71	–	–	–	–		
02/055S	R	0,23	5/7PV	–	s	–	park	zeleň-parková
02/056P	O	2,041,56	15/1518/22	do 40 %40 %	a	10 %		US-87Zm. X
02/057S	O	3,29	11/11PV	–	a	–		
02/058S	O	0,54	5/7PV	–	a	–		
02/059S	P	0,69	–	–	–	–		
02/060S	O	2,65	11/11PV	–	a	–		
02/061S	R	3,32	5/7PV	–	s	–	park	zeleň-parková
02/062S	R	3,63	5/7PV	–	s	–	zázemí botanické zahrady a rozárie, park	zeleň-parková
02/063P	R	0,570,56	5/7	do 3 %3 %	s	50 %	park	zeleň-parkováZm. X
02/064S	B	1,24	19/23PV	E%	bBe	e%		
02/065S	O	0,47	19/23PV	–	bBe	–		
02/066S	O	1,69	19/23PV	–	bBe	–		
02/067S	P	1,69	–	–	–	–		
02/068S	B	1,66	19/23PV	E%	bBe	e%		
02/069S	D	1,02	–	–	–	–		
02/070S	D	1,01	–	–	–	–		
02/071S	W	0,83	–	–	–	–		
02/072S	D	0,37	–	–	–	–		
02/073S	O	2,83	13/17PV	–	a	–		
02/074PQ 2/074S	B	0,68	13/17PV	15–45 %E%	aBe	30 %e%		Zm. X
02/075SQ 2/075P	B	0,480,63	13/1727/27	–	p	–		Zm. X
02/076S	B	0,49	13/17PV	E%	pSe	e%		
02/077P	D	0,140,12	–	–	–	–		Zm. X
02/078S	B	0,68	13/17PV	E%	pSe	e%		
02/079S	B	0,690,83	13/17PV	E%	pSe	e%		Zm. X
02/080S	B	0,57	13/17PV	E%	pSe	e%		
02/081S	B	0,42	13/17PV	E%	pSe	e%		
02/082S	P	1,61,47	–	–	–	–		Zm. X
02/083S	B	0,46	13/17PV	E%	aBe	e%		
02/084S	O	1,26	13/17PV	–	a	–		
02/085P	B	0,290,39	13/1718/22	15–45 %45 %	p	30 %		Zm. X
02/086P	D	1,381,35	–	–	–	–		Zm. X
02/087S	D	3,6	17/21PV	–	a	–	komerce	Zm. VIII
02/088S	D	1,73	–	–	–	–		US-95
02/089S	B	0,26	19/23PV	E%	bBe	e%		
02/090S	W	2,875,12	–	–	–	–		Zm. X
02/091S	W	1,18	–	–	–	–		
02/092P	B	0,610,57	20/24	10–40 %40 %	aBn	30 %		Zm. X
02/093S	B	0,650,61	19/23PV	E%	aBe	e%		Zm. X
02/094P	P	1-050	–	–	–	–		
02/095S	D	2,04	–	–	–	–		US-95
02/096S	D	1,01	19/23PV	–	a	–		
02/097P	W	1-490	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
02/098P	W	0,850	–	–	–	–		navržený ÚSES
02/099S	D	2,33	–	–	–	–		
02/100S	B	0,95	17/21PV	E%	bBe	e%		
02/101P	O	0,39	5/7	do 20 % 20 %	s	50 %		
02/102S	B	0,76	17/21PV	E%	Be	e%		Zm. VIII
02/103P	O	0,48	15/15	40 %	–	10 %		Zm. X
Lokalita 03 – Kosmonautů-jih								
03/001S	T	5,14,99	19/23SV01	–	a	–	specifická výška 2-(01)odpadové hospodářství	Zm. X
03/002PQ 3/002S	W	0,510,53	–	–	–	–		Zm. X
03/003S	D	0,720,73	–	–	–	–		Zm. X
03/004PQ 3/004S	B	1,862,03	19/23PV	do 55 % E%	bBe	15 % e%		US-88Zm. X
03/005S	W	0,721,61	–	–	–	–		Zm. X
03/006S	O	2,012,03	29/29PV	–	a	–		Zm. X
03/007S	B	1,18	29/29PV	E%	aBe	e%		
03/008S	P	0,49	–	–	–	–		
03/009S	B	2,554,01	29/29PV	E%	bBe	e%		Zm. X
03/010P	W	0,430	–	–	–	–		
03/011S	O	1,460	29/29	–	b	–		
03/012S	P	0,13	–	–	–	–		
03/013S	B	1,34	29/29PV	E%	bBe	e%		
03/014S	B	1,01	29/29PV	E%	bBe	e%		
03/015S	O	0,62	29/29PV	–	bBe	–		
03/016S	P	2,172,48	–	–	–	–		Zm. X
03/017S	O	0,24	29/29PV	–	s	–		
03/018S	D	1,93	–	–	–	–		US-93
03/019S	D	2,09	19/23PV	–	a	–	komerce	US-43, US-93
03/020P	W	0,28	–	–	–	–		
03/021P	B	1,66	29/29	do 70 % 70 %	s	10 %		US-43, US-66
03/022S	D	4,11	–	–	–	–		US-43, US-93
03/023S	B	0,72	29/29PV	E%	bBe	e%		
03/024S	O	0,25	29/29PV	–	bBe	–		
03/025S	B	0,3	29/29PV	E%	bBe	e%		
03/026S	B	0,82	25/29PV	E%	bBe	e%		
03/027S	B	1,77	19/23PV	E%	bBe	e%		
03/028S	B	0,79	19/23PV	E%	bBe	e%		
03/029S	P	2,352,38	–	–	–	–		Zm. X
03/030S	O	1,15	25/29PV	–	bBe	–		
03/031S	B	0,82	25/29PV	E%	bBe	e%		
03/032S	O	0,42	19/23PV	–	bBe	–		
03/033SQ 3/033P	B	2,271,96	20/24	70 %	bBn	10 %		Zm. X
03/034S	P	1,630,87	–	–	–	–		US-43Zm. X
03/035P	B	5,372,68	20/24	15–45 % 70 %	b	30 % 10 %		US-43, US-67Zm. X
03/036P	B	2,11,55	20/24	15–45 % 70 %	b	30 % 10 %		US-43, US-68Zm. X
03/037S	D	1,08	–	–	–	–		
03/038S	D	0,32	–	–	–	–		US-43
03/039S	B	3,391,64	19/23PV	E%	aBe	e%		US-43Zm. X
03/040S	P	0,9	–	–	–	–		US-43
03/041S	B	0,38	19/23PV	E%	aBe	e%		
03/042S	B	0,07	19/23PV	E%	aBe	e%		
03/043S	B	0,49	19/23PV	E%	aBe	e%		US-43
03/044S	B	0,15	19/23PV	E%	aBe	e%		US-43
03/045S	D	3,323,04	–	–	–	–		US-43Zm. X
03/046SQ 3/046P	B	1,651,75	20/24	70 %	a	10 %		Zm. X
03/047S	B	0,88	19/23PV	E%	aBe	e%		US-43
03/048S	D	2,68	–	–	–	–		US-42, US-43
03/049SQ 3/049P	B	7,64	20/24	70 %	a	10 %		US-42US-100, Zm. X
03/050PQ 3/050S	OP	0,40,59	19/23	do 40 %	b	20 %		Zm. X
03/051S	D	1,351,37	–	–	–	–		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
03/052PQ 3/052S	B	1,741,58	19/23PV	do 55 %E%	bBe	15 %e%	specifická výška 2 (02)	US-18Zm. X
03/053S	D	0,68	–	–	–	–		US-92, US-91
03/054S	P	0,210,68	–	–	–	–		Zm. X
03/055S	B	0,42	19/23PV	E%	bBe	e%		
03/056P	B	3,83,28	19/23*SV02	do 55 %65 %	bBn	15 %	specifická výška 2 (02)*	US-18, *dotčeno- rozsudkem KS (zn. 79- A/6/2014 – 193)US- 18B, Zm. X
03/057PQ 3/057S	W	1,421,05	–	–	–	–		Zm. X
03/058PQ 3/058S	R	0,510,43	5/7PV	do 20 %	s	50 %	park	Zm. X
03/059PQ 3/059S	W	0,850,83	–	–	–	–		navržený ÚSESZm. X
03/060S	B	0,250,27	19/23PV	E%	sBe	e%		Zm. X
03/061PQ 3/061S	B	2,992,86	19/23PV	do 85 %E%	sBe	0 %e%		Zm. X
03/062PQ 3/062S	P	0,661,08	–	–	–	–		US-91Zm. X
03/063S	W	1,361,27	–	–	–	–		Zm. X
03/064S	B	1,21	13/17PV	E%	bBe	e%		
03/065S	P	0,69	–	–	–	–		
03/066P	P	0,130	–	–	–	–		
03/067PQ 3/067S	B	4,251,15	17/21PV	15–45 %E%	bBe	30 %e%		US-17Zm. X
03/068S	O	0,41	5/7PV	–	s	–		
03/069S	P	0,50,51	–	–	–	–		Zm. X
03/070P	O	1,29	5/7	do 10 %10 %	s	50 %		US-97
03/071PQ 3/071S	W	4,85,27	–	–	–	–		US-42, navržený- ÚSESZm. X
03/072P	P	0,970	–	–	–	–		US-42, US-91
03/073S	D	1,53	–	–	–	–		US-42, US-91
03/074S	O	0,87	13/17PV	–	a	–		US-42
03/075P	P	0,090	–	–	–	–		
03/076S	R	0,740,75	5/7PV	–	s	–	park	zeleň-parkováZm. X
03/077S	B	0,920,94	13/17PV	E%	aBe	e%		Zm. X
03/078S	B	0,75	13/17PV	E%	bBe	e%		
03/079S	P	1,312,88	–	–	–	–		Zm. X
03/080P	W	0,80	–	–	–	–		US-42, navržený- ÚSES
03/081S	B	0,61	13/17PV	E%	bBe	e%		
03/082S	B	0,710,7	13/17PV	E%	bBe	e%		Zm. X
03/083PQ 3/083S	B	1,121,48	13/17PV	15–45 %E%	bBe	30 %e%		Zm. X
03/084S	B	1,06	13/17PV	E%	bBe	e%		
03/085P	W	0,420	–	–	–	–		navržený ÚSES
03/086S	B	0,34	13/17PV	E%	sBe	e%		
03/087SQ 3/087P	B	1,02	20/24	70 %	a	10 %		Zm. X
03/088S	B	1,12	13/17PV	E%	bBe	e%		US-42
03/089PQ 3/089S	W	0,710,58	–	–	–	–		navržený ÚSESZm. X
03/090P	B	0,370	19/23	15–45 %	b	30 %		
03/091P	B	1,841,83	20/24	10–40 %70 %	b	30 %10 %		US-100, Zm. X
03/092S	P	0,17	=	=	=	=		Zm. X
03/093P	P	1,09	=	=	=	=		Zm. X
03/094P	B	2,3	20/24	70 %	=	10 %		Zm. X
03/096P	B	1,75	20/24	70 %	=	10 %		Zm. X
03/097P	B	0,28	20/24	70 %	=	10 %		Zm. X
03/098P	P	0,27	=	=	=	=		Zm. X
03/099S	B	0,95	PV	E%	Be	e%		Zm. X
03/100S	R	0,54	PV	E%	Be	e%	park	Zm. X
03/101S	B	0,18	PV	E%	Be	e%		Zm. X
03/102S	P	1,32	=	=	=	=		Zm. X
03/103S	B	0,09	PV	E%	Be	e%		Zm. X
03/104P	P	0,38	=	=	=	=		Zm. X
Lokalita 04 – Třída Svobody – úřednická čtvrt'								

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
04/001S	B	0,94	13/17PV	E%	bBe	e%		US-40
04/002S	B	0,58	13/17PV	E%	bBe	e%		
04/003S	O	0,41	13/17PV	–	a	–		
04/004S	R	0,37	5/7PV	–	s	–	park	zeleň-parková
04/005S	B	0,75	13/17PV	E%	bBe	e%		
04/006S	D	1,72	–	–	–	–		US-39
04/007S	B	0,5	13/17PV	E%	bBe	e%		
04/008S	B	0,97	13/17PV	E%	bBe	e%		
04/009S	O	0,39	13/17PV	–	bBe	–		
04/010S	B	0,99	13/17PV	E%	bBe	e%		
04/011S	P	1,64	–	–	–	–		US-40
04/012S	B	1,65	13/17PV	E%	bBe	e%		
04/013S	R	0,18	5/7PV	–	s	–	park	zeleň-parková
04/014S	B	1,36	13/17PV	E%	pSe	e%		US-40
04/015S	D	1,19	–	–	–	–		US-40
04/016S	D	2,21	–	–	–	–		US-39, US-40, US-96
04/017S	B	1,88	13/17PV	E%	pSe	e%		US-40, RP-10
04/018S	O	1,27	13/17PV	–	a	–		RP-10
04/019S	B	2,14	13/17PV	E%	bBe	e%		RP-10
04/020S	B	1,19	13/17PV	E%	bBe	e%		
04/021S	B	1,05	13/17PV	E%	bBe	e%		
04/022S	O	0,25	13/17PV	–	bBe	–		
04/023S	B	1,16	13/17PV	E%	bBe	e%		
04/024S	B	1,29	13/17PV	E%	bBe	e%		
04/025S	B	0,62	13/17PV	E%	sBe	e%		
04/026S	B	0,35	13/17PV	E%	bBe	e%		Zm. I/27
04/027S	B	0,9	13/17PV	E%	bBe	e%		
04/028S	B	0,58	13/17PV	E%	bBe	e%		
04/029S	B	0,77	13/17PV	E%	bBe	e%		
04/030S	B	0,63	13/17PV	E%	bBe	e%		
04/031S	P	1,97	–	–	–	–		
04/032S0 4/032P	B	2,111,26	13/1740/40	75 %	b	10 %		Zm. X
04/033S	B	1,28	13/17PV	E%	bBe	e%		
04/034S	B	1,1	13/17PV	E%	bBe	e%		
04/035S	D	1,07	–	–	–	–		US-92
04/036S	B	1,99	13/17PV	E%	bBe	e%		
04/037S	B	2,2	13/17PV	E%	bBe	e%		
04/038S	O	0,66	13/17PV	–	a	–		
04/039S	B	0,88	13/17PV	E%	bBe	e%		
04/040S	B	1,74	13/17PV	E%	bBe	e%		US-40, RP-10
04/041S	B	0,8	13/17PV	E%	bBe	e%		
04/042S	B	0,75	13/17PV	E%	bBe	e%		US-40
04/043S	P	4,83	–	–	–	–		US-40, RP-10
04/044S	B	1,13	13/17PV	E%	bBe	e%		
04/045S	O	0,53	13/17PV	–	a	–		US-40
04/046S	B	1,12	13/17PV	E%	bBe	e%		US-40
04/047S	D	2,92	–	–	–	–		US-40, US-41, US-90
04/048S	D	0,77	–	–	–	–		US-40, US-41, US-90, US-92
04/049S	D	1,13	–	–	–	–		US-90
04/050S	R	7,737,72	5/7PV	–	s	–	park	zeleň-parkováZm. X
04/051S	B	0,530,54	13/17PV	E%	bBe	e%		Zm. X
04/052S	D	1,191,2	–	–	–	–		US-92Zm. X
04/053S	B	0,32	19/23PV	E%	bBe	e%		
04/054S	B	0,53	19/23PV	E%	bBe	e%		
04/055S	B	0,13	19/23PV	E%	bBe	e%		
04/056S	B	0,27	19/23PV	E%	bBe	e%		
04/057S	O	0,45	19/23PV	–	bBe	–		
04/058S	O	0,34	19/23PV	–	bBe	–		
04/059S	B	0,35	19/23PV	E%	bBe	e%		
04/060S	B	0,38	19/23PV	E%	bBe	e%		
04/061S	B	0,74	19/23PV	E%	bBe	e%		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
04/062S	B	0,68	19/23PV	E%	bBe	e%		
04/063S	P	2,19	–	–	–	–		
04/064S	B	0,23	19/23PV	E%	bBe	e%		
04/065S	D	0,86	–	–	–	–		US-41, US-42
04/066S	O	1,63	19/23PV	–	bBe	–		
04/067S	B	0,33	19/23PV	E%	bBe	e%		
04/068S	B	0,37	19/23PV	E%	bBe	e%		
04/069S	B	0,63	19/23PV	E%	bBe	e%		
04/070S	B	0,6	19/23PV	E%	bBe	e%		
04/071S	OB	0,22	19/23PV	E%	bBe	e%		Zm. X
04/072PQ 4/072S	B	0,82	19/23PV	do 40 %E%	bBe	20 %e%		US-41Zm. X
04/073S	P	2 690	–	–	–	–		
04/074S	P	0,26	–	–	–	–		RP-10
04/075S	P	2,69	19/23PV	–	b	–		Zm. X
04/075S	O	0,37	19/23PV	–	bBe	–		
04/076S	O	0,32	19/23PV	–	bBe	–		
04/077S	O	0,64	19/23PV	–	bBe	–		
04/078S	O	0,48	19/23PV	–	bBe	–		
04/079S	B	0,29	19/23PV	E%	bBe	e%		
04/080S	B	0,59	19/23PV	E%	bBe	e%		
04/081P	O	1,1	18/22	do 85 %85 %	s	0 %		US-86
04/082S	B	0,41	19/23PV	E%	bBe	e%		
04/083S	D	1,18	–	–	–	–		
04/084S	R	15,8616,32	5/7PV	–	s	–	park	zeleň-parkováZm. X
04/085S	O	1,77	5/7PV	–	a	–		
04/086S	O	1,66	5/7PV	–	a	–		
04/087P	B	0,941,03	14/18	15–45 %45 %	bBn	30 %		Zm. I/01, Zm. X
04/088S	P	0,391	–	–	–	–		Zm. I/01, Zm. X
04/089P	O	2,071,87	14/18	do 40 %40 %	bBn	20 %		Zm. I/01, Zm. X
04/090P	P	0,370	–	–	–	–		
04/091S	O	0,630,65	13/17PV	–	s	–		Zm. I/01, Zm. X
04/092P	P	0,550	–	–	–	–		Zm. I/01
04/093PQ 4/093S	B	0,560,36	13/17PV	15–45 %E%	bBe	30 %e%		Zm. I/01, Zm. X
04/094S	P	0,190	–	–	–	–		Zm. I/01
04/095PQ 4/095S	B	0,590,54	13/17PV	15–45 %E%	bBe	30 %e%		Zm. I/01, Zm. X
04/096S	D	1,351,52	–	–	–	–		US-92Zm. X
04/097S	B	0,86	13/17PV	E%	bBe	e%		
04/098S	D	0,17	–	–	–	–		US-92
04/099S	P	0,27	–	–	–	–		
04/100S	O	0,88	13/17PV	–	a	–		
04/101S	B	5,09	13/17PV	E%	bBe	e%		US-41
04/102S	P	0,16	–	–	–	–		
04/103S	D	1,34	–	–	–	–		US-92
04/104P	B	0,43	19/23SV07	do 75 %75 %	bBn	20 %	pouze max.-výška	Zm. I/19
04/105S	B	0,43	19/23PV	E%	bBe	e%		
04/106P	B	0,510	19/23	do 75 %	b	20 %		Zm. I/19
04/107S	B	1,913,07	19/23PV	E%	bBe	e%		Zm. X
04/108S	R	0,3	5/7PV	–	s	–	park	zeleň-parková
04/109P	P	0,40	–	–	–	–		
04/110S	B	0,70,57	10/14PV	E%	bBe	e%		Zm. X
04/111S	B	0,73	10/14PV	E%	bBe	e%		
04/112S	P	0,07	–	–	–	–		
04/113S	B	1,26	10/14PV	E%	bBe	e%		Zm. I/02
04/114S	D	1,99	–	–	–	–		Zm. I/02
04/115P	D	2,79	–	–	–	–		US-41US-145
04/116P	B	1,58	20/24	do 40 %70 %	b	20 %10 %		US-41US-145
04/117S	P	0,23	–	–	–	–		US-41
04/118S	D	1,63	–	–	–	–		US-41
04/119P	B	5,11,21	20/24	do 40 %40 %	bBn	20 %		RP-09, US-41Zm. X
04/120S	P	0,91	–	–	–	–		US-41
04/121S	B	1,31	10/14PV	E%	bBe	e%		
04/122S	B	1,37	10/14PV	E%	bBe	e%		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
04/123S	B	0,66	19/23PV	E%	bBe	e%		
04/124S	B	1,27	10/14PV	E%	bBe	e%		
04/125S	B	1,76	10/14PV	E%	bBe	e%		
04/126S	B	0,06	10/14PV	E%	bBe	e%		
04/127S	B	0,14	10/14PV	E%	bBe	e%		
04/128S	B	0,43	10/14PV	E%	bBe	e%		
04/129S	B	0,91	10/14PV	E%	bBe	e%		
04/130S	B	1	10/14PV	E%	bBe	e%		
04/131S	B	1,19	10/14PV	E%	bBe	e%		
04/132S	B	0,98	13/17PV	E%	bBe	e%		
04/133S	B	0,3	13/17PV	E%	bBe	e%		
04/134S	P	2,17	–	–	–	–		US-42
04/135S	B	2,24	13/17PV	E%	bBe	e%		US-42
04/136S	O	0,6	10/14PV	–	a	–		
04/137S	R	0,45	5/7PV	–	s	–	park	zeleň-parková
04/138S	B	0,83	13/17PV	E%	bBe	e%		US-42
04/139S	B	1,46	13/17PV	E%	bBe	e%		US-42
04/140S	B	1,23	10/14PV	E%	bBe	e%		
04/141S	B	0,51	10/14PV	E%	bBe	e%		
04/142S	B	0,68	10/14PV	E%	bBe	e%		
04/143S	B	0,51	13/17PV	E%	bBe	e%		
04/144S	O	0,34	13/17PV	–	a	–		
04/145S	B	1,34	13/17PV	E%	bBe	e%		US-42
04/146S	D	1	–	–	–	–		US-42
04/147S	D	2,7	–	–	–	–		US-41, US-42, US-91
04/148S	B	0,42	13/17PV	E%	bBe	e%		
04/149PQ 4/149S	B	0,44 0,4	19/23PV	do 75 %E%	bBe	20 %e%		Zm.-I/19Zm. X
04/150PQ 4/150S	B	0,60 0,55	19/23PV	do 75 %E%	bBe	20 %e%		Zm.-I/19Zm. X
04/151P	B	0,41 0	19/23	do 75 %	b	20 %		Zm.-I/19
04/152S	P	1,82	–	–	–	–		
04/153P	P	0,83 0,28	–	–	–	–		Zm. X
04/154S	B	0,69	19/23PV	E%	bBe	e%		
04/155S	P	0,36 0	–	–	–	–		
04/156S	D	1,32	–	–	–	–		
04/157S	B	3,17	PV	E%	Be	e%		Zm. X
04/158S	B	0,72	PV	E%	Be	e%		Zm. X
04/159S	P	0,64	–	–	–	–		Zm. X
04/160P	R	0,13	5/7	3 %	–	50 %	park	Zm. X
04/161P	D	0,4	–	–	–	–		Zm. X
04/162S	B	0,62	PV	E%	Be	e%		Zm. X
04/163S	B	0,58	PV	E%	Be	e%		Zm. X
Lokalita 05 – Legionářská, Šibeník a Hejčín								
05/001P	B	3,44	11/15	do 40 %40 %	a	20 %		US-56
05/002P	R	3,22 0,98	5/7	do 3 %3 %	s	50 %	park	US-39, US-56, zeleň-parkováZm. X
05/003S	B	0,27	10/14PV	E%	bBe	e%	obrana a bezpečnost	US-56
05/004S	D	0,99	–	–	–	–		US-39, US-96
05/005P	B	2,02 0,81	11/15	15–40 %50 %	bBn	30 %20 %		US-56Zm. X
05/006S	D	1,06	–	–	–	–		US-39
05/007PQ 5/007S	P	1,17 0,6	–	–	–	–		US-56Zm. X
05/008S	B	0,93	10/14PV	E%	bBe	e%		
05/009P	B	0,29 0,69	11/15	15–40 %40 %	bBn	30 %		Zm. X
05/010PQ 5/010S	B	2,78 2,37	10/14PV	10–35 %E%	bBe	40 %e%		US-56Zm. X
05/011P	B	1,51 0,67	11/15	15–40 %40 %	bBn	30 %		US-56Zm. X
05/012S	W	1,05 0	–	–	–	–		
05/013S	B	1,99 0,97	10/14PV	E%	bBe	e%		Zm. X
05/014S	B	2,49	10/14PV	E%	bBe	e%		
05/015S	D	1,1	–	–	–	–		
05/016S	B	1,77	10/14PV	E%	bBe	e%		
05/017S	B	0,93	10/14PV	E%	bBe	e%		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
05/018S	P	1,62	–	–	–	–		
05/019S	B	1,11 <u>1,59</u>	10/14 <u>PV</u>	E%	bBe	e%		<u>Zm. X</u>
05/020P	B	0,67 <u>0,32</u>	13/17,5	15–40–% <u>70 %</u>	s	30–% <u>10 %</u>	specifická výška-1	<u>Zm. X</u>
05/021S	D	0,97 <u>0,71</u>	–	–	–	–		<u>US-92</u> <u>Zm. X</u>
05/022P	B	0,76 <u>0,75</u>	18/22	15–45–% <u>45 %</u>	bBn	30 %		<u>Zm. X</u>
05/023S	B	1,01	17/21 <u>PV</u>	E%	bBe	e%		
05/024P	P	0,37	–	–	–	–		
05/025P	B	1,32	14/18	15–45–% <u>45 %</u>	bBn	30 %		
05/026S	B	0,9	10/14 <u>PV</u>	E%	bBe	e%		
05/027S	B	1,18	10/14 <u>PV</u>	E%	bBe	e%		
05/028S	B	0,7	10/14 <u>PV</u>	E%	bBe	e%		
05/029S	B	0,88	10/14 <u>PV</u>	E%	bBe	e%		
05/030S	P	2,16 <u>2,18</u>	–	–	–	–		<u>Zm. X</u>
05/031S	D	0,74	–	–	–	–		
05/032S	B	0,42	17/21 <u>PV</u>	E%	sBe	e%		
05/033S	O	0,35	19/23 <u>PV</u>	–	bBe	–		
05/034S	P	0,14	–	–	–	–		
05/035S	O	0,64	19/23 <u>PV</u>	–	bBe	–		
05/036S	W	0,66 <u>0</u>	–	–	–	–		
05/037S	B	0,62	19/23 <u>PV</u>	E%	bBe	e%		
05/038ZQ 5/038P	R	0,16 <u>0,13</u>	5/7	do-3–% <u>3 %</u>	s	50 %	park	zeleň-parková <u>Zm. X</u>
05/039S	O	2,81	15/15 <u>PV</u>	–	s	–		Zm. I/13
05/040S	P	4,53 <u>4,5</u>	–	–	–	–		<u>Zm. X</u>
05/041S	O	0,15	13/17 <u>PV</u>	–	s	–		
05/042S	O	0,74 <u>0,31</u>	13/17 <u>PV</u>	–	bBe	–		<u>Zm. X</u>
05/043P	B	1,2	14/18	15–45–% <u>60 %</u>	bBn	30–% <u>20 %</u>		
05/044P	B	1,62	14/18	15–45–% <u>45 %</u>	bBn	30 %		RP-12US-161
05/045P	R	0,61	5/7	do-3–% <u>3 %</u>	s	50 %	park	zeleň-parková, RP-12US-161
05/046S	D	1,04	–	–	–	–		
05/047S	R	1,8	5/7 <u>PV</u>	–	s	–	park	zeleň-parková
05/048S	O	3,67	19/23 <u>PV</u>	–	a	–		
05/049S	O	5,41 <u>5,32</u>	15/15 <u>PV</u>	–	s	–		<u>Zm. X</u>
05/050S	B	0,32	10/14 <u>PV</u>	E%	bBe	e%		
05/051S	B	0,86 <u>0,77</u>	10/14 <u>PV</u>	E%	bBe	e%		<u>Zm. X</u>
05/052P	B	1,11 <u>1,75</u>	11/15	15–45–% <u>45 %</u>	bBn	30 %		RP-11US-169, <u>Zm. X</u>
05/053P	P	0,34 <u>0</u>	–	–	–	–		
05/054P	B	2,21 <u>1,49</u>	14/18	10–35–% <u>45 %</u>	bBn	40–% <u>15 %</u>		RP-11, etapizaceUS-168, ET-03, <u>Zm. X</u>
05/055S	B	1,79	13/17 <u>PV</u>	E%	aBe	e%		
05/056P	O	1,49 <u>0,86</u>	14/18	do-40–% <u>45 %</u>	a	20–% <u>30 %</u>	školství	<u>Zm. X</u>
05/057S	O	4,52	13/17 <u>PV</u>	–	a	–		
05/058S	D	1,54	–	–	–	–		<u>US-92</u>
05/059S	D	1,09 <u>0,97</u>	–	–	–	–		<u>Zm. X</u>
05/060S	B	2,77	13/17 <u>PV</u>	E%	vBe	e%		
05/061S	O	0,38	13/17 <u>PV</u>	–	vBe	–		
05/062S	P	0,31	–	–	–	–		Zm. I/11
05/063S	B	1,1	10/14 <u>PV</u>	E%	vBe	e%		Zm. I/11
05/064S	B	1,78	10/14 <u>PV</u>	E%	vBe	e%		Zm. I/11
05/065S	P	0,52 <u>0,48</u>	–	–	–	–		Zm. I/11, <u>Zm. X</u>
05/066S	B	2,38 <u>1,79</u>	10/14 <u>PV</u>	E%	vBe	e%		<u>Zm. X</u>
05/067N	W	1-330	–	–	–	–		
05/068N	R	0,20	–	–	–	–		UR-16 (D), zeleň-rekreační krajiny
05/069SQ 5/069P	V/D	0,43 <u>0,75</u>	–	–	–	–		UR-16 (D), Zm. I/11 <u>Zm. X</u>
05/070S	V	5,43 <u>4,48</u>	13/17 <u>PV</u>	–	a	–	sběrný dvůr	Zm. I/11, <u>Zm. X</u>
05/071ZQ 5/071P	R	0,72 <u>0,36</u>	5/7	do-3–% <u>3 %</u>	s	50 %	park	zeleň-parková <u>Zm. X</u>
05/072PQ 5/072S	O	3,73 <u>3,94</u>	15/15 <u>PV</u>	do-40–%	s	20–%		<u>US-23</u> <u>Zm. X</u>
05/073S	R	1,36	5/7 <u>PV</u>	–	s	–	park	zeleň-parková
05/074S	D	1,73	–	–	–	–		
05/075S	O	3,79	15/15 <u>PV</u>	–	s	–		
05/076S	B	1,24	10/14 <u>PV</u>	E%	bBe	e%		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
05/077S	D	0,770,72	–	–	–	–		Zm. X
05/078S	B	0,48	10/14PV	E%	bBe	e%		
05/079S	O	0,39	10/14PV	–	bBe	–		
05/080S	P	0,92	–	–	–	–		
05/081S	B	1,64	10/14PV	E%	bBe	e%		
05/082P	O	0,77	14/18	do 40 %40 %	s	20 %		
05/083P	B	0,220,14	18/22	15–45 %	s	30 %		US-39, US-56Zm. X
05/084S	B	0,43	17/21PV	E%	sBe	e%	obrana a bezpečnost	US-39, US-56
05/085P	B	0,650,78	10/147/10	15–45 %45 %	sVn	30 %		Zm. X
05/086S	P	0,14	–	–	–	–		
05/087P	B	0,34	11/15	15–45 %45 %	bBn	30 %		
05/088S	B	0,430	13/17PV	E%	bBe	e%		Zm. X
05/088S	B	0,430,88	13/17PV	E%	bBe	e%		Zm. X
05/089P	P	0,250,42	–	–	–	–		Zm. X
05/090S	P	0,230	–	–	–	–		UR-16 (D), Zm. I/11
05/091S	O	1,78	20/20PV	–	s	–	specifická výška 1	Zm. I/13
05/092P	D	0,3	=	=	=	=		Zm. X
05/093P	P	0,64	=	=	=	=		Zm. X
05/094P	P	0,2	=	=	=	=		Zm. X
05/095P	B	0,96	11/15	50 %	Bn	20 %		Zm. X
05/096P	B	1,31	14/18	45 %	Bn	15 %		Zm. X
05/097S	P	0,11	=	=	=	=		Zm. X
05/098S	B	0,91	PV	E%	Be	e%		Zm. X
05/099P	B	0,29	7/10	45 %	Vn	30 %		Zm. X
05/100S	O	0,24	PV	=	Be	=		Zm. X
05/101S	B	0,19	PV	E%	Be	e%		Zm. X
05/102S	P	0,17	=	=	=	=		Zm. X
05/103S	B	0,44	PV	E%	Be	e%		Zm. X
05/104P	B	0,6	14/18	45 %	Bn	15 %		Zm. X
05/105P	P	0,17	=	=	=	=		Zm. X
05/106P	B	0,16	11/15	60 %	=	15 %		Zm. X
05/107S	B	0,85	PV	E%	Be	e%		Zm. X
Lokalita 06 – Lazce								
06/001S	B	1,28	10/14PV	E%	bBe	e%		
06/002S	P	3,36	–	–	–	–		
06/003P	R	0,57	5/7	do 3 %3 %	s	50 %	park	zeleň-parková
06/004S	B	0,65	10/14PV	E%	bBe	e%		
06/005S	B	1,46	10/14PV	E%	bBe	e%		
06/006S	B	1,31	10/14PV	E%	bBe	e%		
06/007S	B	1,17	10/14PV	E%	bBe	e%		
06/008S	W	1,92	–	–	–	–		
06/009S	B	1,15	10/14PV	E%	bBe	e%		
06/010P	W	0,20	–	–	–	–		UR-04 (D)
06/011S	B	1,64	10/14PV	E%	bBe	e%		
06/012S	O	0,33	10/14PV	–	bBe	–		
06/013S	B	0,42	10/14PV	E%	bBe	e%		
06/014Z	R	1,98	5/7	do 3 %3 %	s	50 %	park	zeleň-parková
06/015P	R	2,03	5/7	do 3 %3 %	s	50 %	park	zeleň-parková
06/016S	B	1,1	10/14PV	E%	bBe	e%		
06/017S	B	0,75	10/14PV	E%	bBe	e%		
06/018P	D	0,28	–	–	–	–		
06/019S	B	0,55	10/23PV	E%	bBe	e%		
06/020S	O	6,64	10/14PV	–	a	–	pouze max- výškaobrana a bezpečnost	
06/021S	P	0,620,99	–	–	–	–		Zm. X
06/022S	W	0,861,14	–	–	–	–		Zm. X
06/023S	W	0,420	–	–	–	–		
06/024S	P	0,370	–	–	–	–		
06/025S	O	2,11	5/7PV	–	a	–	pouze max- výškaobrana a bezpečnost	
06/026S	P	3,873,88	–	–	–	–		Zm. X
06/027S	B	0,75	10/14PV	E%	bBe	e%		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
06/028S	B	1,04	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/029S	B	0,73	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/030S	B	0,65	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/031S	B	1,56	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/032S	B	0,78	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/033P	P	0,25	–	–	–	–		
06/034S	B	0,79	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/035S	B	1	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/036S	B	1,1	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/037P	B	0,32	<u>7/1011/15</u>	<u>do 40 %40 %</u>	<u>bBn</u>	20 %		
06/038P	B	<u>0,870,5</u>	<u>7/1011/15</u>	<u>15–40 %40 %</u>	<u>bBn</u>	30 %		<u>Zm. X</u>
06/039S	O	3,14	<u>10/14PV</u>	–	a	–		<u>RP-13</u>
06/040S	B	1,91	<u>10/14PV</u>	<u>E%</u>	<u>aBe</u>	<u>e%</u>		
06/041S	D	1,13	–	–	–	–		
06/042S	B	3,1	<u>10/14PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		<u>RP-13</u>
06/043S	R	0,95	<u>5/7PV</u>	–	s	–	<u>park</u>	<u>RP-13, zeleň-parková</u>
06/044S	B	2,48	<u>10/14PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		<u>RP-13</u>
06/045S	P	<u>2,92,88</u>	–	–	–	–		<u>RP-13Zm. X</u>
06/046S	O	0,68	<u>10/14PV</u>	–	a	–		<u>RP-13</u>
06/047S	B	0,75	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/048S	B	0,75	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/049S	B	0,79	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/050S	B	1,1	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/051S	B	2,7	<u>10/14PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		<u>RP-13</u>
06/052S	B	5,92	<u>10/14PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		<u>RP-13</u>
06/053N	W	<u>2,73,01</u>	–	–	–	–		<u>Zm. X</u>
<u>06/054NQ</u> <u>6/054Z</u>	<u>WD</u>	<u>0,440,2</u>	–	–	–	–		<u>UR-04 (D)Zm. X</u>
06/055S	P	<u>0,880,37</u>	–	–	–	–		<u>UR-04 (D)Zm. X</u>
<u>06/056SQ</u> <u>6/056P</u>	<u>BD</u>	<u>1,070,81</u>	<u>10/14</u>	–	a	–		<u>UR-04 (D)Zm. X</u>
06/057N	W	<u>2,52,57</u>	–	–	–	–		<u>Zm. X</u>
06/058S	B	<u>4,665,24</u>	<u>10/14PV</u>	<u>E%</u>	<u>aBe</u>	<u>e%</u>		<u>Zm. X</u>
06/059S	B	0,24	<u>10/14PV</u>	<u>E%</u>	<u>aBe</u>	<u>e%</u>		
06/060S	O	1,16	<u>10/14PV</u>	–	a	–		
06/061S	B	<u>0,170,4</u>	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
06/062S	P	0,1	–	–	–	–		
06/063S	B	0,91	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/064S	P	0,1	–	–	–	–		
06/065S	B	1,75	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/066S	P	0,51	–	–	–	–		
06/067S	B	0,81	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/068S	B	1,04	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/069S	D	<u>1,471,53</u>	–	–	–	–		<u>Zm. X</u>
06/070P	D	0,26	–	–	–	–		
<u>06/071PQ</u> <u>6/071S</u>	B	0,66	<u>10/14PV</u>	<u>do 40 %E%</u>	<u>bBe</u>	<u>20 %e%</u>		<u>Zm.-I/02Zm. X</u>
06/072S	P	0,25	–	–	–	–		
06/073S	B	1,06	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/074S	R	1,1	<u>5/7PV</u>	–	s	–	<u>park</u>	<u>zeleň-parková</u>
06/075S	B	1,21	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
06/076P	P	0,16	–	–	–	–		<u>US-01</u>
<u>06/077PQ</u> <u>6/077S</u>	O	<u>1,842,21</u>	<u>10/14PV</u>	<u>do 40 %</u>	a	<u>20 %</u>		<u>US-01Zm. X</u>
<u>06/078SQ</u> <u>6/078P</u>	<u>OD</u>	<u>1,140,61</u>	<u>10/14</u>	–	a	–		<u>US-01, US-02, UR-03- (D)Zm. X</u>
<u>06/079PQ</u> <u>6/079S</u>	O	3,19	<u>11/11PV</u>	<u>do 20 %</u>	a	<u>40 %</u>		<u>US-02Zm. X</u>
06/080S	B	<u>1,621,52</u>	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
06/081K	W	<u>0,530,56</u>	–	–	–	–		<u>Zm. X</u>
06/082P	<u>RO</u>	<u>1,640,6</u>	<u>5/7</u>	<u>do 3 %10 %</u>	s	<u>50 %30 %</u>		<u>US-02, zeleň-parkováZm. X</u>
06/083P	W	<u>0,160,24</u>	–	–	–	–		<u>Zm. X</u>
06/084Z	R	<u>1,713,81</u>	<u>5/7</u>	<u>do 3 %3 %</u>	s	50 %	<u>jezdecké areály</u>	<u>US-02, zeleň-parkováUS-157, Zm. X</u>

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
06/085Z	Ø	4,40	11/11	do 10 %	a	50 %	specifická rekreace	US-02
06/086KQ 6/086Z	RD	2,771,11	–	–	–	–		US-01, US-02, UR-03 (D), zeleň rekreační krajinyUS-157, Zm. X
06/087K	R	4,254,22	–	–	–	–	zeleň rekreační krajiny	US-02, navržený ÚSES, zeleň rekreační krajinyUS-157, Zm. X
06/088SQ 6/088P	B	0,66	5/7/10	35 %	a	40 %		US-02, UR-58 (O)Zm. X
06/089ZQ 6/089S	O	1,31,95	5/7PV	do 20 %	a	40 %	kemp	US-02, etapizaceZm. X
06/090K	R	13,7911,51	–	–	–	–	zeleň rekreační krajiny	US-01, zeleň rekreační krajinyUS-157, Zm. X
06/091N	D	1,20,59	–	–	–	–		Zm. X
06/092S	D	0,29	–	–	–	–		
06/093S	D	0,820,87	–	–	–	–		Zm. X
06/094S	O	0,371,53	11/11PV	–	a	–		US-02Zm. X
06/095S	B	0,16	10/14PV	E%	bBe	e%		
06/096S	D	0,84	–	–	–	–		
06/097KQ 6/097Z	RD	0,940,74	–	–	–	–		US-02, UR-16 (D), zeleň rekreační krajinyZm. X
06/098SQ 6/098P	B	2,29	10/14/7/10	35 %	aBn	40 %		US-138, Zm. X
06/099P	R	0,39	5/7	3 %	=	50 %	park	US-157, Zm. X
06/100Z	D	0,25	=	=	=	=		Zm. X
06/101P	D	0,86	=	=	=	=		Zm. X
06/102S	D	0,22	=	=	=	=		Zm. X
06/103P	P	0,23	=	=	=	=		Zm. X
06/104S	R	1,72	PV	=	=	=	jezdecké areály	Zm. X
06/105N	W	1,35	=	=	=	=		Zm. X
06/106N	W	0,83	=	=	=	=		Zm. X
06/107S	W	1,05	=	=	=	=		Zm. X
06/108P	P	0,28	=	=	=	=		Zm. X
06/109S	R	0,57	PV	=	=	=	park	Zm. X
06/110Z	R	1,6	5/7	3 %	=	50 %	park	US-157, Zm. X
06/111S	R	2,09	PV	=	=	=	jezdecké areály	Zm. X
06/112S	B	0,36	PV	E%	Be	e%		Zm. X
Lokalita 07 – Klášterní Hradisko a Černovír								
07/001S	B	1,68	7/10PV	E%	bBe	e%		
07/002S	P	2,43	–	–	–	–		
07/003S	B	0,16	7/10PV	E%	bBe	e%		
07/004S	B	0,2	7/10PV	E%	bBe	e%		
07/005S	B	0,24	7/10PV	E%	bBe	e%		
07/006S	O	0,79	7/10PV	–	a	–		
07/007S	B	6,012,12	7/10PV	E%	bBe	e%		Zm. X
07/008SQ 7/008P	B	2,652,25	7/10	50 %	a	–		US-153, Zm. X
07/009S	B	3,582,12	7/10PV	E%	bBe	e%		Zm. X
07/010S	P	10,49	–	–	–	–		Zm. X
07/011S	B	0,27	7/10PV	E%	aBe	e%		
07/012S	O	2,182,22	7/10PV	–	a	–	hřbitov	zeleň hřbitovůZm. X
07/013Z	O	0,210,18	7/10	do 40 %	a	20 %	hřbitov	zeleň hřbitovů, etapizaceET-09, Zm. X
07/014Z	P	0,931,01	–	–	–	–		Zm. X
07/015Z	O	0,340,25	7/10	do 40 %	a	20 %	hřbitov	zeleň hřbitovů, etapizaceET-09, Zm. X
07/016SQ 7/016P	B	2,6	7/10	50 %	a	–		US-153, Zm. X
07/017SQ 7/017P	B	2,042,07	7/10	50 %	a	–		US-153, Zm. X
07/018Z	B	0,790,37	7/10	15–35 %35 %	bBn	40 %		etapizaceET-09, Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
07/019Z	Z	1,88	3/5	do 10 % Z%	–	50 %		etapizace ET-09
07/020S	B	3,833,02	7/10 PV	E%	bBe	e%		Zm. X
07/021S	P	2,962,99	–	–	–	–		Zm. X
07/022S	B	0,65	7/10 PV	E%	bBe	e%		
07/023S	B	0,430,47	7/10 PV	E%	bBe	e%		Zm. X
07/024Z	O	0,27	7/10	do 40 % 40 %	a	20 %		etapizace ET-09
07/025N	P	0,69	–	–	–	–		
07/026S	R	0,43	5/7 PV	–	s	–	park	zeleně-parková
07/027N	W	2,572,67	–	–	–	–		Zm. X
07/028N	R	0,46	–	–	–	–	zeleně rekreační krajiny	zeleně-parková
07/029Z	Z	0,71	3/5	do 10 % Z%	–	50 %		etapizace ET-09
07/030Z	P	0,12	–	–	–	–		
07/031Z	B	0,35	7/10	15–35 % 35 %	bBn	40 %		etapizace ET-09
07/032S	B	1,141,3	7/10 PV	E%	bBe	e%		Zm. X
07/033Z	B	0,170	7/10	15–35 %	b	40 %		etapizace
07/034S	B	0,3	7/10 PV	E%	bBe	e%		
07/035S	B	1,71	7/10 PV	E%	bBe	e%		
07/036S	B	1,19	7/10 PV	E%	bBe	e%		
07/037S	B	0,69	7/10 PV	E%	bBe	e%		
07/038S	B	5,442,9	7/10 PV	E%	bBe	e%		Zm. X
07/039N	W	4,642,54	–	–	–	–		Zm. X
07/040N 7/040S	RZ	1,761,02	PV	E%	–	e%		zeleně-parková Zm. X
07/041S	RQ	0,470,54	5/7 PV	–	s	–		zeleně-parková Zm. X
07/042S	O	0,15	7/10 PV	–	bBe	–		
07/043Z 7/043S	R	0,85	5/7 PV	do 3 %	s	50 %	park	zeleně-parková, etapizace Zm. X
07/044S	D	1,92	–	–	–	–		
07/045K 7/045P	R	0,61	5/7	3 %	–	50 %	park	zeleně-parková Zm. X
07/046S	O	0,74	5/7 PV	–	a	–		
07/047S	B	1,83	7/10 PV	E%	bBe	e%		
07/048K	W	0,75	–	–	–	–		
07/049S	P	0,79	–	–	–	–		
07/050S	B	0,68	7/10 PV	E%	bBe	e%		
07/051S	P	0,74	–	–	–	–		UR-11 (D)
07/052S	B	2,14	7/10 PV	E%	bBe	e%		
07/053P	B	1,641,66	7/10	15–35 % 35 %	bBn	40 %		Zm. X
07/054P	P	0,410,4	–	–	–	–		Zm. X
07/055K	W	0,931,21	–	–	–	–		navržený ÚSES, zeleně rekreačních nábřeží Zm. X
07/056N	W	0,380	–	–	–	–		UR-04 (D)
07/057K 7/057Z	WD	1,061,02	–	–	–	–		UR-04 (D); navržený ÚSES, zeleně rekreačních nábřeží Zm. X
07/058K	W	0,420	–	–	–	–		UR-04 (D)
07/059K	R	0,540,44	–	–	–	–	zeleně rekreační krajiny	UR-04 (D); zeleně rekreační krajiny, Zm. I/02, Zm. X
07/060P	D	0,460,48	–	–	–	–		Zm. X
07/061S	W	0,470,31	–	–	–	–		UR-01 (D) Zm. X
07/062P	W	0,310,1	–	–	–	–		UR-01 (D); navržený ÚSES, zeleně rekreačních nábřeží Zm. X
07/063K	W	3,543,88	–	–	–	–		navržený ÚSES, zeleně rekreačních nábřeží Zm. X
07/064Z	D	2,873,03	–	–	–	–		Zm. X
07/065K	R	4,39	–	–	–	–	zeleně rekreační krajiny	zeleně-parková US-24
07/066R	R	0,67	–	–	–	–	zeleně rekreační krajiny	zeleně-parková US-24
07/067P	P	0,19	–	–	–	–		
07/068S	B	0,57	7/10 PV	E%	bBe	e%		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
07/069S	B	0,59	7/10PV	E%	bBe	e%		
07/070S	B	0,96	7/10PV	E%	bBe	e%		
07/071S	B	0,97	7/10PV	E%	bBe	e%		
07/072S	P	1,41	–	–	–	–		
07/073S	O	2,18	7/10PV	–	a	–		
07/074S	B	1,09	7/10PV	E%	bBe	e%		
07/075S	O	0,36	13/17PV	–	a	–		
07/076PQ 7/076S	OB	0,28	13/17PV	do 40 %E%	aBe	20 %e%	školství	Zm. X
07/077S	V	12,45	13/17PV	–	a	–		etapizaceET-06
07/078S	O	3,311,58	5/7PV	–	a	–		Zm. X
07/079S	O	1,73	13/17PV	–	a	–		
07/080S	P	2,49	–	–	–	–		
07/081S	O	2,151,3	5/7PV	–	a	–		US-26, UR-05 (D)Zm. X
07/082S	P	0,690,71	–	–	–	–		Zm. X
07/083N	W	2,352,66	–	–	–	–		Zm. X
07/084K	R	2,852,96	–	–	–	–	zeleně rekreační krajiny	US-26, zeleně-parkováZm. X
07/085S	O	0,340	5/7	–	a	–		US-26
07/086SQ 7/086P	PD	0,481,56	–	–	–	–		UR-05 (D)Zm. X
07/087P	R	0,270	5/7	do 3 %	s	50 %		US-25, UR-05 (D), zeleně-parková
07/088P	D	0,720,7	–	–	–	–		Zm. X
07/089S	D	2,78	5/7PV	–	–	–	komerce	
07/090P	W	0,730,83	–	–	–	–		Zm. X
07/091P	R	4,09	5/7	do 3 %3 %	s	50 %	park	US-25, zeleně-parková
07/092P	P	0,97	–	–	–	–		US-25
07/093P	R	7,467,51	5/7	do 3 %3 %	s	50 %	park	US-25, zeleně-parkováZm. X
07/094S	R	2,21	5/7PV	–	s	–	park	zeleně-parková
07/095S	O	1,66	5/7PV	–	a	–		
07/096S	B	1,45	5/7PV	E%	aBe	e%		
07/097P	R	1,59	5/7	do 3 %3 %	s	50 %	park	US-25, zeleně-parková
07/098R	N	0,41	–	–	–	–		
07/099N	N	2,38	–	–	–	–		
07/100Z	P	1,02	–	–	–	–		
07/101S	O	1,89	13/17PV	–	a	–		
07/102N	N	4,124,14	–	–	–	–		Zm. X
07/103K	W	0,280	–	–	–	–		
07/104N	NP	0,540,12	–	–	–	–		UR-11 (D)Zm. X
07/105Z	P	0,49	–	–	–	–		UR-11 (D)
07/106Z	PV	0,77	5/714/18	55 %	–	15 %		UR-11 (D)Zm. X
07/107N	N	12,112,5	–	–	–	–		Zm. X
07/108P	W	0,410,7	–	–	–	–		Zm. X
07/109N	L	7,1	–	–	–	–		
07/110N	L	9,02	–	–	–	–		
07/111N	N	2,47	–	–	–	–		
07/112K	N	1,14	–	–	–	–		navržený ÚSES
07/113N	N	11,91	–	–	–	–		
07/114N	N	9,47	–	–	–	–		
07/115N	N	19,06	–	–	–	–		
07/116K	N	5,95,89	–	–	–	–		navržený ÚSESZm. X
07/117N	W	6,685,24	–	–	–	–		Zm. X
07/118N	N	47,22	–	–	–	–		
07/119S	V	2,92	5/7PV	–	a	–		etapizaceET-06
07/120N	D	0,16	–	–	–	–		
07/121K	W	0,35	–	–	–	–		navržený ÚSES, zeleně rekreačních nábřeží
07/122P	B	0,3	7/10	15–35 %35 %	bBn	40 %		
07/123P	P	0,31	–	–	–	–		US-25
07/124P	P	0,14	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
07/125S	O	1,581,93	5/7PV	–	a	–		Zm. X
07/126S	B	1,56	PV	E%	Be	e%		Zm. X
07/127P	B	1,11	7/10	35 %	Bn	40 %		US-139, Zm. X
07/128S	R	0,53	PV	=	=	=	park	Zm. X
07/129S	W	1,44	=	=	=	=		Zm. X
07/130S	W	2,13	=	=	=	=		Zm. X
07/131P	B	1,45	7/10	35 %	Bn	40 %		Zm. X
07/132P	B	1,38	7/10	=	=	=		Zm. X
07/133P	B	1,42	7/10	35 %	Bn	40 %		US-148, Zm. X
07/134S	B	2,9	PV	E%	Be	e%		Zm. X
07/135S	B	0,49	PV	E%	Be	e%		Zm. X
07/136Z	P	0,14	=	=	=	=		Zm. X
07/137Z	B	0,32	7/10	35 %	Bn	40 %		ET-09, Zm. X
07/138P	P	0,17	=	=	=	=		Zm. X
07/139P	P	0,51	=	=	=	=		US-153, Zm. X
Lokalita 08 – Černovířský les								
08/001S	D	4,535,28	7/10PV	–	–	–	sběrný dvůrkomerce	Zm. X
08/002S	D	0,47	–	–	–	–		
08/003S	D	0,71,18	–	–	–	–		etapizaceZm. X
08/004S	D	3,410	5/7	–	–	–		UR-28 (D)
08/005P	DP	0,610,15	–	–	–	–		Zm. X
08/006Z	D	0,460	–	–	–	–		
08/007N	N	0,620	–	–	–	–		
08/008S	Z	1,631,69	3/5PV	E%	–	e%		Zm. X
08/009N	N	0,740	–	–	–	–		
08/010N	D	1,731,43	–	–	–	–		etapizaceZm. X
08/011N	N	3,760	–	–	–	–		UR-28 (D)
08/012S	D	6,810	5/7	–	–	–		
08/013S	D	1,20	5/7	–	–	–		UR-11 (D)
08/014N	N	3,30	–	–	–	–		UR-11 (D)
08/015N	N	26,9438,67	–	–	–	–		Zm. X
08/016S	Z	0,981,91	3/5PV	E%	–	e%		Zm. X
08/017S	Z	0,940	3/5	–	–	–		UR-28 (D)
08/018N	D	2,47	–	–	–	–		
08/019N	N	1,43	–	–	–	–		
08/020N	W	0,17	–	–	–	–		
08/021K	N	1,980	–	–	–	–		navržený ÚSES
08/022N	W	1,32	–	–	–	–		
08/023N	L	19,2513,71	–	–	–	–		Zm. X
08/024S	D	7,2128,97	5/7	–	–	–		Zm. X
08/025Z	P	0,74	–	–	–	–		
08/026N	P	0,9	–	–	–	–		
08/027S	T	1,99	7/10PV	–	a	–		
08/028S	T	0,73	7/10PV	–	a	–		
08/029N	D	4,69	–	–	–	–		
08/030N	N	15,47	–	–	–	–		
08/031N	L	82,47	–	–	–	–		
08/032K	N	3,33	–	–	–	–		navržený ÚSES
08/033N	D	6,836,81	–	–	–	–		Zm. X
08/034N	N	0,560	–	–	–	–		UR-28 (D)
08/035K	W	0,34	–	–	–	–		
08/036N	N	1,3	–	–	–	–		
08/037N	L	1,77	–	–	–	–		
08/038N	N	1,99	–	–	–	–		
08/039N	L	0,49	–	–	–	–		
08/040S	D	12,460	5/7	–	–	–		
08/041P	V	1,3	11/11	55 %	=	15 %		Zm. X
Lokalita 09 – Chválkovice, Pavlovičky a Bělidla								
09/001S	B	4,371,99	7/10PV	E%	vBe	e%		Zm. X
09/002S	P	2,612,63	–	–	–	–		Zm. X
09/003S	O	0,29	7/10PV	–	s	–		
09/004S	B	0,55	7/10PV	E%	vBe	e%		
09/005S	R	0,23	5/7PV	–	s	–	park	zeleň-parková

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
09/006PQ 9/006S	O	0,580,56	7/10PV	do 20 %	s	–		Zm. I/02-Zm. X
09/007S	B	5,68	7/10PV	E%	aBe	e%	zemědělství	
09/008Z	B	0,47	7/10	do 55-%55 %	a	15 %		etapizace, Zm. I/01 US-120, ET-24, Zm. I/01
09/009Z	P	0,50,36	–	–	–	–		Zm. X
09/010Z	P	0,16	–	–	–	–		
09/011S	B	0,43	7/10PV	E%	bBe	e%		
09/012S	O	0,74	7/10PV	–	a	–	hřbitov	zeleně hřbitovů
09/013S	O	1,34	7/10PV	–	a	–		
09/014S	B	0,691,09	7/10PV	E%	bBe	e%		Zm. X
09/015Z	B	0,820,42	7/10	15–35-%35 %	bBn	40 %		etapizace, ET-24, Zm. I/01, Zm. X
09/016Z	R	0,17	5/7	do 3-%3 %	s	50 %	park	zeleně parková, etapizace, Zm. I/01, ET-24
09/017Z	P	0,18	–	–	–	–		etapizace, Zm. I/01, ET-24
09/018Z	B	1,72	7/10	15–35-%35 %	bBn	40 %		etapizace, Zm. I/01, ET-24
09/019S	O	8,22	7/10PV	–	a	–		
09/020N	N	19,3719,2	–	–	–	–		Zm. X
09/021N	D	0,41	–	–	–	–		
09/022S	O	3,79	5/7PV	–	s	–	obrana a bezpečnost	
09/023S	B	0,370,54	7/10PV	E%	bBe	e%		Zm. X
09/024S	B	0,49	7/10PV	E%	bBe	e%		
09/025S	R	1,15	5/7PV	–	s	–	park	zeleně parková
09/026S	B	0,32	7/10PV	E%	bBe	e%		
09/027S	B	0,4	7/10PV	E%	vBe	e%		
09/028S	R	0,37	5/7PV	–	s	–	park	zeleně parková
09/029S	B	1,91	7/10PV	E%	bBe	e%		
09/030S	P	2,17	–	–	–	–		
09/031S	B	1,49	7/10PV	E%	bBe	e%		
09/032S	D	4,8	–	–	–	–		US-95
09/034N	P	0,63	–	–	–	–		
09/035K	N	5,69	–	–	–	–		navržený ÚSES
09/036N	N	9,57	–	–	–	–		
09/037K	N	22,7323,58	–	–	–	–	ochranné zatravnění	ochranné zatravnění Zm. X
09/038K	N	8,25	–	–	–	–	ochranné zatravnění	ochranné zatravnění
09/039N	N	5,31	–	–	–	–		
09/040Z	P	0,32	–	–	–	–		US-121, Zm. I/01
09/041Z	B	0,42	7/10	15–40-%40 %	bBn	30 %		US-121, Zm. I/01
09/042S	B	1,48	7/10PV	E%	bBe	e%		
09/043S	B	5,8	7/10PV	E%	vBe	e%		
09/044S	D	2,68	–	–	–	–		
09/045S	B	5,623,56	7/10PV	E%	vBe	e%		Zm. X
09/046S	O	0,330,16	7/10PV	–	vBe	–		Zm. X
09/047P	P	0,19	–	–	–	–		
09/048S	P	0,46	–	–	–	–		
09/049S	B	3,65	7/10PV	E%	aBe	e%		
09/050S	B	0,87	7/10PV	E%	bBe	e%		
09/051S	B	2,22	7/10PV	E%	bBe	e%		
09/052S	O	0,37	7/10PV	–	bBe	–		
09/053S	P	0,7	–	–	–	–		
09/054S	B	2,88	7/10PV	E%	bBe	e%		
09/055S	B	1,33	10/14PV	E%	bBe	e%		Zm. I/30
09/056S	P	0,23	–	–	–	–		Zm. I/30
09/057P	P	0,58	–	–	–	–		Zm. I/30
09/058P	B	0,35	11/15	15–40-%40 %	bBn	30 %		Zm. I/30
09/059P	B	0,41	11/15	15–40-%40 %	bBn	30 %		Zm. I/01, Zm. I/30
09/060P	B	0,63	10/14SV08	do 75-%75 %	bBn	10 %	pouze max. výška	Zm. I/30, Zm. I/31
09/061Z	P	0,4	–	–	–	–		Zm. I/30
09/062P	B	0,39	11/15	15–40-%40 %	bBn	30 %		Zm. I/30
09/063S	B	0,88	10/14PV	E%	bBe	e%		Zm. I/30

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
09/064S	P	0,22	–	–	–	–		Zm. I/30
09/065S	B	1,16	7/10 PV	E%	bBe	e%		
09/066Z	B	1,21	7/10	15–40–% 40 %	bBn	30 %		US-111, Zm. I/01
09/067Z	P	1,19 1,17	–	–	–	–		US-111 , Zm. I/01, Zm. X
09/068Z	B	0,97	7/10	15–40–% 40 %	bBn	30 %		etapizace , Zm. IVET-24 , Zm. I/01, Zm. IV
09/069P	P	0,12 0,16	–	–	–	–		Zm. I/01, Zm. IV, Zm. X
09/070S	B	2,79 2,83	10/14 PV	E%	bBe	e%		Zm. IV, Zm. X
09/071S	B	1	7/10 PV	E%	bBe	e%		
09/072S	B	0,48	7/10 PV	E%	bBe	e%		
09/073S	P	1,09 1,08	–	–	–	–		Zm. X
09/074S	O	0,26	10/14 PV	–	bBe	–		
09/075S	B	0,49 1,51	10/14 PV	E%	bBe	e%		Zm. X
09/076PQ 9/076S	B	3,16 1,05	10/14 PV	do-40–% E%	bBe	20–% e%		US-62 Zm. X
09/077S	B	5,28	10/14 PV	E%	bBe	e%		
09/078S	B	0,97 0,29	10/14 PV	E%	bBe	e%		Zm. X
09/079S	P	1,41 1,67	–	–	–	–		Zm. IV, Zm. X
09/080S	O	1,63	10/14 PV	–	a	–		
09/081Z	B	1,36 1,4	7/10	15–40–% 40 %	bBn	30 %		Zm. X
09/082S	B	1,21 2,26	7/10 PV	E%	bBe	e%		Zm. X
09/083S	B	1,6	7/10 PV	E%	bBe	e%		
09/084S	B	0,94	10/14 PV	E%	bBe	e%		
09/085Z	DP	0,11 0,08	–	–	–	–		Zm. X
09/086P	DP	0,56 0,04	–	–	–	–		Zm. X
09/087S	B	2,29 2,43	10/14 PV	E%	aBe	e%		Zm. X
09/088S	O	0,29	10/14 PV	–	a	–		
09/089P	D	1-350	–	–	–	–		US-95
09/090PQ 9/090S	B	3,25 2,41	13/17 PV	10–40–% E%	aBe	10–% e%		US-61 Zm. X
09/091S	D	0,57 0,85	–	–	–	–		US-95 Zm. X
09/092S	B	0,95	13/17 PV	E%	bBe	e%		
09/093S	P	0,39	–	–	–	–		Zm. VIII
09/094S	D	1,11	–	–	–	–		Zm. VIII
09/095S	D	3,6	13/17 PV	–	a	–	komerce	Zm. VIII
09/096S	D	1,7	–	–	–	–		Zm. VIII
09/097S	D	1,39	–	–	–	–		US-95 , Zm. VIII
09/098S	B	1,35	13/17 PV	E%	bBe	e%		
09/099S	P	0,34	–	–	–	–		
09/100S	W	0,71	–	–	–	–		
09/101S	D	0,64	–	–	–	–		
09/102P	B	3,9	11/15	10–35–% 40 %	b	40–% 30 %		US-27
09/103S	B	0,72	10/14 PV	E%	bBe	e%		
09/104S	B	1,02	10/14 PV	E%	bBe	e%		
09/105S	B	0,53	10/14 PV	E%	bBe	e%		
09/106S	O	0,22	10/14 PV	–	bBe	–		
09/107S	P	2,94 2,99	–	–	–	–		Zm. X
09/108S	B	0,67 1,12	10/14 PV	E%	bBe	e%		Zm. X
09/109S	O	0,67	10/14 PV	–	a	–		
09/110PQ 9/110S	B	1,07 0,57	10/14 PV	10–35–% E%	bBe	40–% e%		US-28 Zm. X
09/111S	V	3,21 3,74	11/11 PV	–	a	–		Zm. IX, Zm. X
09/112S	D	0,75	–	–	–	–		
09/113S	D	1,55 2,49	–	–	–	–		Zm. X
09/114S	V	2,96	11/11 PV	–	a	–		
09/115S	P	0,5	–	–	–	–		
09/116S	V	1,75 1,74	11/11 PV	–	a	–		Zm. X
09/117S	B	0,42	10/14 PV	E%	bBe	e%		
09/118S	B	1,18 1,21	10/14 PV	E%	bBe	e%		Zm. X
09/119S	P	3,27 2,94	–	–	–	–		Zm. X
09/120S	B	1,36 0,79	10/14 PV	E%	bBe	e%		Zm. X
09/121S	B	0,6	10/14 PV	E%	bBe	e%		
09/122S	B	1,14	10/14 PV	E%	bBe	e%		
09/123S	B	1,18	10/14 PV	E%	bBe	e%		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
09/124S	B	0,11	10/14PV	E%	bBe	e%		
09/125S	B	4,081,72	10/14PV	E%	bBe	e%		Zm. X
09/126N	L	3,49	–	–	–	–		
09/127S	B	0,51	10/14PV	E%	bBe	e%		
09/128S	B	0,320,33	10/14PV	E%	bBe	e%		Zm. X
09/129S	B	3,123,25	10/14PV	E%	bBe	e%		Zm. X
09/130S	B	1,521,63	10/14PV	E%	bBe	e%		Zm. X
09/131S	B	0,68	10/14PV	E%	bBe	e%		
09/132S	B	0,480,49	10/14PV	E%	bBe	e%		Zm. X
09/133S	V	0,992,7	11/11PV	–	a	–		Zm. X
09/134S	V	1,640	11/11	–	a	–		
09/135Z	V	1,030,99	11/11	do 55-%55 %	a	15 %		Zm. I/01, Zm. X
09/136Z	P	0,240,23	–	–	–	–		Zm. I/01, Zm. X
09/137S	V	1,731,65	11/11PV	–	a	–		Zm. X
09/138Z	V	1,641,33	11/11	do 55-%55 %	a	15 %		US-149, Zm. X
09/139S	D	3,563,55	–	–	–	–		Zm. X
09/140S	V	16,02	15/15PV	–	a	–		
09/141P	V	0,73	15/15	do 55-%55 %	a	15 %		
09/142P	D	1,57	–	–	–	–		
09/143P	R	2,31	5/7	do 3-%3 %	s	50 %	park	zeleně-parková
09/144S	V	11,39	15/15PV	–	a	–	obrana a bezpečnost	
09/145S	V	0,62,14	15/15PV	–	a	–		Zm. X
09/146Z	V	0,890	15/15	do 55-%	a	15-%		
09/147S	V	0,650	15/15	–	a	–		
09/148S	P	1,35	–	–	–	–		
09/149S	V	14,96	15/15PV	–	a	–	obrana a bezpečnost	
09/150S	D	0,65	–	–	–	–		
09/151Z	D	7,16	–	–	–	–		
09/152P	D	2,9	–	–	–	–		
09/153P	V	4,694,35	15/1518/18	do 55-%55 %	a	15 %		Zm. X
09/154S	T	2,19	15/15PV	–	a	–	odpadové-hospodářství	
09/155S	V	17,98	15/15PV	–	a	–		
09/156S	D	1,892,97	–	–	–	–		Zm. X
09/157S	V	9,298,73	15/15PV	–	a	–		Zm. X
09/158Z	D	2,1	–	–	–	–		
09/159N	N	7,95	–	–	–	–		UR-38 (V)
09/160Z	D	5,87	–	–	–	–		
09/161P	B	0,68	7/10	15-35-%35 %	a	40 %		
09/162Z0 9/162N	VN	913,02	11/11	do 55-%	a	15-%		US-119, Zm. I/01Zm. X
09/163Z	R	4 020	5/7	do 3-%	s	50-%		US-119, zeleně-parková, Zm. I/01
09/164S	D	2,49	–	–	–	–		
09/165S	V	5,65	7/10PV	–	a	–		UR-65 (B)
09/166S	V	4,68	15/15PV	–	a	–		
09/167S	P	0,42	–	–	–	–		
09/168S	V	4,278,24	15/15PV	–	a	–		Zm. X
09/169Z	V	6,722,76	15/1518/18	do 55-%55 %	a	15 %		Zm. I/01, Zm. X
09/170Z	D	4,14	–	–	–	–		Zm. I/01
09/171N	N	6,08	–	–	–	–		
09/172P	B	0,11	10/14SV08	do 100-%100 %	s	0 %	pouze max.-výška	Zm. I/30, Zm. I/31
09/173N	N	10,23	–	–	–	–		
09/174P	P	0,220	–	–	–	–		
09/175Z	P	0,15	–	–	–	–		
09/176N	L	0,77	–	–	–	–		
09/177N	W	2,062,07	–	–	–	–		Zm. X
09/178K	R	2,24	–	0 %	–	–	zeleně rekreační krajiny	zeleně rekreační krajiny
09/179N	W	3,37	–	–	–	–		
09/180Z	D	0,850	5/7	do 10-%	s	40-%	tramvajové obratiště	US-95, etapizace
09/181P	B	2,582,56	14/18	10-40-%40 %	a	10 %		US-60, Zm. VIII, Zm. X
09/182P	P	0,43	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
09/183S	T	2,36	<u>15/15PV</u>	–	a	–	odpadové-hospodářství	
09/184S	V	0,75	<u>15/15PV</u>	–	a	–		
09/185Z	V	0,25	<u>7/1018/18</u>	<u>do-55-%55 %</u>	a	15 %		etapizace, Zm. I/01, ET-24
09/186Z	B	<u>0,181,02</u>	<u>10/147/10</u>	<u>15-40-%40 %</u>	<u>bBn</u>	30 %		Zm. I/01, <u>US-149, Zm. X</u>
09/187P	B	<u>0,330,62</u>	<u>10/147/10</u>	<u>15-40-%40 %</u>	<u>bBn</u>	30 %		Zm. I/01, <u>Zm. X</u>
<u>09/188Z</u>	<u>B</u>	<u>0,680</u>	<u>10/14</u>	<u>15-40-%</u>	<u>b</u>	<u>30-%</u>		<u>Zm. I/01</u>
09/189Z	B	<u>0,41,49</u>	<u>10/147/10</u>	<u>15-40-%40 %</u>	<u>bBn</u>	30 %		Zm. I/01, <u>US-149, Zm. X</u>
<u>09/190Z</u>	<u>B</u>	<u>0,910</u>	<u>10/14</u>	<u>15-40-%</u>	<u>b</u>	<u>30-%</u>		<u>Zm. I/01</u>
09/191Z	P	<u>0,660,37</u>	–	–	–	–		Zm. I/01, <u>Zm. X</u>
09/192P	P	<u>0,280,12</u>	–	–	–	–		Zm. I/01, <u>Zm. X</u>
09/193P	B	<u>0,460,98</u>	<u>10/147/10</u>	<u>15-40-%40 %</u>	<u>bBn</u>	30 %		Zm. I/01, <u>Zm. X</u>
09/194Z	R	<u>0,450,41</u>	5/7	<u>do-3-%3 %</u>	s	50 %	park	zeleň-parková, Zm. I/01, <u>Zm. X</u>
09/195S	B	<u>1,350,82</u>	<u>10/14PV</u>	<u>E%</u>	<u>aBe</u>	<u>e%</u>		Zm. IX, <u>Zm. X</u>
09/196Z	B	0,67	7/10	<u>do-55-%55 %</u>	a	15 %		<u>US-120, etapizace, Zm. I/01US-120</u>
09/197P	B	0,51	<u>10/14SV08</u>	<u>do-55-%55 %</u>	<u>bBn</u>	15 %	pouze max. výška	Zm. I/30, Zm. I/31
<u>09/198P</u>	<u>B</u>	<u>0,68</u>	<u>11/15</u>	<u>55 %</u>	<u>Bn</u>	<u>15 %</u>		<u>Zm. X</u>
<u>09/199S</u>	<u>P</u>	<u>0,45</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>09/200S</u>	<u>B</u>	<u>0,3</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		<u>Zm. X</u>
<u>09/201S</u>	<u>R</u>	<u>0,14</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>	park	<u>Zm. X</u>
<u>09/202P</u>	<u>B</u>	<u>4,61</u>	<u>7/10</u>	<u>35 %</u>	<u>Bn</u>	<u>40 %</u>		<u>Zm. X</u>
<u>09/203P</u>	<u>P</u>	<u>0,14</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>09/204P</u>	<u>B</u>	<u>1,19</u>	<u>14/18</u>	<u>40 %</u>	<u>=</u>	<u>10 %</u>		<u>Zm. X</u>
<u>09/205P</u>	<u>B</u>	<u>1,15</u>	<u>7/10</u>	<u>40 %</u>	<u>Bn</u>	<u>30 %</u>		<u>US-142, Zm. X</u>
<u>09/206S</u>	<u>B</u>	<u>1,21</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		<u>Zm. X</u>
<u>09/207S</u>	<u>V</u>	<u>0,35</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
Lokalita 10 – Hodolany a Roisberk								
10/001S	B	2,11	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/002S	B	1,79	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/003S	B	0,92	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/004S	O	0,06	<u>10/14PV</u>	–	s	–		
10/005S	B	0,12	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/006S	P	3,22	–	–	–	–		US-43
10/007S	B	0,96	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/008S	B	1,39	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/009S	B	0,57	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/010S	B	0,33	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/011S	B	0,89	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		US-43
10/012S	B	0,52	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		US-43
10/013S	B	0,34	<u>10/14PV</u>	<u>E%</u>	<u>aBe</u>	<u>e%</u>		US-43
10/014S	D	1,11	–	–	–	–		US-43, US-44, US-94
10/015P	D	1,34	–	–	–	–		US-43
10/016P	B	2,88	<u>10/1414/18</u>	<u>do-55-%55 %</u>	a	15 %		US-43US-65
10/017S	B	<u>1,572,47</u>	<u>10/14PV</u>	<u>E%</u>	<u>aBe</u>	<u>e%</u>		<u>Zm. X</u>
10/018S	D	4,94	<u>11/11PV</u>	–	a	–		US-43
10/019P	D	1,8	–	–	–	–		US-58, US-43
10/020P	B	<u>2,521,46</u>	<u>10/1414/18</u>	<u>do-75-%75 %</u>	<u>bBn</u>	0 %		US-64, <u>Zm. X</u>
10/021S	B	0,46	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/022S	B	0,34	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/023S	P	2,13	–	–	–	–		
10/024S	B	0,72	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/025S	B	0,51	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/026S	B	0,14	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/027S	B	0,25	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/028S	B	0,58	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/029S	B	0,75	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/030S	B	0,53	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
10/031P	P	0,22	–	–	–	–		US-58
10/032P	B	0,93	<u>10/1414/18</u>	<u>do-40-%55 %</u>	a	20 %		US-58

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
10/033S	B	0,31	10/14PV	E%	aBe	e%		
10/034N	L	0,55	–	–	–	–		
10/035S	P	0,27	–	–	–	–		
10/036S	D	2,412,34	–	–	–	–		US-43, US-44, US-94Zm. X
10/037S	B	1,5	10/14PV	E%	bBe	e%		
10/038S	B	1,16	10/14PV	E%	bBe	e%		US-44
10/039S	P	3,062,78	–	–	–	–		US-44Zm. X
10/040S	B	0,69	10/14PV	E%	bBe	e%		US-44
10/041S	B	0,62	10/14PV	E%	bBe	e%		
10/042S	B	1,44	10/14PV	E%	bBe	e%		
10/043P	B	2,6	11/15	15-40-%40 %	bBn	30 %		US-44, US-69
10/044S	B	0,38	10/14PV	E%	bBe	e%		
10/045P	B	0,96	11/15	15-40-%40 %	aBn	30 %		US-69
10/046P	T	0,48	11/15	do 55-%55 %	a	15 %	sběrný dvůr	US-69
10/047S	B	0,59	10/14PV	E%	aBe	e%		
10/048S	B	1,36	10/14PV	E%	bBe	e%		
10/049S	B	0,74	10/14PV	E%	bBe	e%		
10/050S	B	0,22	10/14PV	E%	bBe	e%		
10/051S	O	0,33	10/14PV	–	bBe	–		
10/052P	O	0,56	8/8	do 40-%40 %	a	20 %	specifická výška-1, sport	Zm. V
10/053S	B	0,66	10/14PV	E%	bBe	e%		
10/054S	B	1,12	10/14PV	E%	bBe	e%		
10/055S	B	1,15	10/14PV	E%	bBe	e%		
10/056S	B	1-271	10/14PV	E%	bBe	e%		Zm. X
10/057S	P	1,5	–	–	–	–		
10/058S	B	0,59	10/14PV	E%	bBe	e%		
10/059S	V	8,044,23	10/14PV	–	a	–		US-30Zm. X
10/060N	L	2,2	–	–	–	–		
10/061S	B	0,490,56	7/10PV	E%	bBe	e%		Zm. X
10/062S	B	0,951,48	10/14PV	E%	bBe	e%		Zm. X
10/063P	B	0,470	10/14	15-35 %	b	40-%		
10/064S	P	2,62,56	–	–	–	–		Zm. X
10/065S	B	0,37	10/14PV	E%	bBe	e%		
10/066P1 0/066S	B	0,190,22	10/14PV	15-40-%E%	bBe	30-%e%		Zm. X
10/067S	B	0,59	10/14PV	E%	bBe	e%		
10/068P	B	0,33	11/15	15-40-%40 %	bBn	30 %		
10/069P	R	0,09	5/7	do 3-%3 %	s	50 %	park	zelen-parková
10/070P	B	0,32	11/15	15-40-%40 %	bBn	30 %		
10/071S	B	1,36	10/14PV	E%	bBe	e%		
10/072S	V	5,68	15/15PV	–	a	–		
10/073S	V	4,93	15/15PV	–	a	–		
10/074Z	P	1,251,13	–	–	–	–		Zm. X
10/075S	Z	1,61	3/5PV	E%	–	e%		
10/076P	P	0,72	–	–	–	–		
10/077S	Z	2,93	3/5PV	E%	–	e%		
10/079S	V	4,81	15/15PV	–	a	–		
10/080S	P	0,5	–	–	–	–		
10/081P	V	1,062,02	15/15	do 55-%55 %	a	15 %		US-69Zm. X
10/082P	P	1,84	–	–	–	–		US-44, US-69
10/083S	V	10,939,97	15/15PV	–	a	–		Zm. X
10/084S	P	0,32	–	–	–	–		
10/085P	V	0,96	15/15	do 55-%55 %	a	15 %		US-44, US-69
10/086S	V	7,78	15/15PV	–	a	–		US-44
10/087S	D	1,05	–	–	–	–		US-44
10/088S	V	3,88	15/15PV	–	a	–		US-44
10/089Z	V	1,86	15/15	do 55-%55 %	a	15 %		US-44
10/090S	O	1,35	7/10PV	–	a	–	hřbitov	US-44, zelen-hřbitovů
10/091K	L	0,37	–	–	–	–		
10/092Z	V	1,35	15/15	do 55-%55 %	a	15 %		
10/093Z	D	5,76	–	–	–	–		US-44
10/094P	D	0,87	–	–	–	–		US-44

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
10/095S	D	3,41	–	–	–	–		US-44
10/096S	B	1,7	10/14PV	E%	sBe	e%		US-44
10/097S	B	0,521,31	13/17PV	E%	bBe	e%		US-44Zm. X
10/098Z	B	0,910	13/17	15–40 %	b	30 %		US-133, US-44, etapizace, Zm. I/01, I/02
10/099P	B	1,841,74	14/18	15–40 %60 %	bBn	30 %35 %		US-133, US-44, etapizace, Zm. I/01, I/02ET-25, Zm. X
10/100P	P	0,25	–	–	–	–		
10/101P	B	0,210,28	14/18	15–40 %60 %	bBn	30 %35 %		US-134, etapizace, Zm. I/01, I/02, ET-25, Zm. X
10/102Z	B	1,660,69	14/18	15–40 %60 %	bBn	30 %35 %		US-134, etapizace, Zm. I/01, I/02, ET-25, Zm. X
10/103S	B	0,360,72	13/17PV	E%	bBe	e%		Zm. X
10/104S	B	0,160,1	10/14PV	E%	bBe	e%		Zm. X
10/105S	B	0,16	10/14PV	E%	bBe	e%		
10/106Z	P	0,090	–	–	–	–		
10/107S	P	0,891,38	Prp	Prp	Prp	Prp		US-44PRP-004, Zm. X
10/108S	B	1	10/14PV	E%	bBe	e%		
10/109S1 0/109P	B	1,78	13/1718/18	60 %	sBn	25 %		US-43Zm. X
10/110S	P	0,49	–	–	–	–		US-43
10/111S	B	6,425,5	13/17PV	E%	aBe	e%		Zm. X
10/112S	P	0,8	–	–	–	–		
10/113S	B	2,76	13/17PV	E%	aBe	e%		
10/114S	B	2,080,29	13/17PV	E%	aBe	e%		US-43Zm. X
10/115P1 0/115S	B	1,72,87	13/17PV	40–40 %E%	aBe	20 %e%		US-43, etapizace (západní část plochy)ET-01, Zm. X
10/116S	D	4,87	–	–	–	–		US-43
10/117S	B	0,49	13/17PV	E%	bBe	e%		US-43
10/118S	P	0,13	–	–	–	–		
10/119S	B	0,44	13/17PV	E%	bBe	e%		
10/120P	B	0,66	13/1718/22	15–45 %45 %	a	30 %		US-43
10/121S	V	13,58	15/15PV	–	a	–		
10/122S	D	5,7	–	–	–	–		US-43
10/123P	D	1,85	–	–	–	–		
10/124S1 0/124P	B	2,851,44	14/18	40 %	a	–		US-172, Zm. X
10/125S	B	1,03	13/17PV	E%	bBe	e%		
10/126S	B	0,73	13/17PV	E%	bBe	e%		
10/127S	P	0,7	–	–	–	–		
10/128S	B	1,06	13/17PV	E%	aBe	e%		
10/129S	V	15,07	15/15PV	–	a	–		
10/130S1 0/130P	B	2,09	13/1718/18	60 %	aBn	25 %		Zm. X
10/131S	D	3,19	Prp	Prp	Prp	Prp		US-43, US-44, US-94PRP-004
10/132P	B	1,70,9	13/17Prp	10–40 %Prp	bPrp	30 %Prp		RP-14ET-37, PRP-004, Zm. X
10/133Z	B	6,251,01	13/17Prp	10–35 %Prp	bPrp	40 %Prp		RP-14ET-37, PRP-004, Zm. X
10/134P	B	1,160	13/17	10–35 %	b	40 %		RP-14
10/135S	B	0,44	13/17Prp	Prp	bPrp	Prp		PRP-004
10/136S	B	0,77	13/17PV	E%	bBe	e%		
10/137P	B	1,81	13/177/10	15–40 %40 %	bBn	30 %		
10/138S	P	1,160,96	Prp	Prp	Prp	Prp		PRP-004, Zm. X
10/139S	B	2,252,32	13/17PV	E%	aBe	e%		Zm. X
10/140P	B	0,941	13/177/10	15–40 %40 %	aBn	30 %		Zm. X
10/141S	B	3,87	13/17PV	E%	aBe	e%		
10/142Z	B	0,380,42	13/177/10	15–40 %40 %	aBn	30 %		Zm. X
10/143S	B	0,47	13/17PV	E%	aBe	e%		
10/144S	D	0,28	–	–	–	–		
10/145N1 0/145S	D	0,79	–	–	–	–		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
10/146Z	D	1,741,46	–	–	–	–		Zm. X
10/147Z	B	1,440,69	10/147/10	15-40-%40 %	bBn	30 %		Zm. X
10/148Z	P	0,47	–	–	–	–		
10/149Z	V	2,88	15/15	do 55-%55 %	a	15 %		US-118, Zm. I/01
10/150Z	P	1,340,53	Prp	Prp	Prp	Prp		PRP-004, Zm. X
10/151Z	RV	0,260,35	5/7Prp	do 3-%Prp	sPrp	50-%Prp		zeleň-parkováPRP-004, Zm. X
10/152S	V	7,39	15/15PV	–	a	–		
10/153Z	V	0,961,25	15/15Prp	do 55-%Prp	aPrp	15-%Prp		PRP-004, Zm. X
10/156S	T	3,312,8	15/15SV04	–	a	–	specifická-výška 2 (04)	US-44Zm. X
10/157S	T	2,28	15/15PV	–	a	–		US-44
10/158S	V	5,173,31	15/15PV	–	a	–	fotovoltaika	US-44Zm. X
10/159S	P	0,91,05	Prp	Prp	Prp	Prp		PRP-004, Zm. X
10/160S	D	0,81	–	–	–	–		US-44
10/161S	P	0,2	–	–	–	–		
10/162S	V	1,95	15/15PV	–	a	–		US-44
10/163Z	V	14,85	15/15	do 55-%55 %	a	15 %		US-117, Zm. I/01
10/164S	V	3,16	15/15PV	–	a	–		
10/165S	V	11,61	15/15PV	–	a	–		
10/166Z	V	0,73	11/15	do 55-%55 %	a	15 %		US-123, Zm. I/01
10/167S	D	1,58	–	–	–	–		
10/168Z	V	0,94	15/15	do 55-%55 %	a	15 %		Zm. I/01
10/169P	D	0,31	–	–	–	–		
10/170Z	D	2,01	–	–	–	–		
10/171Z	V	3,4	15/15	do 55-%55 %	a	15 %		US-123, Zm. I/01
10/172S	V	1,04	15/15PV	–	a	–		Zm. I/01
10/173N	D	0,75	–	–	–	–		
10/176Z	D	0,41	–	–	–	–		US-123, Zm. I/01
10/177S	O	2,67	10/14PV	–	s	–		
10/178S	D	0,45	–	–	–	–		US-43
10/179P	P	0,140,18	–	–	–	–		Zm. X
10/180Z	P	0,170,12	Prp	Prp	Prp	Prp		PRP-004, Zm. X
10/181S	B	0,45	15/15PV	E%	aBe	e%		
10/182N	L	0,54	–	–	–	–		
10/183P	O	0,93	11/15	do 40-%40 %	b	20 %		US-101
10/184P	P	0,56	–	–	–	–		US-43
10/185S	B	0,16	PV	E%	Be	e%		Zm. X
10/186S	B	0,37	PV	E%	Be	e%		Zm. X
10/187P	B	1,54	18/18	60 %	Bn	25 %		Zm. X
10/188P	D	0,29	=	=	=	=		Zm. X
10/189S	V	2,24	PV	=	=	=		Zm. X
10/190P	D	0,19	=	=	=	=		Zm. X
10/191S	B	0,78	PV	E%	Be	e%		Zm. X
10/192P	P	0,14	=	=	=	=		Zm. X
10/193P	B	1,26	14/18	40 %	=	=		US-171, Zm. X
10/194P	B	0,05	14/14	60 %	Bn	20 %		Zm. X
10/195P	B	0,65	Prp	Prp	Prp	Prp		ET-37, PRP-004, Zm. X
10/196Z	B	0,36	Prp	Prp	Prp	Prp		ET-37, PRP-004, Zm. X
10/197Z	O	0,81	Prp	Prp	Prp	Prp		ET-37, PRP-004, Zm. X
10/198Z	P	1,7	Prp	Prp	Prp	Prp		PRP-004, Zm. X
10/199Z	R	0,5	Prp	Prp	Prp	Prp	park	PRP-004, Zm. X
10/200Z	B	0,82	Prp	Prp	Prp	Prp		ET-37, PRP-004, Zm. X
10/201P	B	0,24	Prp	Prp	Prp	Prp		ET-37, PRP-004, Zm. X
10/202Z	B	0,35	Prp	Prp	Prp	Prp		ET-37, PRP-004, Zm. X
10/203Z	B	0,68	Prp	Prp	Prp	Prp		ET-37, PRP-004, Zm. X
10/204P	P	0,52	Prp	Prp	Prp	Prp		PRP-004, Zm. X
10/205Z	R	0,23	Prp	Prp	Prp	Prp	park	PRP-004, Zm. X
10/206P	R	0,12	Prp	Prp	Prp	Prp	park	PRP-004, Zm. X
10/207Z	P	0,36	Prp	Prp	Prp	Prp		PRP-004, Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
<u>10/208P</u>	<u>V</u>	<u>0,37</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>		<u>PRP-004, Zm. X</u>
<u>10/209S</u>	<u>V</u>	<u>3,79</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>10/216P</u>	<u>B</u>	<u>0,35</u>	<u>11/15</u>	<u>60 %</u>	<u>Bn</u>	<u>35 %</u>		<u>Zm. X</u>
Lokalita 11 – Holice								
11/001S	B	7,47	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		
11/002S	O	0,48	<u>7/10PV</u>	–	a	–		
11/003S	P	4,19	–	–	–	–		
11/004S	O	0,34	<u>7/10PV</u>	–	s	–		
11/005S	B	5,04	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		
11/006S	O	0,59	<u>7/10PV</u>	–	<u>vBe</u>	–		
11/007S	B	2,92	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		
11/008S	O	0,5	<u>7/10PV</u>	–	<u>vBe</u>	–	<u>hřbitov</u>	<u>zeleně hřbitovů</u>
11/009S	P	0,99	–	–	–	–		
11/010P	B	2,15	<u>11/15</u>	<u>do 55 %55 %</u>	<u>bBn</u>	15 %		
11/011S	B	1,38	<u>10/14PV</u>	<u>E%</u>	<u>aBe</u>	<u>e%</u>		
11/012S	B	0,3	<u>10/14PV</u>	<u>E%</u>	<u>aBe</u>	<u>e%</u>		
11/013S	B	2,18	<u>10/14PV</u>	<u>E%</u>	<u>aBe</u>	<u>e%</u>		
11/014S	O	6,05	<u>10/14PV</u>	–	a	–		
11/015S	P	0,23	–	–	–	–		
11/016Z	P	0,47	–	–	–	–		
11/017Z	O	0,52	<u>11/15</u>	<u>do 40 %40 %</u>	<u>a</u>	20 %		
11/018Z	B	3,01	<u>10/147/10</u>	<u>40–35 %40 %</u>	<u>bBn</u>	<u>40 %30 %</u>		<u>RP-28, Zm. I/01, US-159</u>
11/019Z	B	0,77	<u>10/147/10</u>	<u>45–40 %40 %</u>	<u>bBn</u>	30 %		<u>RP-28, Zm. I/01, US-159</u>
11/020S	B	0,97	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
11/021S	B	<u>2,792,83</u>	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
11/022Z	B	1,62	<u>10/147/10</u>	<u>45–40 %40 %</u>	<u>bBn</u>	30 %		<u>RP-28, Zm. I/01, US-159</u>
11/023Z	P	0,38	–	–	–	–		<u>RP-28, Zm. I/01</u>
11/024Z	B	1,4	<u>10/147/10</u>	<u>45–40 %40 %</u>	<u>bBn</u>	30 %		<u>RP-28, Zm. I/01, US-159</u>
11/025Z	D	1,86	–	–	–	–		
11/026S	B	<u>1,381,42</u>	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
11/027S	B	1,69	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
11/028S	B	1,17	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
11/029S	P	<u>1,661,57</u>	–	–	–	–		<u>Zm. X</u>
11/030S	P	1,1	–	–	–	–		<u>US-74</u>
11/031S	D	0,98	–	–	–	–		
11/032S	B	0,13	<u>10/14PV</u>	<u>E%</u>	<u>sBe</u>	<u>e%</u>		
11/033S	B	0,51	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
11/034S	P	<u>2,422,03</u>	–	–	–	–		<u>Zm. X</u>
11/035S	B	<u>1,481,57</u>	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
11/036S	B	<u>1,491,6</u>	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
11/037S	B	<u>2,692,82</u>	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
11/038S	B	<u>1,181,24</u>	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
11/039S	B	1,72	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
11/040Z	D	0,89	–	–	–	–		
11/041S	B	<u>1,061,1</u>	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
11/042S	D	<u>2,562,52</u>	–	–	–	–		<u>US-94Zm. X</u>
<u>11/043S1</u> <u>1/043P</u>	B	<u>3,71,61</u>	<u>11/15</u>	–	a	–		<u>Zm. X</u>
11/044S	B	<u>0,750,78</u>	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
11/045S	P	<u>0,450,4</u>	–	–	–	–		<u>Zm. X</u>
11/046S	B	<u>2,081,85</u>	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
11/047S	B	0,24	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
11/048S	D	0,82	–	–	–	–		
11/049S	B	0,13	<u>10/14PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		
11/050S	R	0,18	<u>5/7PV</u>	–	s	–	<u>park</u>	<u>zeleně-parková</u>
11/051S	B	0,36	<u>10/14PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		
11/052P	B	1,41	<u>10/147/10</u>	<u>do 55 %40 %</u>	<u>bBn</u>	<u>15 %30 %</u>		<u>US-74</u>
11/053P	B	0,28	<u>10/147/10</u>	<u>do 55 %40 %</u>	<u>bBn</u>	<u>15 %30 %</u>		<u>US-74</u>
11/054P	D	1,34	–	–	–	–		
11/055Z	D	0,25	–	–	–	–		
11/056Z	V	1,96	11/11	<u>do 55 %55 %</u>	a	15 %		US-124, Zm. I/01

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
11/057S1 1/057P	V	2,512,23	11/1130/30	55 %	a	15 %		Zm. I/01 <u>Zm. X</u>
11/058Z	P	1,720,37	–	–	–	–		Zm. I/01 <u>Zm. X</u>
11/059Z	V	1,181,76	11/11	do 55 % <u>55 %</u>	a	15 %		Zm. I/01 <u>Zm. X</u>
11/060Z	V	4,333,17	11/11	do 55 % <u>55 %</u>	a	15 %		US-125, Zm. I/01 <u>Zm. X</u>
11/061S	V	7,0617,9	11/11PV	–	a	–	sběrný dvůr	Zm. X
11/062P	P	0,280	–	–	–	–		
11/063S	B	0,31	7/10PV	E%	vBe	e%		
11/064S	P	1,92	–	–	–	–		
11/065S	V	9,840	11/11	–	a	–		
11/066S	P	1,271,48	–	–	–	–		<u>Zm. X</u>
11/067S	V	12,28	11/11PV	–	a	–		
11/068S	B	0,84	7/10PV	E%	vBe	e%		
11/069S1 1/069P	B	4,94	14/18	–	a	–		US-143 <u>Zm. X</u>
11/070Z	B	0,38	10/147/10	15–40 % <u>40 %</u>	bBn	30 %		RP-28 <u>Zm. I/01</u> <u>US-158</u>
11/071S	D	1,81,91	–	–	–	–		<u>Zm. X</u>
11/072S	B	0,24	7/10PV	E%	bBe	e%		
11/073S	P	3,234,65	–	–	–	–		<u>Zm. X</u>
11/074P	B	0,760,74	7/10	15–40 % <u>40 %</u>	bBn	30 %		<u>Zm. X</u>
11/075S	B	1,65	7/10PV	E%	bBe	e%		
11/076S	B	2,25	7/10PV	E%	bBe	e%		
11/077S	B	1,07	7/10PV	E%	vBe	e%		
11/078Z1 1/078S	B	0,760,41	7/10PV	15–35 % <u>E%</u>	bBe	40 % <u>e%</u>		<u>Zm. X</u>
11/079Z	P	0,170	–	–	–	–		
11/080Z	B	3,884,46	11/15	do 55 % <u>55 %</u>	bBn	15 %		US-122 <u>Zm. I/01</u> <u>Zm. X</u>
11/081S	B	0,25	10/14PV	E%	bBe	e%		US-122 <u>Zm. I/01</u>
11/082S	B	3,082,35	7/10PV	E%	bBe	e%		<u>Zm. X</u>
11/083S	B	2,692,84	7/10PV	E%	bBe	e%		US-122 <u>Zm. I/01</u> <u>Zm. X</u>
11/084P	B	0,370,41	7/10	10–35 % <u>40 %</u>	bBn	40 % <u>30 %</u>		US-122 <u>Zm. I/01</u> <u>Zm. X</u>
11/085Z	B	0,880,39	7/10	10–35 % <u>40 %</u>	bBn	40 % <u>30 %</u>		US-122 <u>Zm. I/01</u> <u>Zm. X</u>
11/086S	B	0,40,56	7/10PV	E%	bBe	e%		US-122 <u>Zm. I/01</u> <u>Zm. X</u>
11/087Z1 1/087S	B	1,860,38	7/10PV	15–40 % <u>E%</u>	bBe	30 % <u>e%</u>		<u>Zm. X</u>
11/088Z	Z	2,112,55	3/5	do 10 % <u>C%</u>	–	50 %	chatová osada	<u>Zm. X</u>
11/089Z	P	1,971,96	–	–	–	–		US-37 <u>Zm. X</u>
11/090P	O	2,06	5/7	do 30 % <u>30 %</u>	a	30 %	kemp	<u>US-37</u>
11/091P	O	0,82	5/7	do 20 % <u>20 %</u>	a	40 %	kemp	<u>US-37</u>
11/092S	Z	0,55	3/5PV	E%	–	e%	chatová osada	
11/093N	L	1,030,88	–	–	–	–		<u>Zm. X</u>
11/094Z	P	0,930	–	–	–	–		
11/095S	Z	0,310,28	3/5PV	E%	–	e%		<u>Zm. X</u>
11/097K	R	1-130	–	–	–	–		zeleň rekreační krajiny
11/098K	R	2,359,57	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny <u>US-37</u> <u>Zm. X</u>
11/099N	R	0,84	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny <u>US-37</u>
11/100N	N	14,3843,59	–	–	–	–		<u>Zm. X</u>
11/101N	D	4,79	–	–	–	–		
11/102N	N	18,96	–	–	–	–		
11/103Z	V	25,0825,49	15/15	do 55 % <u>55 %</u>	a	15 %		US-112, etapizace <u>Zm. I/01</u> <u>ET-17</u> <u>Zm. X</u>
11/104S	B	0,61	15/15PV	E%	aBe	e%		
11/105Z	R	0,540,53	5/7	do 3 % <u>3 %</u>	s	50 %	park	zeleň parková <u>Zm. X</u>
11/106Z	B	0,81	11/15	15–35 % <u>55 %</u>	bBn	40 % <u>15 %</u>		
11/107Z	P	0,31	–	–	–	–		
11/108N	D	2,76	–	–	–	–		<u>US-94</u>
11/109S	V	17,2823,08	15/15PV	–	a	–	logistika	<u>Zm. X</u>

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
11/110Z	V	5-140	19/19	do-55 %	a	15 %	logistika, specifická- výška 1	Zm. I/15
11/111Z	R	0,980	5/7	do-3 %	s	50 %		zeleň-parková
11/112Z	V	6,562,6	15/15	do-55-%55 %	a	15 %	logistika	Zm. X
11/113P	V	2,131,2	15/15	do-55-%55 %	a	15 %		Zm. X
11/114S	T	0,46	15/15PV	–	a	–		
11/115Z	D	13,3312,9	–	–	–	–		Zm. X
11/116Z	D	0,71	–	–	–	–		
11/117P	D	0,35	–	–	–	–		
11/118S	V	5,76	11/11PV	–	a	–		
11/119Z	V	8,89	11/11	do-55-%55 %	a	15 %		US-113, Zm. I/01
11/120Z	V	6,22	11/11	do-55-%55 %	a	15 %		
11/121S	D	2,45	–	–	–	–		US-94
11/122K	R	15-090	–	–	–	–		US-37, zeleň- rekreační krajiny
11/123N	N	20-040	–	–	–	–		UR-17 (V)
11/124Z	B	0,960,42	7/10	10-35-%40 %	bBn	40-%30 %		Zm. I/01, Zm. X
11/125Z	B	0,710,68	7/10	10-35-%40 %	bBn	40-%30 %		Zm. I/01, Zm. X
11/126Z	Z	0,90,92	3/5	do-10-%C%	–	50 %	chatová-osada	Zm. X
11/127S	B	0,75	10/14PV	E%	bBe	e%		
11/128N	W	0,88	–	–	–	–		US-37
11/129N	W	1,99	–	–	–	–		US-37
11/130S	W	0,750,77	–	–	–	–	chatová-osada	Zm. X
11/131Z	D	0,690	10/14	do-10 %	s	40 %	tramvajové-obratiště	US-122, US-94, Zm.- I/01
11/132Z	D	0,620	15/15	do-10 %	s	40 %	tramvajové-obratiště	US-112, US-94, Zm.- I/01
11/133Z	P	0,280,41	–	–	–	–		Zm. I/01, Zm. X
11/134Z	P	0,250,78	–	–	–	–		US-37US-37, Zm. X
11/135Z	P	0,51	–	–	–	–		RP-28, Zm. I/01, US- 159
11/136Z	P	0,16	–	–	–	–		RP-28, Zm. I/01, US- 159
11/137Z	B	0,450,44	7/10	10-35-%40 %	bBn	40-%30 %		Zm. I/01, Zm. X
11/138Z1 1/138S	B	0,410,4	7/10PV	10-35-%E%	bBe	40-%e%		Zm.-I/01Zm. X
11/139Z	B	0,360,35	7/10	10-35-%40 %	bBn	40-%30 %		Zm. I/01, Zm. X
11/140Z1 1/140P	B	1,020,53	7/10	10-35-%40 %	bBn	40-%30 %		Zm.-I/01DP-01, Zm. X
11/141Z	B	1,081,06	7/10	10-35-%40 %	bBn	40-%30 %		Zm. I/01, Zm. X
11/142Z	R	0,110,1	5/7	do-3-%3 %	s	50 %	park	zeleň-parková, Zm.- I/01, Zm. X
11/143Z	R	0,230,1	5/7	do-3-%3 %	s	50 %	park	zeleň-parková, Zm.- I/01, Zm. X
11/144P	P	0,49	=	=	=	=		Zm. X
11/145P	V	0,32	11/11	55 %	=	15 %		Zm. X
11/145Z	P	0,44	=	=	=	=		Zm. X
11/147P	P	0,22	=	=	=	=		Zm. X
11/148P	B	1,87	11/15	=	=	=		Zm. X
11/149P	B	0,97	7/10	40 %	Bn	30 %		Zm. X
11/150Z	V	0,35	15/15	55 %	=	15 %		Zm. X
11/151S	P	0,31	=	=	=	=		Zm. X
11/152S	V	4,97	PV	=	=	=		Zm. X
11/153S	B	0,38	PV	E%	Be	e%		Zm. X
11/154S	R	0,1	PV	=	=	=	park	Zm. X
11/155S	B	0,42	PV	E%	Be	e%		Zm. X
11/156S	B	0,5	PV	E%	Be	e%		Zm. X
11/157P	P	0,03	=	=	=	=		Zm. X
11/158Z	P	0,45	=	=	=	=		Zm. X
11/159S	B	0,26	PV	E%	Be	e%		Zm. X
11/160S	B	0,4	PV	E%	Be	e%		Zm. X
11/161S	B	0,31	PV	E%	Be	e%		Zm. X
11/162P	P	0,02	=	=	=	=		Zm. X
11/163P	B	0,25	11/15	50 %	Bn	30 %		US-170, Zm. X
Lokalita 12 – Nový svět a Šlechtitelů								
12/001S	B	4,924,5	10/14PV	E%	bBe	e%		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
12/002S	B	0,220,52	10/14PV	E%	bBe	e%		Zm. X
12/003S	B	0,47	10/14PV	E%	bBe	e%		
12/004S	B	0,24	10/14PV	E%	bBe	e%		
12/005S	B	0,860,46	10/14PV	E%	bBe	e%		Zm. X
12/006S	P	0,81,24	–	–	–	–		Zm. X
12/007S	B	42,56	13/17PV	E%	pSe	e%		Zm. X
12/008P1 2/008S	R	1,641,15	5/7PV	do 3 %	s	50 %	park	zeleň-parková Zm. X
12/009S	B	1,241,63	10/14PV	E%	bBe	e%		Zm. X
12/010P	B	0,350	10/14	15–40 %	b	30 %		
12/011P	P	0,150	–	–	–	–		
12/012P1 2/012S	O	0,460,52	10/14PV	15–40 %	b	30 %		Zm. X
12/013S	B	0,410,43	10/14PV	E%	bBe	e%		Zm. X
12/014S	P	0,420,87	–	–	–	–		Zm. X
12/015S	O	0,26	10/14PV	–	bBe	–		
12/016S	D	1,771,85	–	–	–	–		Zm. X
12/017S	B	0,7	10/14PV	E%	bBe	e%		
12/018S	B	0,52	10/14PV	E%	bBe	e%		
12/019S	B	2,8	10/14PV	E%	bBe	e%		
12/020P	B	1,47	10/147/10	15–40 %40 %	bBn	30 %		
12/021P	P	0,410,48	–	–	–	–		Zm. X
12/022P	B	0,17	10/147/10	15–40 %40 %	bBn	30 %		
12/023P	B	1,971,07	10/147/10	15–40 %40 %	bBn	30 %		Zm. X
12/024P	R	0,220	5/7	3 %	s	50 %		zeleň-parková
12/025P	P	0,13	–	–	–	–		
12/026P	B	0,16	11/117/10	15–45 %40 %	bBn	30 %		
12/027S1 2/027P	B	3,512,57	11/1111/15	40 %	aBn	20 %		US-154, Zm. X
12/028S	V	5,836,21	11/11PV	–	a	–	zemědělství, biologický odpad	Zm. X
12/029Z	B	10,178,37	7/10	10–35 %40 %	bBn	40 %30 %		US-110, etapizace, Zm. I/01, ET-36, Zm. X
12/030P	D	0,390	–	–	–	–		
12/031Z	D	1,661,41	–	–	–	–		Zm. X
12/032Z1 2/032S	T	0,520,51	7/10PV	do 55 %	a	15 %		Zm. X
12/033Z	B	0,9	7/10	10–35 %35 %	bBn	40 %		etapizace US-165, ET-10
12/034S	B	1,841,38	7/10PV	E%	bBe	e%		Zm. X
12/035S	B	0,450	7/10	–	b	–		
12/036S	P	0,60,66	–	–	–	–		Zm. X
12/037S	B	2,111,93	10/14PV	E%	bBe	e%		Zm. X
12/038P1 2/038S	D	0,20,36	–	–	–	–		Zm. X
12/039S	B	0,5	10/14PV	E%	bBe	e%		
12/040S	B	0,27	10/14PV	E%	bBe	e%		
12/041S	B	1,581,51	13/17PV	E%	pSe	e%		Zm. X
12/042K1 2/042N	D	1,93	–	–	–	–		Zm. X
12/043N	W	1,621,59	–	–	–	–		Zm. X
12/044S	B	1,281,43	5/7PV	E%	aBe	e%		Zm. X
12/045K	W	2,512,62	–	–	–	–		navržený ÚSES, Zm. XII, Zm. XII, Zm. X
12/046S	O	0,840,85	5/7PV	–	a	–		Zm. X
12/047K	W	0,370,43	–	–	–	–		Zm. XII, Zm. X
12/048Z	D	0,90,8	–	–	–	–		Zm. X
12/049K	W	1,180	–	–	–	–		US-42
12/050Z	O	1,621,7	5/7	do 20 %20 %	a	40 %	kemp	etapizace Zm. X
12/051N	P	0,230	–	–	–	–		
12/052K1 2/052N	W	0,690,5	–	–	–	–		Zm. X
12/053S1 2/053P	B	0,5	18/22	40 %	bBn	30 %		RP-16, Zm. I/01 US-163, Zm. X
12/054Z	B	5,265,56	18/22	10–40 %40 %	bBn	30 %		RP-15, etapizace, Zm. I/01, US-163, Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
12/055S	B	0,650,66	17/21PV	E%	bBe	e%		RP-15, Zm. I/01, Zm. X
12/056P	B	17,36	17/2129/29	40-40-%70 %	b	30-%10 %		US-42, RP-15US-162
12/057P1 2/057S	D	2,362,29	–	–	–	–		Zm. X
12/058S	P	0,48	–	–	–	–		
12/059S	B	0,36	17/21PV	E%	aBe	e%		
12/060S	B	2	17/21PV	E%	aBe	e%		
12/061S	D	0,69	–	–	–	–		US-42, US-43
12/062S	B	0,76	17/21PV	E%	aBe	e%		US-43
12/063S	D	2,9	–	–	–	–		US-43, US-93
12/064S	B	0,13	17/21PV	E%	aBe	e%		US-43
12/065S	B	0,22	17/21PV	E%	aBe	e%		
12/066S	B	0,37	17/21PV	E%	aBe	e%		
12/067S	P	1,261,17	–	–	–	–		US-43Zm. X
12/068S	B	0,93	17/21PV	E%	aBe	e%		US-43
12/069S	B	0,820,91	17/21PV	E%	aBe	e%		Zm. X
12/070S	B	0,29	17/21PV	E%	aBe	e%		US-43
12/071P1 2/071S	D	2,88	–	–	–	–		US-43, US-93Zm. X
12/072S	B	3,494,01	17/21PV	E%	aBe	e%		US-43Zm. X
12/073S	P	1,211,43	–	–	–	–		US-43Zm. X
12/074K1 2/074S	W	0,850,58	–	–	–	–		Zm. X
12/075S	V	9,799,05	15/15PV	–	a	–		US-43Zm. X
12/076Z	DV	8,397,95	15/15	do 55-%55 %	a	15 %	vozovna HD	US-93Zm. X
12/077S	V	4,932,78	15/15PV	–	a	–		Zm. X
12/078S	DP	0,63	–	–	–	–		US-93Zm. X
12/079S	V	2,63	15/15PV	–	a	–		
12/080Z	D	0,73	–	–	–	–		
12/081S	P	0,86	–	–	–	–		
12/082S	V	7,657,42	11/11PV	–	a	–		Zm. X
12/083P1 2/083S	V	4,134,08	11/11PV	do 55-%	a	15-%		Zm. X
12/084S	D	2,62	–	–	–	–		
12/085S	P	1,461,85	–	–	–	–		Zm. X
12/086S	D	3,113,5	–	–	–	–		US-93Zm. X
12/087S	V	3,19	11/11PV	–	a	–		Zm. I/29
12/088S	V	3,181,58	11/11PV	–	a	–		Zm. I/29, Zm. X
12/089P	O	3,283,11	11/11	do 40-%40 %	a	20 %	věda a výzkum	Zm. I/29, Zm. X
12/093S	O	10,6810,73	11/11SV06	–	a	–	specifická výška 2-(06)-věda a výzkum	Zm. I/29, Zm. X
12/095S	O	18,7918,69	11/11PV	–	a	–	věda a výzkum	Zm. X
12/096Z	O	1,22	11/11	do 40-%40 %	a	20 %		etapizaceET-10
12/097N	D	0,72	–	–	–	–		
12/098K	R	46,59	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny, Zm. XII
12/099K	W	3,27	–	–	–	–		Zm. XII
12/100K	W	1,84	–	–	–	–		navržený ÚSES, Zm. XII
12/101N	W	3,03	–	–	–	–		
12/102P	O	0,55	5/7	do 55-%55 %	s	15 %		
12/103N	P	1,05	–	–	–	–		
12/104N	D	3,443,6	–	–	–	–		Zm. X
12/106K1 2/106N	LR	32,8932,73	–	–	–	–	zeleň rekreační krajiny	Zm. X
12/107N	D	1,27	–	–	–	–		
12/108S	Z	1,27	3/5PV	E%	–	e%		
12/109N	N	34,61	–	–	–	–		
12/110N	D	1,8	–	–	–	–		
12/111N	N	45,11	–	–	–	–		
12/112Z	T	5,02	11/11	do 55-%55 %	a	15 %	odpadové hospodářství, bez ČS PHM	
12/113N	N	46,84	–	–	–	–		
12/114N	N	44,51	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
12/115N	D	3,23	–	–	–	–		
12/116N	D	6,67	–	–	–	–		
12/117S	B	1,95	<u>17/21PV</u>	<u>E%</u>	<u>aBe</u>	<u>e%</u>		
12/118S	B	0,4	<u>13/17PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
12/119S	V	<u>0,981,14</u>	<u>11/11PV</u>	–	<u>a</u>	–		<u>Zm. X</u>
12/120P	P	<u>0,570,64</u>	–	–	–	–		<u>Zm. X</u>
12/121S	B	<u>7,936,84</u>	<u>11/11PV</u>	<u>E%</u>	<u>aBe</u>	<u>e%</u>		<u>Zm. X</u>
12/122S	V	4,81	<u>11/11PV</u>	–	<u>a</u>	–		
12/123P	B	1,11	<u>11/15</u>	<u>do 40 %40 %</u>	<u>aBn</u>	20 %		<u>US-110, Zm. I/01</u>
12/124Z	B	<u>1,641,68</u>	<u>11/15</u>	<u>do 40 %40 %</u>	<u>bBn</u>	20 %		<u>US-110, etapizace, Zm. I/01, ET-36, Zm. X</u>
12/125Z	P	<u>0,320,52</u>	–	–	–	–		<u>US-110, Zm. I/01, Zm. X</u>
12/126P	P	0,34	–	–	–	–		<u>US-110, Zm. I/01</u>
12/127P	B	0,74	7/10	<u>40–35 %40 %</u>	<u>a</u>	<u>40 %30 %</u>		<u>US-110, Zm. I/01</u>
<u>12/128P1</u> <u>2/128S</u>	B	<u>0,830,39</u>	<u>10/14PV</u>	<u>do 40 %E%</u>	<u>bBe</u>	<u>20 %e%</u>		<u>Zm. X</u>
12/129K	N	2,34	–	–	–	–		<u>navržený ÚSES</u>
12/130K	W	1,43	–	–	–	–		<u>navržený ÚSES, zeleň rekreačních nábreží</u>
12/131N	W	4,09	–	–	–	–		
12/132K	N	4,61	–	–	–	–		<u>navržený ÚSES</u>
12/133K	W	1,62	–	–	–	–		
12/134K	W	1,84	–	–	–	–		<u>navržený ÚSES</u>
12/135N	W	4,58	–	–	–	–		
12/136K	W	<u>4,474,58</u>	–	–	–	–		<u>Zm. XII, Zm. X</u>
12/137Z	R	<u>0,460,4</u>	5/7	<u>do 3 %3 %</u>	<u>s</u>	50 %	<u>park</u>	<u>zeleň parková, etapizaceZm. X</u>
12/138K	W	11,23	–	–	–	–		<u>Zm. XII</u>
12/139N	W	0,68	–	–	–	–		<u>Zm. XII</u>
12/140K	R	12,65	–	–	–	–	<u>zeleň rekreační krajiny</u>	<u>navržený ÚSES, zeleň rekreační krajiny</u>
12/141N	W	4,4	–	–	–	–		
12/142N	W	<u>1,282,26</u>	–	–	–	–		<u>US-42Zm. X</u>
<u>12/143P1</u> <u>2/143S</u>	<u>DR</u>	<u>1,341,17</u>	<u>PV</u>	–	–	–	<u>tramvajové- obrátištěpark</u>	<u>US-93Zm. X</u>
12/144S	D	0,44	–	–	–	–		<u>US-43</u>
<u>12/145S</u>	<u>V</u>	<u>0,110</u>	<u>11/11</u>	–	<u>a</u>	–		<u>UR-60 (P)</u>
<u>12/146Z</u>	<u>P</u>	<u>0,44</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>12/147P</u>	<u>B</u>	<u>1,5</u>	<u>11/15</u>	<u>40 %</u>	<u>Bn</u>	<u>30 %</u>		<u>Zm. X</u>
<u>12/148S</u>	<u>B</u>	<u>0,65</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		<u>Zm. X</u>
<u>12/149S</u>	<u>V</u>	<u>1,5</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>12/150S</u>	<u>B</u>	<u>1,45</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		<u>Zm. X</u>
<u>12/151S</u>	<u>B</u>	<u>0,69</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		<u>Zm. X</u>
<u>12/152S</u>	<u>B</u>	<u>0,4</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		<u>Zm. X</u>
<u>12/153Z</u>	<u>B</u>	<u>1,56</u>	<u>7/10</u>	<u>40 %</u>	<u>Bn</u>	<u>30 %</u>		<u>ET-36, Zm. X</u>
<u>12/160N</u>	<u>P</u>	<u>0,23</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>12/154P</u>	<u>B</u>	<u>0,33</u>	<u>7/10</u>	<u>35 %</u>	<u>Bn</u>	<u>40 %</u>		<u>Zm. X</u>
<u>12/164Z</u>	<u>P</u>	<u>0,06</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>12/155P</u>	<u>B</u>	<u>1,05</u>	<u>7/10</u>	<u>40 %</u>	<u>Bn</u>	<u>30 %</u>		<u>Zm. X</u>
<u>12/156P</u>	<u>B</u>	<u>0,3</u>	<u>7/10</u>	<u>40 %</u>	<u>Bn</u>	<u>30 %</u>		<u>Zm. X</u>
<u>12/157P</u>	<u>B</u>	<u>0,28</u>	<u>7/10</u>	<u>40 %</u>	<u>Bn</u>	<u>30 %</u>		<u>Zm. X</u>
<u>12/158P</u>	<u>B</u>	<u>0,3</u>	<u>7/10</u>	<u>40 %</u>	<u>Bn</u>	<u>30 %</u>		<u>Zm. X</u>
<u>12/159P</u>	<u>P</u>	<u>0,25</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>12/161P</u>	<u>P</u>	<u>0,11</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>12/162S</u>	<u>B</u>	<u>0,72</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		<u>Zm. X</u>
<u>12/163P</u>	<u>P</u>	<u>0,25</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
Lokalita 13 – Povel, Slavonín-sever a Nové Sady-sever								
13/001S	B	<u>3,622,28</u>	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		<u>RP-19, Zm. I/33, Zm. X</u>
13/002S	B	0,43	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		<u>RP-19</u>
13/003S	R	<u>1,160,93</u>	<u>5/7PV</u>	–	<u>s</u>	–	<u>park</u>	<u>RP-19, zeleň- parkováZm. X</u>

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
13/004S	B	0,430,94	13/17PV	E%	bBe	e%		RP-19Zm. X
13/005S	P	0,570,51	—	—	—	—		RP-19Zm. X
13/006S	B	1,21	13/17PV	E%	pSe	e%		RP-19
13/007S	P	4,133,79	—	—	—	—		RP-19, RP-20Zm. X
13/008S	O	2,32	13/17PV	—	a	—		RP-19
13/009S	P	1,332,18	—	—	—	—		RP-19Zm. X
13/010S	B	2,592,73	13/17PV	E%	pSe	e%		RP-19Zm. X
13/011S	B	2,172,09	13/17PV	E%	pSe	e%		RP-19Zm. X
13/012S	P	0,32	—	—	—	—		RP-19
13/013S	B	1,531,49	13/17PV	E%	pSe	e%		RP-19Zm. X
13/014S	B	1,191,32	7/10PV	E%	bBe	e%		Zm. X
13/015S	P	0,690,64	—	—	—	—		Zm. X
13/016S	B	5,49	7/10PV	E%	bBe	e%		
13/017S	D	2,042,01	—	—	—	—		Zm. X
13/018N	W	1,662,26	—	—	—	—		Zm. X
13/019S	O	1,891,92	13/17PV	—	a	—		Zm. X
13/020S	B	0,77	13/17PV	E%	bBe	e%		RP-20
13/021S	O	2,76	13/17PV	—	a	—		RP-20
13/022S	R	3,082,88	5/7PV	—	s	—	park	RP-20, zeleň- parkováZm. X
13/023S	B	1,791,44	13/17PV	E%	pSe	e%		RP-19, RP-20Zm. X
13/024S	B	1,63	13/17PV	E%	pSe	e%		
13/025S	B	2,06	13/17PV	E%	pSe	e%		RP-20
13/026P	B	1,18	14/18	do 50 %50 %	sBn	10 %		RP-20
13/027S	B	0,64	13/17PV	E%	pSe	e%		RP-20
13/028S	B	0,87	13/17PV	E%	pSe	e%		
13/029S	B	0,46	13/17PV	E%	pSe	e%		
13/030S	B	0,34	13/17PV	E%	pSe	e%		
13/031S	B	0,620,41	13/17PV	E%	pSe	e%		Zm. X
13/032S	B	1,420,49	13/17PV	E%	pSe	e%		Zm. X
13/033S	B	0,751	10/14PV	E%	bBe	e%		Zm. X
13/034S	B	0,820,57	13/17PV	E%	bBe	e%		Zm. X
13/035S	D	1,591,61	—	—	—	—		Zm. X
13/036S	B	2,03	10/14PV	E%	bBe	e%		
13/037Z1 3/037S	D	2,642,32	—	—	—	—		US-91, Zm. I/33Zm. X
13/038S	B	1,450,3	13/17PV	E%	bBe	e%		RP-18, Zm. I/33, Zm. X
13/039Z	P	0,320	—	—	—	—		RP-18, etapizace, Zm. I/33
13/040S	O	0,290,37	13/17PV	—	a	—		RP-17Zm. X
13/041Z	B	11,64,19	14/18	10-40 %45 %	bBn	30 %25 %		RP-18, etapizace, Zm. I/33, US-152, ET- 32, Zm. X
13/042S	B	4,284,25	7/10PV	E%	bBe	e%		Zm. X
13/043Z	P	2,820,84	—	—	—	—		RP-18, US-106Zm. X
13/044Z	B	1,761,17	14/18	15-45 %45 %	bBn	30 %		RP-18, etapizace, Zm. I/33, US-155, ET- 33, Zm. X
13/045Z	B	2,510,81	11/15	10-35 %40 %	bBn	40 %30 %		US-106, Zm. III, ET- 30, Zm. X
13/046S	B	1,26	10/14PV	E%	bBe	e%		
13/047S	B	0,390,41	10/14PV	E%	bBe	e%		Zm. X
13/048S	B	1,181,2	10/14PV	E%	bBe	e%		Zm. X
13/049S	B	3,612,47	10/14PV	E%	bBe	e%		Zm. X
13/050S	P	1,031,32	—	—	—	—		Zm. X
13/051S	B	4,694,09	10/14PV	E%	bBe	e%		Zm. X
13/052S	D	1,721,71	—	—	—	—		Zm. X
13/053S	P	2,654,26	—	—	—	—		Zm. X
13/054S	D	1,55	—	—	—	—		
13/055S	B	1,77	11/11PV	E%	aBe	e%		
13/056S	B	52,7	10/14PV	E%	bBe	e%		Zm. X
13/057S	O	0,270,39	10/14PV	—	bBe	—		Zm. X
13/058S	B	0,920,93	10/14PV	E%	bBe	e%		Zm. X
13/059S	B	0,84	10/14PV	E%	bBe	e%		
13/060S	B	0,670,54	10/14PV	E%	bBe	e%		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
13/061S	D	0,29	–	–	–	–		
13/062Z	B	1,84 <u>1,4</u>	11/15	10-35 % <u>40 %</u>	bBn	40 % <u>30 %</u>		US-106ET-30, Zm. X
13/063S	B	0,78	10/14 <u>PV</u>	E%	bBe	e%		US-106
13/064Z	B	7,794 <u>8</u>	14/18	10-35 % <u>45 %</u>	bBn	40 % <u>25 %</u>		RP-18, Zm. I/03, <u>US-151, ET-29, Zm. X</u>
13/065Z	B	0,460	10/14	10-35 %	b	40 %		
13/066S	B	0,21 <u>0,68</u>	10/14 <u>PV</u>	E%	bBe	e%		<u>Zm. X</u>
13/067S	O	1	13/17 <u>PV</u>	–	a	–		
13/068S	B	2,72 <u>7,6</u>	13/17 <u>PV</u>	E%	bBe	e%		<u>Zm. X</u>
13/069Z 3/069S	B	1,660 <u>8,7</u>	10/14 <u>PV</u>	15-40 % <u>E%</u>	bBe	30 % <u>e%</u>		US-106 <u>Zm. X</u>
13/070S	B	3,443 <u>2,29</u>	10/14 <u>PV</u>	E%	bBe	e%		US-106 <u>Zm. X</u>
13/071S	B	1,011 <u>1,14</u>	13/17 <u>PV</u>	E%	bBe	e%		<u>Zm. X</u>
13/072Z	D	2,841 <u>3,36</u>	Prp	Prp	Prp	Prp		<u>PRP-002, Zm. X</u>
13/073S	D	0,510 <u>4,8</u>	–	–	–	–		Zm. I/33, <u>Zm. X</u>
13/074S	B	2,89	13/17 <u>PV</u>	E%	pSe	e%		RP-17, Zm. I/33
13/075S	R	0,35	5/7 <u>PV</u>	–	s	–	<u>park</u>	RP-17, zeleň-parková
13/076S	B	0,43	13/17 <u>PV</u>	E%	bBe	e%		RP-17
13/077S	B	0,292 <u>2</u>	13/17 <u>PV</u>	E%	bBe	e%		US-07 <u>Zm. X</u>
13/078Z 3/078S	B <u>R</u>	2,060 <u>1,19</u>	13/17 <u>PV</u>	15-45 %	b	30 %	<u>park</u>	US-07 <u>Zm. X</u>
13/079Z 3/079P	P	0,210 <u>1,13</u>	Prp	Prp	Prp	Prp		US-07PRP-002, Zm. X
13/080Z 3/080S	B	0,440 <u>3,35</u>	23/23 <u>Prp</u>	15-45 % <u>Prp</u>	bPrp	30 % <u>Prp</u>	specifická výška 4	US-07, Zm. I/14PRP-002, <u>Zm. X</u>
13/081P	B	0,70 <u>6,8</u>	20/20 <u>Prp</u>	15-45 % <u>Prp</u>	bPrp	30 % <u>Prp</u>	specifická výška 4	US-07, Zm. I/14, <u>PRP-002, Zm. X</u>
13/082Z	B	0,790 <u>7,6</u>	13/17 <u>Prp</u>	15-45 % <u>Prp</u>	bPrp	30 % <u>Prp</u>		US-07PRP-002, Zm. X
13/083Z	P	0,520 <u>3,35</u>	Prp	Prp	Prp	Prp		US-07PRP-002, Zm. X
13/084Z	B	1,521 <u>2,27</u>	13/17 <u>Prp</u>	15-45 % <u>Prp</u>	bPrp	30 % <u>Prp</u>		US-07PRP-002, Zm. X
13/085P	B	1,13	23/23 <u>Prp</u>	15-45 % <u>Prp</u>	bPrp	30 % <u>Prp</u>	specifická výška 4	US-07, Zm. I/14, <u>PRP-002</u>
13/086Z 3/086S	B	10 <u>9,9</u>	23/23 <u>Prp</u>	15-45 % <u>Prp</u>	bPrp	30 % <u>Prp</u>	specifická výška 4	US-07, Zm. I/14PRP-002, <u>Zm. X</u>
13/087S	B	0,490 <u>5,1</u>	13/17 <u>PV</u>	E%	sBe	e%		RP-17 <u>Zm. X</u>
13/088S	B	0,460 <u>4,8</u>	13/17 <u>PV</u>	E%	pSe	e%		RP-17 <u>Zm. X</u>
13/089S	B	0,610 <u>6,3</u>	13/17 <u>PV</u>	E%	pSe	e%		RP-17 <u>Zm. X</u>
13/090S	B	1,181 <u>1,16</u>	13/17 <u>PV</u>	E%	pSe	e%		RP-17 <u>Zm. X</u>
13/091S	B	0,73	13/17 <u>PV</u>	E%	sBe	e%		RP-17
13/092S	P	6,567 <u>0,9</u>	Prp	Prp	Prp	Prp		US-41, RP-17PRP-002, Zm. X
13/093S	D	3,85	–	–	–	–		US-89
13/094S	B	1,21	13/17 <u>PV</u>	E%	pSe	e%		RP-17
13/095S	O	4,3	13/17 <u>PV</u>	–	a	–		RP-17
13/096S	R	0,59	5/7 <u>PV</u>	–	s	–	<u>park</u>	RP-17, zeleň-parková
13/097S	B	1,42	13/17 <u>PV</u>	E%	pSe	e%		RP-17
13/098S	B	0,81	13/17 <u>PV</u>	E%	pSe	e%		US-41, RP-17
13/099P	D	0,61	–	–	–	–		US-41 <u>US-145</u>
13/100S	B	0,65	13/17 <u>PV</u>	E%	bBe	e%		US-41, RP-17
13/101S	B	0,73	13/17 <u>PV</u>	E%	bBe	e%		US-41, RP-17
13/102S	B	0,94	13/17 <u>PV</u>	E%	pSe	e%		RP-17
13/103S	B	0,410 <u>2,29</u>	13/17 <u>PV</u>	E%	bBe	e%		RP-17 <u>Zm. X</u>
13/104S	B	1,23	13/17 <u>PV</u>	E%	pSe	e%		RP-17
13/105S	O	0,4	13/17 <u>PV</u>	–	a	–		RP-17
13/106S	O	0,62	13/17 <u>PV</u>	–	a	–		RP-17
13/107S	R	0,26	5/7 <u>PV</u>	–	s	–	<u>park</u>	RP-17, zeleň-parková
13/108S	B	2,04	13/17 <u>PV</u>	E%	pSe	e%		RP-17
13/109S	B	0,61	13/17 <u>PV</u>	E%	pSe	e%		RP-17
13/110S	B	0,45	13/17 <u>PV</u>	E%	bBe	e%		RP-17
13/111S	R	0,28	5/7 <u>PV</u>	–	s	–	<u>park</u>	RP-17, zeleň-parková
13/112S	B	0,5	13/17 <u>PV</u>	E%	bBe	e%		RP-17
13/113S	O	0,65	13/17 <u>PV</u>	–	a	–		RP-17

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
13/114S	B	0,43	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		US-41, RP-17
13/115N	W	<u>2,025,76</u>	–	–	–	–		US-42Zm. X
13/116S	B	0,37	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		US-41, RP-17
13/117S	B	1,57	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		RP-17
13/118S	R	0,23	<u>5/7PV</u>	–	s	–	<u>park</u>	RP-17, zeleň-parková
13/119S	B	0,2	<u>13/17PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		RP-17
13/120S	B	0,24	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		RP-17
13/121S	D	<u>1,20,97</u>	–	–	–	–		US-41, US-42, US-91, Zm. I/33, Zm. X
13/122S	O	<u>2,92,97</u>	<u>13/17PV</u>	–	a	–		US-42, RP-16Zm. X
<u>13/123P</u>	<u>W</u>	<u>2 050</u>	–	–	–	–		
13/124S	B	<u>2,462,52</u>	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		US-42, RP-16, Zm. I/33, Zm. X
13/125S	P	<u>2,082,15</u>	–	–	–	–		US-42, RP-16, Zm. I/33, Zm. X
13/126S	B	3,5	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		RP-16
13/127S	B	0,32	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		RP-16
13/128S	O	0,84	<u>13/17PV</u>	–	a	–		RP-16
13/129S	B	<u>0,220,25</u>	<u>13/17PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		RP-16Zm. X
13/130S	O	<u>1,81,88</u>	<u>13/17PV</u>	–	a	–		RP-16, Zm. I/33, Zm. X
13/131S	B	0,18	<u>13/17PV</u>	<u>E%</u>	<u>sBe</u>	<u>e%</u>		RP-16, Zm. I/33
<u>13/132P1</u> <u>3/132S</u>	D	<u>3,081,86</u>	–	–	–	–		US-91, Zm. I/33Zm. X
13/133S	B	0,54	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		RP-16, Zm. I/33
13/134S	B	<u>5,565,68</u>	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		RP-16, Zm. I/33, Zm. X
13/135S	R	0,74	<u>5/7PV</u>	–	s	–	<u>park</u>	RP-16, zeleň-parková
13/136S	O	0,27	<u>13/17PV</u>	–	<u>pSe</u>	–		RP-16
13/137S	R	0,34	<u>5/7PV</u>	–	s	–	<u>park</u>	RP-16, zeleň-parková
13/138S	O	0,37	<u>13/17PV</u>	–	a	–		RP-16
13/139S	B	<u>0,130,32</u>	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		RP-16, Zm. I/33, Zm. X
13/140S	D	<u>0,631,34</u>	–	–	–	–		US-42, US-91, Zm. I/33, Zm. X
13/141S	B	1,1	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
<u>13/142K</u>	<u>W</u>	<u>1 410</u>	–	–	–	–		US-42
13/143S	O	5,12	<u>13/17PV</u>	–	a	–		US-42
13/144S	B	0,28	<u>13/17PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
13/145S	P	0,43	–	–	–	–		
13/146P	P	0,25	–	–	–	–		
<u>13/147K</u>	<u>W</u>	<u>2 340</u>	–	–	–	–		US-42, zeleň-rekreačních nábřeží
13/148S	B	1,21	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
13/149S	B	<u>1,021,1</u>	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		Zm. X
13/150S	R	0,19	<u>5/7PV</u>	–	s	–	<u>park</u>	RP-17, zeleň-parková
13/151Z	B	<u>2,080,5</u>	<u>11/15</u>	<u>10–35–%40 %</u>	<u>bBn</u>	<u>40–%30 %</u>		US-106Zm. X
13/152Z	B	<u>0,840,68</u>	<u>11/15</u>	<u>10–35–%40 %</u>	<u>bBn</u>	<u>40–%30 %</u>		US-106ET-30, Zm. X
13/153Z	B	1,93	<u>11/15</u>	<u>10–35–%40 %</u>	<u>bBn</u>	<u>40–%30 %</u>		US-106ET-30
13/154P	B	0,57	<u>10/147/10</u>	<u>15–40–%40 %</u>	<u>bBn</u>	30 %		
13/155Z	D	<u>0,71,63</u>	<u>14/18</u>	<u>do-10 %</u>	<u>s</u>	<u>40 %</u>	tramvajové obratiště	US-91, Zm. I/33, Zm. X
13/156Z	P	<u>0,810,31</u>	–	–	–	–		US-106, Zm. III, Zm. X
13/157Z	P	<u>0,210,09</u>	–	–	–	–		US-106Zm. X
13/158Z	P	<u>0,180,19</u>	–	–	–	–		US-106Zm. X
13/159Z	P	<u>0,340,42</u>	–	–	–	–		US-155, Zm. X
<u>13/160S1</u> <u>3/160P</u>	<u>ZR</u>	<u>0,890,85</u>	<u>3/55/7</u>	<u>3 %</u>	–	50 %	<u>park</u>	UR-61 (R)Zm. X
13/161Z	B	<u>0,410,23</u>	<u>14/18</u>	<u>do-50–%50 %</u>	<u>s</u>	10 %		Zm. I/33 US-155, Zm. X
<u>13/164S</u>	<u>O</u>	<u>0,73</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>		Zm. X
<u>13/165S</u>	<u>B</u>	<u>1,16</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		Zm. X
<u>13/166P</u>	<u>P</u>	<u>0,08</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>		PRP-002, Zm. X
<u>13/167S</u>	<u>B</u>	<u>0,63</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
13/168S	B	0,23	PV	E%	Be	e%		Zm. X
13/169Z	R	0,18	5/7	3 %	=	50 %	park	Zm. X
13/170Z	B	0,3	11/15	40 %	Bn	30 %		ET-30, Zm. X
13/171S	B	0,64	PV	E%	Be	e%		Zm. X
13/172S	B	0,58	PV	E%	Be	e%		Zm. X
13/173S	B	0,36	PV	E%	Be	e%		Zm. X
13/174S	B	0,39	PV	E%	Be	e%		Zm. X
13/175S	B	0,18	PV	E%	Be	e%		Zm. X
13/176P	B	0,77	11/15	40 %	Bn	30 %		Zm. X
13/177P	B	2,17	7/10	40 %	Bn	30 %		US-144, Zm. X
13/178P	B	1,16	7/10	40 %	Bn	30 %		US-147, Zm. X
13/179P	B	0,68	7/10	40 %	Bn	30 %		Zm. X
13/180S	P	0,2	=	=	=	=		Zm. X
13/181S	B	1,05	PV	E%	Be	e%		Zm. X
13/182Z	R	2,56	5/7	3 %	=	50 %	park	US-151, Zm. X
13/183Z	R	2,4	5/7	3 %	=	50 %	park	US-152, Zm. X
13/184Z	B	1,75	14/18	45 %	Bn	25 %		US-155, ET-31, Zm. X
13/185Z	P	0,52	=	=	=	=		US-156, Zm. X
13/186Z	P	0,37	=	=	=	=		Zm. X
13/187P	P	0,11	=	=	=	=		Zm. X
13/188S	B	0,24	PV	E%	Be	e%		Zm. X
13/189S	B	1,15	PV	E%	Be	e%		Zm. X
13/190P	P	0,14	=	=	=	=		Zm. X
13/191Z	D	0,25	Prp	Prp	Prp	Prp		PRP-002, Zm. X
13/192P	D	0,24	=	=	=	=		Zm. X
13/193P	D	0,3	Prp	Prp	Prp	Prp		PRP-002, Zm. X
13/194Z	P	0,32	=	=	=	=		Zm. X
13/195Z	P	0,48	=	=	=	=		Zm. X
13/196Z	P	0,56	=	=	=	=		Zm. X
13/197Z	P	0,89	=	=	=	=		Zm. X
13/198Z	B	2,6	14/18	45 %	Bn	25 %		US-152, ET-32, Zm. X
Lokalita 14 – Tabulový vrch a Nová Ulice								
14/001S	B	4,96	13/17PV	E%	pSe	e%		RP-22
14/002S	R	2,27	5/7PV	–	s	–	park	RP-22, zeleň-parková
14/003S	B	4,19	13/17PV	E%	pSe	e%		RP-22
14/004S	R	0,47	5/7PV	–	s	–	park	RP-22, zeleň-parková
14/005S	B	3,49	13/17PV	E%	pSe	e%		RP-22
14/006S	B	2,47	13/17PV	E%	pSe	e%		RP-22
14/007S	R	0,29	5/7PV	–	s	–	park	RP-22, zeleň-parková
14/008S	B	0,46	13/17PV	E%	pSe	e%		RP-22
14/009S	R	0,65	5/7PV	–	s	–	park	RP-22, zeleň-parková
14/010S	B	0,68	13/17PV	E%	pSe	e%		RP-22
14/011S	B	1,3	13/17PV	E%	pBe	e%		RP-22
14/012S	D	1,74	Prp	Prp	Prp	Prp		PRP-003
14/013S	B	2,74	13/17PV	E%	pSe	e%		RP-22
14/014S	B	0,75	13/17PV	E%	pBe	e%		RP-22
14/015S	O	0,86	13/17PV	–	a	–		RP-22
14/016S	D	1,58	–	–	–	–		US-39, US-40
14/017S	B	0,85	13/17PV	E%	pSe	e%		RP-22
14/018S	O	2,08	13/17PV	–	a	–		RP-22
14/019S	B	1,1	13/17PV	E%	pSe	e%		RP-22
14/020S	P	3,53,49	–	–	–	–		US-40, RP-22Zm. X
14/021S	B	0,35	13/17PV	E%	pSe	e%		US-40, RP-22
14/022S	O	0,29	13/17PV	–	a	–		US-40, RP-22
14/023S	B	1,03	13/17PV	E%	pSe	e%		US-40, RP-22
14/024S	B	0,35	13/17PV	E%	pSe	e%		RP-22
14/025S	O	0,26	13/17PV	–	pSe	–		RP-22
14/026S	D	3,852,7	–	–	–	–		US-40, RP-22Zm. X
14/027S	B	2,52	13/17PV	E%	pSe	e%		US-40, RP-22

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
14/028S	R	0,32	<u>5/7PV</u>	–	s	–	<u>park</u>	US-40, RP-22, zeleň-parková
14/029S	P	<u>2,953</u>	–	–	–	–		US-40, RP-22Zm. X
14/030S	D	<u>1,493,34</u>	–	–	–	–		US-90Zm. X
14/031S	B	<u>2,421,47</u>	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		US-40, RP-22Zm. X
14/032S	B	0,66	<u>13/17PV</u>	<u>E%</u>	<u>sBe</u>	<u>e%</u>		RP-22
14/033S	B	0,34	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		RP-22
14/034S	B	<u>3,613,57</u>	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		Zm. X
14/035S	B	0,51	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		RP-22
<u>14/036P1</u> <u>4/036S</u>	B	<u>1,591,54</u>	<u>13/17PV</u>	<u>15–45 %E%</u>	<u>bBe</u>	<u>30 %e%</u>		US-103Zm. X
14/037S	B	1,87	<u>13/17PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
14/038S	B	0,58	<u>13/17PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
14/040S	B	0,81	<u>13/17PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		US-40
14/041S	B	1,07	<u>13/17PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		US-40
14/042S	B	1,69	<u>13/17PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
14/043S	D	<u>2,973,12</u>	–	–	–	–		US-40, US-41, US-90Zm. X
14/044S	B	1,3	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		RP-22
14/045S	R	0,31	<u>5/7PV</u>	–	s	–	<u>park</u>	RP-22, zeleň-parková
14/046S	P	0,3	–	–	–	–		RP-22
14/047S	O	1,71	<u>13/17PV</u>	–	a	–		RP-22
14/048S	R	0,71	<u>5/7PV</u>	–	s	–	<u>park</u>	RP-22, zeleň-parková
14/049S	B	2,68	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		RP-22
14/050S	R	0,59	<u>5/7PV</u>	–	s	–	<u>park</u>	RP-22, zeleň-parková
<u>14/051S1</u> <u>4/051P</u>	B	<u>1,131,2</u>	<u>14/18</u>	<u>45 %</u>	<u>pBn</u>	<u>30 %</u>		RP-22Zm. X
14/052S	B	<u>2,392,4</u>	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		RP-22Zm. X
14/053S	B	0,88	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
14/054S	B	<u>0,980,89</u>	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		Zm. X
<u>14/055P1</u> <u>4/055S</u>	B	<u>31,29</u>	<u>13/17PV</u>	<u>15–45 %E%</u>	<u>bBe</u>	<u>20 %e%</u>		US-82Zm. X
14/056S	B	2,27	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
14/057S	B	1,51	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
14/058S	D	<u>1,792,1</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>		PRP-003, Zm. X
14/059P	B	0,69	7/10	<u>15–35 %35 %</u>	<u>bBn</u>	<u>40 %</u>		RP-25, Zm. I/01, I/21, RP-25
14/060S	B	0,26	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
14/061S	B	0,55	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
14/062S	P	<u>3,875,72</u>	–	–	–	–		RP-22Zm. X
14/063S	B	0,68	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
14/064S	B	0,27	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
14/065S	B	0,65	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
14/066S	R	0,86	<u>5/7PV</u>	–	s	–	<u>park</u>	RP-22, zeleň-parková
14/067S	B	5,55	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		RP-22
14/068S	O	1,28	<u>13/17PV</u>	–	<u>pSe</u>	–		RP-22
14/069S	R	0,52	<u>5/7PV</u>	–	s	–	<u>park</u>	RP-22, zeleň-parková
14/070S	<u>PR</u>	0,52	<u>PV</u>	–	–	–	<u>park</u>	Zm. X
14/071S	B	<u>2,012</u>	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		Zm. X
14/072S	P	<u>1,31,42</u>	–	–	–	–		Zm. X
14/074S	B	<u>0,920,8</u>	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		Zm. X
14/075P	P	<u>0,320,56</u>	–	–	–	–		US-102, Zm. X
14/076P	B	<u>0,762,73</u>	<u>14/18</u>	<u>15–45 %45 %</u>	<u>bBn</u>	<u>30 %</u>		US-102, Zm. X
<u>14/077P</u>	<u>O</u>	<u>1,340</u>	<u>13/17</u>	<u>do 40 %</u>	<u>s</u>	<u>20 %</u>		US-102
14/078S	B	<u>0,350,33</u>	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		Zm. X
<u>14/079P</u>	<u>D</u>	<u>0,90</u>	–	–	–	–		
14/080S	B	1,38	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
14/081P	<u>BQ</u>	<u>3,111,74</u>	<u>13/1720/24</u>	<u>15–45 %45 %</u>	<u>bBn</u>	<u>30 %</u>		Zm. X
14/082S	O	<u>17,3423,64</u>	<u>13/1732/32</u>	–	a	–	<u>věda a výzkum</u>	US-41Zm. X
<u>14/083P</u>	<u>O</u>	<u>3,460</u>	<u>10/14</u>	<u>do 40 %</u>	<u>a</u>	<u>20 %</u>	<u>věda a výzkum</u>	
14/084S	B	1,56	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
14/085S	P	<u>0,342,42</u>	–	–	–	–		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
14/086P1 4/086S	R	1,04	5/7PV	do 3 %	s	50 %	park	zeleň-parková Zm. X
14/087S	B	1,271,22	13/17PV	E%	pSe	e%		Zm. X
14/088S	B	1,441,5	7/10PV	E%	bBe	e%		Zm. X
14/089S	P	0,230	—	—	—	—		
14/090S	B	0,67	7/10PV	E%	bBe	e%		
14/091S	P	1,23	—	—	—	—		US-41
14/092P	R	0,260	5/7	do 3 %	s	50 %		zeleň-parková
14/093S	O	9,02	13/17PV	—	a	—	věda a výzkum	US-41
14/094P	P	0,090	—	—	—	—		RP-25, Zm. I/01, I/21
14/095P	D	1,440	—	—	—	—		US-89
14/096S	D	0,790	—	—	—	—		
14/097S	B	0,61,02	13/17PV	E%	pSe	e%		Zm. X
14/098P	B	0,420	13/17	15–25 %	b	40 %		
14/099S	P	0,530	—	—	—	—		
14/100S	B	1,29	13/17PV	E%	pSe	e%		
14/101P	D	1,850	—	—	—	—		US-89
14/102S	B	5,765,62	13/17PV	E%	pSe	e%		Zm. X
14/103S	O	1,3	13/17PV	—	a	—		
14/104S	P	0,530	—	—	—	—		
14/105S	B	2,27	13/17PV	E%	pSe	e%		
14/106S	D	0,983,87	—	—	—	—		US-89 Zm. X
14/107S	B	3,13	13/17PV	E%	pSe	e%		RP-21
14/108S	R	0,36	5/7PV	—	s	—	park	RP-21, zeleň-parková
14/109S	O	0,92	13/17PV	—	a	—		RP-21
14/110S	P	1,450	—	—	—	—		RP-21
14/111S	R	0,4	5/7PV	—	s	—	park	RP-21, zeleň-parková
14/112S	O	0,3	13/17PV	—	a	—		RP-21
14/113S	B	0,5	13/17PV	E%	bBe	e%		RP-21
14/114S	B	3,48	13/17PV	E%	pSe	e%		RP-21
14/115S	D	1,78	—	—	—	—		
14/117S	R	0,62	5/7PV	—	s	—	park	RP-21, zeleň-parková
14/118S	B	3,06	13/17PV	E%	pSe	e%		RP-21
14/119S	O	2,52	13/17PV	—	a	—		RP-21
14/120S	B	1,28	13/17PV	E%	pSe	e%		RP-21
14/121S	R	0,44	5/7PV	—	s	—	park	RP-21, zeleň-parková
14/122S	B	0,47	13/17PV	E%	bBe	e%		RP-21
14/123S	T	1,1	13/17PV	—	a	—		
14/124P	O	2,840	13/17	do 40 %	a	20 %	věda a výzkum	
14/125S	B	0,66	13/17PV	E%	bBe	e%		
14/126S	B	0,51	13/17PV	E%	pSe	e%		RP-22
14/127P	B	1,363,09	14/18	15–40 % 45 %	bBn	30 %		US-102, Zm. X
14/128P	B	0,64	14/18	45 %	Bn	20 %		Zm. X
14/129S	B	0,94	PV	E%	Be	e%		Zm. X
14/130S	R	0,13	PV	—	—	—	park	Zm. X
Lokalita 15 – Neředín a Cihelna								
15/001S	B	1,74	7/10PV	E%	bBe	e%		
15/002S	B	2,06	7/10PV	E%	bBe	e%		
15/003S	B	1,61,61	7/10PV	E%	bBe	e%		Zm. X
15/004S	B	0,97	10/14PV	E%	pSe	e%		
15/005S	B	0,58	7/10PV	E%	bBe	e%		
15/006S	R	0,55	5/7PV	—	s	—	park	zeleň-parková
15/007S	B	0,42	7/10PV	E%	bBe	e%		
15/008S	B	1,29	7/10PV	E%	bBe	e%		
15/009S	P	3,453,96	—	—	—	—		Zm. X
15/010S	O	3,453,54	10/14PV	—	p	—		Zm. X
15/011S	B	0,35	10/14PV	E%	bBe	e%		
15/012S	D	1,76	—	—	—	—		US-54
15/013S	B	0,81	10/14PV	E%	bBe	e%		
15/014S	B	2,91	10/14PV	E%	bBe	e%		
15/015S	B	1,44	10/14PV	E%	bBe	e%		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
15/016S	B	0,27	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
15/017S	B	1,14	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
15/018S	B	0,81	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
15/019S	R	0,19	<u>5/7PV</u>	–	s	–	park	zelen-parková
15/020S	B	0,59	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
15/021S	B	<u>4,424,45</u>	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		<u>Zm. X</u>
15/022S	B	3,39	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		
15/023S	B	0,9	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
15/024S	P	<u>4,113,92</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>		<u>PRP-003, Zm. X</u>
15/025S	B	2,09	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
15/026S	B	0,19	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		
<u>15/028K1</u> <u>5/028Z</u>	R	<u>0,840,56</u>	<u>5/7</u>	<u>3 %</u>	–	50 %	park	zelen-rekreační- krajiny, navrženy- ÚSESZm. X
15/029Z	B	<u>1,372,1</u>	7/10	<u>15-40-%40 %</u>	<u>bBn</u>	30 %		<u>US-150, Zm. X</u>
15/030P	B	<u>0,461,3</u>	7/10	<u>15-40-%40 %</u>	<u>bBn</u>	30 %		<u>Zm. X</u>
<u>15/031P</u>	<u>B</u>	<u>0,750</u>	<u>7/10</u>	<u>15-40-%</u>	<u>b</u>	<u>30-%</u>		
<u>15/032Z</u>	<u>P</u>	<u>0,180</u>	–	–	–	–		
<u>15/033Z</u>	<u>B</u>	<u>0,520</u>	7/10	<u>15-40-%</u>	<u>b</u>	<u>30-%</u>		
15/034S	B	<u>0,440,5</u>	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
15/035P	B	<u>0,650,69</u>	7/10	<u>15-40-%40 %</u>	<u>bBn</u>	30 %		<u>Zm. X</u>
15/036P	P	<u>2,710,64</u>	–	–	–	–		<u>Zm. X</u>
<u>15/037S</u>	<u>B</u>	<u>0,170</u>	<u>13/17</u>	–	a	–		
15/038S	D	<u>3,744,06</u>	–	–	–	–		<u>US-54Zm. X</u>
<u>15/039S1</u> <u>5/039P</u>	<u>BQ</u>	<u>0,470,69</u>	<u>13/1715/15</u>	–	a	–		<u>Zm. X</u>
15/040S	<u>BQ</u>	<u>2,50,94</u>	<u>13/17PV</u>	–	a	–		<u>Zm. X</u>
15/041P	V	<u>2,181,97</u>	15/15	<u>do-55-%55 %</u>	a	15 %		etapizaceET-19, Zm. X
15/042P	<u>VD</u>	<u>7,3510,81</u>	15/15	<u>do-55-%55 %</u>	a	15 %	vozovna HD	etapizaceET-19, Zm. X
15/043P	V	2,66	15/15	<u>do-55-%55 %</u>	a	15 %		etapizaceET-19
<u>15/044P</u>	<u>V</u>	<u>2-620</u>	<u>15/15</u>	<u>do-55-%</u>	a	<u>15-%</u>		etapizace
<u>15/045P</u>	<u>V</u>	<u>0,540</u>	<u>15/15</u>	<u>do-55-%</u>	a	<u>15-%</u>		etapizace
15/046S	R	<u>0,810,67</u>	<u>5/7PV</u>	–	s	–	park	zelen-parkováZm. X
15/047S	O	<u>5,452,09</u>	<u>5/7PV</u>	–	s	–	letišťe	UR-64 (R)Zm. X
<u>15/048S1</u> <u>5/048P</u>	O	<u>17,2552,48</u>	<u>5/715/15</u>	–	s	–	letišťe	<u>Zm. X</u>
<u>15/049S</u>	<u>D</u>	<u>14-890</u>	–	–	–	–	letišťe	
<u>15/050P</u>	<u>D</u>	<u>1-240</u>	–	–	–	–		
<u>15/051S</u>	<u>O</u>	<u>14-150</u>	<u>5/7</u>	–	s	–		
<u>15/052R1</u> <u>5/052P</u>	<u>RP</u>	<u>0,320,36</u>	–	–	–	–		zelen-rekreační- krajinyZm. X
15/053N	L	2,29	–	–	–	–		
15/054K	R	<u>2,652,7</u>	–	–	–	–	zelen rekreační krajiny	zelen-rekreační- krajiny, navrženy- ÚSESZm. X
<u>15/055S</u>	<u>B</u>	<u>0,110</u>	<u>7/10</u>	–	b	–		
15/056K	R	0,54	–	–	–	–	zelen rekreační krajiny	zelen-rekreační krajiny
15/057Z	B	<u>2,134,3</u>	<u>7/10Prp</u>	<u>10-35-%Prp</u>	<u>bPrp</u>	<u>40-%Prp</u>		<u>US-108PRP-003, Zm. X</u>
<u>15/058P</u>	<u>B</u>	<u>1-270</u>	<u>7/10</u>	<u>15-40-%</u>	<u>b</u>	<u>30-%</u>		<u>US-108</u>
15/059Z	B	<u>1,20,45</u>	<u>10/14Prp</u>	<u>15-40-%Prp</u>	<u>bPrp</u>	<u>30-%Prp</u>		<u>US-108PRP-003, Zm. X</u>
15/060Z	R	<u>0,560,59</u>	<u>5/7Prp</u>	<u>do-3-%Prp</u>	<u>sPrp</u>	<u>50-%Prp</u>	park	zelen-parková, Zm. I/01, PRP-003, Zm. X
<u>15/061P</u>	<u>O</u>	<u>0,240</u>	<u>11/11</u>	<u>do-100-%</u>	<u>s</u>	<u>0-%</u>		<u>US-108PRP-003, Zm. X</u>
15/062Z	P	<u>2,412,38</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>		<u>US-108PRP-003, Zm. X</u>
15/063Z	B	4,17	<u>10/14Prp</u>	<u>10-40-%Prp</u>	<u>bPrp</u>	<u>30-%Prp</u>		<u>US-108PRP-003</u>
15/064K	R	<u>7,627,53</u>	–	–	–	–	zelen rekreační krajiny	zelen-rekreační- krajinyZm. X
15/065Z	P	<u>1,551,64</u>	–	–	–	–		<u>Zm. X</u>
15/066N	N	<u>2,122,15</u>	–	–	–	–		<u>Zm. X</u>
15/067N	N	18,34	–	–	–	–		
15/068N	N	<u>5,756,09</u>	–	–	–	–		<u>UR-63 (B)Zm. X</u>
15/069P	O	<u>1,021,06</u>	5/7	<u>do-40-%40 %</u>	a	20 %		<u>Zm. X</u>

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
15/070Z	O	0,51	5/7	do 40 % 40 %	a	20 %		
15/071Z	O	0,210	11/11	do 40 %	a	20 %		
15/072S	O	2,292 2,28	11/11 PV	–	a	–		Zm. X
15/073P	B	1,85	14/18	10–40 % 40 %	bBn	30 %		US-104
15/074P 5/074Z	P	0,990 36	–	–	–	–		Zm. X
15/075S	D	0,460 88	–	–	–	–		US-90Zm. X
15/076S	D	3,44	5/7PV	–	a	–		UR-62 (B)
15/077S	O	2,431 1,12	5/7PV	–	a	–	hřbitov	zeleně hřbitovů Zm. X
15/078Z	P	0,790 24	–	–	–	–		Zm. X
15/079Z	B	7 250	11/11	10–35 %	b	40 %		US-08
15/080Z	D	2 220	–	–	–	–		US-08
15/081Z	P	0,290	–	–	–	–		
15/082P	B	0,350 34	11/11 11/15	10–35 % 35 %	bBn	40 %		US-167, ET-27, Zm. X
15/083N 5/083Z	NB	8 325	11/15	35 %	Bn	40 %		UR-20 (B)US-167, ET-27, Zm. X
15/084N 5/084Z	NR	0,60 5	5/7	3 %	–	50 %	park	UR-21 (R)US-167, Zm. X
15/085Z	B	0,580 85	11/15	15–35 % 35 %	bBn	40 %		Zm. X
15/086Z	B	1,091 1,16	11/15	15–35 % 35 %	bBn	40 %		Zm. X
15/087Z	B	0,690 24	11/15	15–35 % 35 %	bBn	40 %		Zm. X
15/088P	B	0,30 83	11/15	15–35 % 35 %	bBn	40 %		Zm. X
15/089S	BZ	2,2	10/14 PV	E %	b	e %		Zm. X
15/090S	P	0,8	–	–	–	–		
15/091S	B	0,34	10/14 PV	E %	bBe	e %		
15/092S	B	0,83	13/17 PV	E %	bBe	e %		
15/093P	B	0,44	11/15	15–40 % 40 %	bBn	30 %		
15/094P	B	0,42	11/15	15–40 % 40 %	bBn	30 %		
15/095P	B	0,4	11/15	15–40 % 40 %	bBn	30 %		Zm. VII
15/096P	P	0,4	–	–	–	–		Zm. VII
15/097Z	DQ	0,951 47	5/7 15/15	do 10 %	s	40 %	tramvajové obratiště	US-89Zm. X
15/098P	B	0,65	11/15	15–40 % 40 %	bBn	30 %		
15/099P	B	0,54	11/15	15–40 % 40 %	bBn	30 %		Zm. VII
15/100S	B	2,57	10/14 PV	E %	bBe	e %		
15/101S	B	1,35	13/17 PV	E %	bBe	e %		
15/102S	B	2,53	13/17 PV	E %	pSe	e %		
15/103P	B	0,580	13/17	15–45 %	b	30 %		
15/104S	PD	1,060 88	–	–	–	–		Zm. X
15/105S	B	1,962 24	13/17 PV	E %	bBe	e %		Zm. X
15/106S	B	4,96	13/17 PV	E %	aBe	e %		
15/107S	P	1,45	–	–	–	–		
15/108S	B	12,08	13/17 PV	E %	aBe	e %		
15/109S	D	1,64	–	–	–	–		
15/110S	D	1,05	–	–	–	–		
15/111S	B	1,71	13/17 PV	E %	aBe	e %		
15/112S	P	0,49	–	–	–	–		
15/113S	B	10,93	13/17 PV	E %	aBe	e %		
15/114S	O	2,36	13/17 PV	–	a	–		
15/115Z	B	0,520	13/17	do 55 %	a	15 %		
15/117Z	P	0,38	–	–	–	–		
15/118S	D	1,782 35	–	–	–	–		US-89Zm. X
15/119S	B	2,44	13/17 PV	E %	aBe	e %		
15/120P	B	1,73	14/18	15–45 % 45 %	bBn	30 %		US-129, Zm. I/01
15/121Z	B	1,07	14/18	15–45 % 45 %	bBn	30 %		US-135, Zm. I/01
15/122Z	P	0,55	–	–	–	–		US-135, Zm. I/01
15/123P	P	0,760 65	–	–	–	–		US-129, Zm. I/01, Zm. X
15/124P	B	0,740 4	13/17 10	15–35 % 40 %	bBn	40 % 30 %		Zm. I/01, Zm. X
15/125S	B	0,611 08	13/17 PV	E %	bBe	e %		Zm. X
15/126S	B	1,471 05	13/17 PV	E %	bBe	e %		Zm. X
15/127K	R	7,687 55	–	–	–	–	zeleně rekreační krajiny	zeleně rekreační krajiny, navržené ÚSES Zm. X
15/128P	OB	1,58	11/11 14/18	do 30 % 45 %	aBn	30 %	specifická rekreace	US-129, Zm. I/01, Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
15/129Z	R	3,76	5/7	do 3 % 3 %	s	50 %	park	US-135, zeleň-parková, Zm. I/01
15/130Z	O	<u>1,40,91</u>	15/15	do 40 % 40 %	a	20 %		US-135, Zm. I/01 Zm. X
15/131S	O	2,63	<u>5/7PV</u>	–	a	–		
15/132R	R	4,43	–	–	–	–	zeleň rekreační krajiny	etapizace, zeleň-rekreační krajiny ET-13
15/133P	B	<u>7,037,17</u>	<u>13/1720/24</u>	<u>10–40 %</u> 40 %	<u>bBn</u>	30 %	těžba	US-11, etapizace US-11B, ET-13, Zm. X
15/134N	N	<u>1,792,02</u>	–	–	–	–		Zm. X
<u>15/135N1</u> <u>5/135Z</u>	<u>PD</u>	<u>0,370,49</u>	–	–	–	–		Zm. X
<u>15/136S1</u> <u>5/136P</u>	<u>PD</u>	<u>0,340,32</u>	–	–	–	–		Zm. X
15/137N	P	<u>0,170,08</u>	–	–	–	–		Zm. X
15/138S	B	<u>0,610,6</u>	<u>11/11PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		Zm. X
15/139N	N	<u>3,273,68</u>	–	–	–	–		UR-22 (B) Zm. X
15/140N	N	<u>16,6417,95</u>	–	–	–	–		Zm. X
15/141N	N	5,8	–	–	–	–		
15/142N	N	2,3	–	–	–	–		
15/143N	D	<u>2,651,56</u>	–	–	–	–		US-89 Zm. X
15/144Z	P	<u>0,330,28</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>		Zm. I/01, PRP-003, Zm. X
15/145N	D	9,52	–	–	–	–		
<u>15/146P1</u> <u>5/146S</u>	B	<u>11,3</u>	<u>13/17PV</u>	<u>15–35 %</u> E%	<u>bBe</u>	<u>40 %</u> e%		Zm. I/01 Zm. X
15/147S	B	1,83	<u>13/17PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
15/148S	B	1,15	<u>10/14PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
<u>15/149K1</u> <u>5/149Z</u>	<u>RQ</u>	<u>1,080,84</u>	<u>5/7</u>	<u>40 %</u>	–	30 %	školství	US-08, zeleň-rekreační krajiny Zm. X
15/150P	P	0,18	–	–	–	–		
15/151Z	B	2,58	<u>7/10Prp</u>	<u>10–35 %</u> Prp	<u>bPrp</u>	<u>40 %</u> Prp		US-108 PRP-003
15/152P	P	<u>0,220,4</u>	–	–	–	–		Zm. X
<u>15/153S</u>	<u>P</u>	<u>0,660</u>	–	–	–	–		
15/154Z	P	<u>0,680,69</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>		PRP-003, Zm. X
<u>15/155Z</u>	<u>P</u>	<u>0,360</u>	–	–	–	–		
15/156Z	P	<u>0,490,64</u>	–	–	–	–		Zm. X
15/157N	N	<u>4,384,57</u>	–	–	–	–		Zm. X
15/158Z	B	2,83	<u>7/10Prp</u>	<u>10–35 %</u> Prp	<u>bPrp</u>	<u>40 %</u> Prp		US-108 PRP-003
15/159Z	B	2,54	<u>10/14Prp</u>	<u>10–40 %</u> Prp	<u>bPrp</u>	<u>30 %</u> Prp		US-108 PRP-003
15/160Z	R	0,42	<u>5/7Prp</u>	<u>do 3 %</u> Prp	<u>sPrp</u>	<u>50 %</u> Prp	park	US-108, zeleň-parková PRP-003
15/161Z	P	0,2	–	–	–	–		
15/162Z	B	<u>0,310,34</u>	<u>10/14Prp</u>	<u>10–40 %</u> Prp	<u>bPrp</u>	<u>30 %</u> Prp		Zm. I/01, PRP-003, Zm. X
15/163Z	B	<u>0,550,56</u>	<u>10/14Prp</u>	<u>10–40 %</u> Prp	<u>bPrp</u>	<u>30 %</u> Prp		Zm. I/01, PRP-003, Zm. X
15/164P	B	<u>0,540,55</u>	<u>10/14Prp</u>	<u>10–40 %</u> Prp	<u>bPrp</u>	<u>30 %</u> Prp		Zm. I/01, PRP-003, Zm. X
15/165S	B	0,87	<u>15/15PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		
15/166P	P	0,11	–	–	–	–		
<u>15/167S</u>	<u>R</u>	<u>1,02</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>	park	Zm. X
<u>15/168P</u>	<u>R</u>	<u>1,37</u>	<u>5/7</u>	<u>3 %</u>	<u>=</u>	<u>50 %</u>	park	Zm. X
<u>15/169S</u>	<u>R</u>	<u>0,56</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>	park	Zm. X
<u>15/170S</u>	<u>R</u>	<u>0,74</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>	park	Zm. X
<u>15/171Z</u>	<u>O</u>	<u>0,28</u>	<u>7/10</u>	<u>40 %</u>	<u>=</u>	<u>30 %</u>	školství	Zm. X
<u>15/172S</u>	<u>B</u>	<u>6,1</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		Zm. X
<u>15/173Z</u>	<u>B</u>	<u>2,94</u>	<u>11/15</u>	<u>35 %</u>	<u>Bn</u>	<u>40 %</u>		US-167, ET-28, Zm. X
<u>15/174Z</u>	<u>P</u>	<u>0,26</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		US-167, Zm. X
<u>15/175Z</u>	<u>D</u>	<u>0,62</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		Zm. X
<u>15/176P</u>	<u>P</u>	<u>0,59</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		Zm. X
<u>15/177S</u>	<u>P</u>	<u>0,2</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		Zm. X
<u>15/178S</u>	<u>P</u>	<u>0,22</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		Zm. X
<u>15/179S</u>	<u>P</u>	<u>1,4</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		Zm. X
<u>15/180S</u>	<u>O</u>	<u>0,49</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
Lokalita 16 – Pražská a Řepčín								
16/001S	B	4,48	10/14PV	E%	vBe	e%		
16/002S	B	1,230,96	10/14PV	E%	vBe	e%		Zm. X
16/003S	B	0,74	10/14PV	E%	vBe	e%		
16/004S	B	1,241,28	10/14PV	E%	vBe	e%		Zm. X
16/005S	P	2,96	–	–	–	–		
16/006S	B	1,89	10/14PV	E%	vBe	e%		
16/007S	B	0,5	10/14PV	E%	bBe	e%		
16/008S	B	0,6	10/14PV	E%	bBe	e%		
16/009S	B	0,58	10/14PV	E%	bBe	e%		
16/010S	B	0,72	10/14PV	E%	bBe	e%		
16/011S	B	0,69	13/17PV	E%	vBe	e%		
16/012S	OR	0,3	13/17PV	–	a	–	park	Zm. X
16/013S	B	0,47	13/17PV	E%	vBe	e%		
16/014S	O	0,11	10/14PV	–	vBe	–		
16/015S	D	1,59	–	–	–	–		
16/016S	B	0,57	10/14PV	E%	vBe	e%		
16/017S	O	1,36	10/14PV	–	a	–		
16/018S	B	0,61	10/14PV	E%	bBe	e%		
16/019S	B	0,93	10/14PV	E%	vBe	e%		
16/020S	B	4,312,64	10/14PV	E%	vBe	e%		Zm. X
16/021S	P	2,31	–	–	–	–		
16/022S	B	2,973,95	10/14PV	E%	pSe	e%		Zm. X
16/023N	W	2 980	–	–	–	–		
16/025S	B	0,980	10/14	–	p	–		
16/026S	B	1 041	10/14PV	E%	pSe	e%		Zm. X
16/027S	O	2,842,88	10/14PV	–	a	–	obrana a bezpečnost	Zm. X
16/028S	B	1,44	10/14PV	E%	vBe	e%		
16/029S	B	1,49	13/17PV	E%	vBe	e%		
16/030P1 6/030S	O	1,87	13/17PV	do 40 %	a	20 %	školství	Zm. X
16/031S	B	0,45	13/17PV	E%	vBe	e%		
16/032S	B	1,12	13/17PV	E%	pSe	e%		
16/033P	D	1,071,04	–	–	–	–		Zm. X
16/034P	O	0,60,56	14/18	do 55 %55 %	bBn	20 %		Zm. X
16/035Z	D	1,981,92	5/7	do 10 %10 %	s	40 %	tramvajové obratiště	US-54, US-05, Zm. X
16/036S	D	1,45	–	–	–	–		US-92, US-96
16/037S	D	0,56	–	–	–	–		
16/038S	B	1,24	13/17PV	E%	bBe	e%		
16/039S	B	1,34	13/17PV	E%	bBe	e%		
16/040S	B	1,37	13/17PV	E%	bBe	e%		
16/041S	P	2,732,12	–	–	–	–		Zm. X
16/042S	O	0,26	13/17PV	–	s	–		
16/043S	B	0,86	13/17PV	E%	bBe	e%		
16/044S	O	0,29	13/17PV	–	a	–		
16/045P	BR	0,310,51	13/17S/7	15–40 %3 %	b	30 %50 %	park	Zm. X
16/046S	B	0,340,4	13/17PV	E%	bBe	e%		Zm. X
16/047Z	B	0,30,18	14/18	15–40 %40 %	bBn	30 %		US-128Zm. X
16/048Z	P	3,553,53	–	–	–	–		US-39, US-96, US-128, RP-24Zm. X
16/049Z	B	0,710,48	14/18	15–40 %40 %	bBn	30 %		US-128Zm. X
16/050S	B	1,631,86	13/17PV	E%	bBe	e%		Zm. X
16/051S	B	0,610,54	13/17PV	E%	bBe	e%		Zm. X
16/052Z	B	0,3	14/18	15–40 %40 %	bBn	30 %		US-128
16/053Z	O	1,310,4	14/18	do 40 %40 %	a	20 %		Zm. X
16/054S	O	2,723,62	13/17PV	–	a	–		Zm. X
16/055Z	B	9,424,95	14/18	10–35 %50 %	bBn	40 %30 %		RP-24, US-96, Zm. I/02, ET-35, Zm. I/02, Zm. X
16/056S	D	0,33	–	–	–	–		
16/057Z	D	0,22	–	–	–	–		
16/058Z	B	2,15	14/18	do 55 %55 %	a	15 %		US-85
16/059P	V	5,76	14/14	do 55 %55 %	a	15 %	specifická výška 1	US-85
16/060Z	V	0,53	11/11	do 55 %55 %	a	15 %		US-85

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
16/061S	D	0,54	–	–	–	–		
16/062Z	B	4,49	15/15	do 55-% 55 %	a	15 %	obchod nad 2500 m2	US-126, Zm. I/01
16/063S	V	6,91 5,65	11/11 PV	–	a	–		UR-02 (D)Zm. X
16/064S	B	0,89	13/17 PV	E%	bBe	e%		
16/065N	W	0,75 0	–	–	–	–		UR-02 (D)
16/066N	W	3,48 0	–	–	–	–		
16/067S	V	8,05	15/15 PV	–	a	–		
16/068S	V	25,78	15/15 PV	–	a	–		
16/070N	N	13,09	–	–	–	–		
16/071S	T	0,44	5/7 PV	–	a	–		
16/072R	N	1,84	–	–	–	–		
16/073S	D	2,52	–	–	–	–		US-92
16/074S	D	3,21 3,12	–	–	–	–		Zm. X
16/075N	N	23,17 23,16	–	–	–	–		Zm. X
16/076S1	V B	3,58 3,88	11/11 11/15	–	a	–		Zm. X
16/077S	Θ	0,30	11/11	–	a	–		
16/078Z	V	1,51 1,39	11/11	do 55-% 55 %	a	15 %		Zm. X
16/079Z	D	1,83 2,72	–	–	–	–		Zm. X
16/080K	R	6,73 3,39	–	–	–	–	zeleně rekreační krajiny	US-03, zeleně- rekreační krajinyZm. X
16/081S	Θ R	1,34	5/7 PV	–	a	–	jezdecké areály	US-03Zm. X
16/082S	O	1,4	5/7 PV	–	a	–		
16/083N	R	2,2	–	–	–	–	zeleně rekreační krajiny	zeleně rekreační krajiny
16/084S	O	0,12	5/7 PV	–	a	–		
16/085N	N	0,34	–	–	–	–		
16/086N	L	1,73	–	–	–	–		
16/087N	N	4,66	–	–	–	–		
16/088N	D	2,12 2,04	–	–	–	–		Zm. X
16/089N	N	4,37 4,3	–	–	–	–		Zm. X
16/090Z	D	1,39 1,85	–	–	–	–		Zm. X
16/091Z	B	2,64 2,45	14/18	do 55-% 55 %	bBn	15 %		RP-24, US-39Zm. X
16/092Z	B	12,42	14/18	10-40-% 40 %	bBn	30 %		RP-24, US-39ET-35
16/093Z	B	7,18 1,59	14/18	10-40-% 50 %	bBn	30 %		US-39, US-128, Zm. I/01, ET-35, Zm. X
16/094S	B	11,4	13/17 PV	E%	pSe	e%		Zm. X
16/095S	B	0,81	13/17 PV	E%	pSe	e%		
16/096P1	O	0,76 0,72	13/17 PV	do 55-%	b	20 %	školství	Zm. X
16/097K	N	2,92	–	–	–	–		navržený ÚSES
16/098S	B	0,83	13/17 PV	E%	bBe	e%		US-39
16/099S	B	0,94	13/17 PV	E%	bBe	e%		US-39
16/100S	B	0,72	13/17 PV	E%	bBe	e%		
16/101S	O	0,29	13/17 PV	–	a	–		RP-23
16/102S	B	3,49	13/17 PV	E%	bBe	e%		RP-23
16/103S	O	1,01	13/17 PV	–	a	–		RP-23
16/104S	P	4,45 4,3	–	–	–	–		US-39, RP-23Zm. X
16/105S	B	3,73	13/17 PV	E%	bBe	e%		RP-23
16/106S	B	0,98	13/17 PV	E%	pSe	e%		RP-23
16/107S	B	5,45 4,89	13/17 PV	E%	pSe	e%		US-39Zm. X
16/108S	D	3,77	–	–	–	–		US-39
16/109S	B	13,89	15/15 PV	E%	aBe	e%		US-39
16/110P	B	0,94	15/15	do 55-% 75 %	a	15 %		US-39
16/111S	D	0,64	–	–	–	–		
16/112S	B R	0,48 0,41	13/17 PV	–	p	–	park	Zm. X
16/113S	P	2,05 2,99	–	–	–	–		US-39Zm. X
16/114S	B R	0,90 0,87	13/17 PV	–	p	–	park	Zm. X
16/115Z1	B	0,56 0,62	14/18	do 75-% 75 %	p	0-%		Zm. X
16/116Z1	R	0,91 0,32	5/7	do 3-% 3 %	s	50 %	park	zeleně parkováZm. X
16/117Z	P	0,34 0	–	–	–	–		
16/118Z	D	1,73 1,85	–	–	–	–		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
<u>16/119Z1</u> <u>6/119S</u>	B	<u>3,833,81</u>	<u>13/17PV</u>	<u>15-45-%E%</u>	<u>pBe</u>	<u>30-%e%</u>		<u>Zm. X</u>
<u>16/120Z1</u> <u>6/120S</u>	R	<u>1,231,11</u>	<u>5/7PV</u>	<u>do-3-%</u>	<u>s</u>	<u>50-%</u>	<u>park</u>	<u>zeleň-parkováZm. X</u>
16/121S	B	<u>3,343,51</u>	<u>13/17PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		<u>Zm. X</u>
16/122K	N	4,92	–	–	–	–		<u>navržený ÚSES</u>
16/123S	O	12,01	<u>13/17PV</u>	–	<u>a</u>	–	<u>hřbitov</u>	<u>zeleň-hřbitovů</u>
16/124S	P	0,84	–	–	–	–		
16/125Z	B	2,7	<u>14/18</u>	<u>15-45-%45 %</u>	<u>bBn</u>	<u>30 %</u>		<u>RP-27, Zm. I/01, US-164</u>
16/126Z	O	1,1	<u>14/18</u>	<u>do-40-%</u>	<u>a</u>	<u>20-%</u>	<u>hřbitov</u>	<u>zeleň-hřbitovů</u>
16/127Z	T	0,48	<u>14/18</u>	<u>do-55-%55 %</u>	<u>a</u>	<u>15 %</u>	<u>sběrný dvůr</u>	
16/128N	N	25,15	–	–	–	–		
16/129N	P	1,24	–	–	–	–		
16/130K	R	4,28	–	–	–	–	<u>zeleň rekreační krajiny</u>	<u>zeleň rekreační-krajiny, US-05</u>
16/131P	O	4,58	5/7	<u>do-30-%30 %</u>	<u>a</u>	<u>30 %</u>		<u>US-05</u>
16/132N	N	5,37	–	–	–	–		
16/133Z	D	<u>5,515,48</u>	–	–	–	–		<u>Zm. X</u>
16/134N	N	<u>12,2612,02</u>	–	–	–	–		<u>UR-10-(V)Zm. X</u>
16/135N	D	1,25	–	–	–	–		
16/136N	N	18,77	–	–	–	–		
16/137Z	D	2,12	11/11	–	<u>s</u>	–		
16/138Z	D	15,17	–	–	–	–		
16/139N	N	23,36	–	–	–	–		
16/140S	O	1,06	<u>5/7PV</u>	–	<u>a</u>	–		
16/141N	D	7,33	–	–	–	–		<u>US-39</u>
16/142N	D	5,01	–	–	–	–		
16/145N	P	0,62	–	–	–	–		
16/146N	N	42,96	–	–	–	–		
16/147N	L	3,04	–	–	–	–		
16/148N	N	6,99	–	–	–	–		
16/149S	T	0,13	<u>13/17PV</u>	–	<u>s</u>	–		
<u>16/150P1</u> <u>6/150S</u>	<u>PR</u>	0,51	<u>PV</u>	–	–	–	<u>park</u>	<u>Zm. X</u>
16/151N	N	2,99	–	–	–	–		
16/152N	L	<u>6,186,4</u>	–	–	–	–		<u>Zm. X</u>
16/153P	O	<u>0,250,23</u>	<u>14/18</u>	<u>do-80-%80 %</u>	<u>s</u>	<u>20 %</u>		<u>Zm. X</u>
16/154P	P	<u>0,730,39</u>	–	–	–	–		<u>Zm. X</u>
16/155S	R	0,34	<u>5/7PV</u>	–	<u>s</u>	–	<u>park</u>	<u>RP-23, zeleň-parková</u>
16/156N	N	12,54	–	–	–	–		
16/157P	W	<u>0,380,11</u>	–	–	–	–		<u>UR-02-(D)Zm. X</u>
16/158Z	P	0,45	–	–	–	–		<u>Zm. I/01</u>
16/159Z	B	6,43	<u>11/1115/15</u>	<u>do-55-%55 %</u>	<u>a</u>	<u>15 %</u>	<u>obchod nad 2500 m2</u>	<u>US-127, Zm. I/01</u>
<u>16/160K1</u> <u>6/160Z</u>	R	<u>4,193,33</u>	<u>7/10</u>	<u>25 %</u>	–	<u>40 %</u>	<u>jezdecké areály</u>	<u>US-03, zeleň-rekreační krajinyZm. X</u>
16/161N	N	3,4	–	–	–	–		
16/162N	N	<u>5,885,57</u>	–	–	–	–		<u>Zm. X</u>
16/163Z	P	0,14	–	–	–	–		<u>US-128</u>
<u>16/164Z</u>	<u>P</u>	<u>0,080</u>	–	–	–	–		<u>US-128</u>
16/165Z	P	<u>1,061,26</u>	<u>5/7</u>	<u>do-3-%</u>	<u>s</u>	–		<u>US-128, Zm. X</u>
16/166S	R	1,14	<u>5/7PV</u>	–	<u>s</u>	–	<u>park</u>	<u>zeleň-parková</u>
<u>16/167S1</u> <u>6/167P</u>	<u>OB</u>	<u>1,341,6</u>	<u>10/147/10</u>	<u>40 %</u>	<u>aVn</u>	<u>30 %</u>		<u>US-141, Zm. X</u>
16/168P	P	0,14	–	–	–	–		<u>navržený ÚSES, US-05</u>
16/169P	B	0,28	<u>11/15</u>	<u>do-30-%30 %</u>	<u>bBn</u>	<u>30 %</u>		<u>Zm. I/02</u>
<u>16/170P</u>	<u>B</u>	<u>1,06</u>	<u>7/10</u>	<u>40 %</u>	<u>=</u>	<u>30 %</u>		<u>US-137, Zm. X</u>
<u>16/171S</u>	<u>B</u>	<u>0,61</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		<u>Zm. X</u>
<u>16/172S</u>	<u>P</u>	<u>0,47</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>16/173S</u>	<u>R</u>	<u>0,58</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>park</u>	<u>Zm. X</u>
<u>16/174Z</u>	<u>R</u>	<u>1,47</u>	<u>7/10</u>	<u>25 %</u>	<u>=</u>	<u>40 %</u>	<u>jezdecké areály</u>	<u>Zm. X</u>
<u>16/175Z</u>	<u>P</u>	<u>0,91</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>16/176P</u>	<u>D</u>	<u>1,37</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>16/177Z</u>	<u>B</u>	<u>0,66</u>	<u>14/18</u>	<u>50 %</u>	<u>Bn</u>	<u>30 %</u>		<u>ET-35, Zm. X</u>

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
<u>16/179Z</u>	R	<u>1,2</u>	<u>5/7</u>	<u>3 %</u>	=	<u>50 %</u>	<u>park</u>	<u>Zm. X</u>
<u>16/180Z</u>	B	<u>2,84</u>	<u>14/18</u>	<u>50 %</u>	<u>Bn</u>	<u>30 %</u>		<u>ET-35, Zm. X</u>
<u>16/181Z</u>	B	<u>2,18</u>	<u>14/18</u>	<u>50 %</u>	<u>Bn</u>	<u>30 %</u>		<u>ET-35, Zm. X</u>
<u>16/182Z</u>	P	<u>1,12</u>	=	=	=	=		<u>Zm. X</u>
<u>16/183S</u>	P	<u>0,39</u>	=	=	=	=		<u>Zm. X</u>
<u>16/184K</u>	R	<u>1,25</u>	=	=	=	=	<u>zeleň rekreační krajiny</u>	<u>Zm. X</u>
<u>16/185P</u>	P	<u>0,27</u>	=	=	=	=		<u>Zm. X</u>
<u>16/186Z</u>	B	<u>1,01</u>	<u>14/18</u>	<u>50 %</u>	<u>Bn</u>	<u>30 %</u>		<u>ET-35, Zm. X</u>
<u>16/187Z</u>	P	<u>0,5</u>	=	=	=	=		<u>Zm. X</u>
Lokalita 17 – Černovír – Střelnice								
17/001S	O	4,12	<u>5/7PV</u>	–	a	–		
17/002N	W	2,12	–	–	–	–		
17/003S	O	<u>10,08</u> <u>10,27</u>	<u>5/7PV</u>	–	a	–		<u>Zm. X</u>
17/004N	N	<u>23,83</u> <u>23,23</u>	–	–	–	–		<u>Zm. X</u>
17/005N	N	2,36	–	–	–	–		
17/006S	Z	<u>1,67</u> <u>1,51</u>	<u>3/5PV</u>	<u>E%</u>	–	<u>e%</u>		<u>Zm. X</u>
17/007S	P	<u>0,26</u> <u>0,23</u>	–	–	–	–		<u>Zm. X</u>
<u>17/008N</u> <u>17/008Z</u>	<u>NZ</u>	0,82	<u>3/5</u>	<u>Z%</u>	–	50 %		<u>US-140, Zm. X</u>
17/009S	D	<u>0,58</u> <u>0,23</u>	–	–	–	–		<u>Zm. X</u>
17/010N	N	1,3	–	–	–	–		
17/011K	N	0,86	–	–	–	–		<u>navržený ÚSES</u>
17/012S	Z	0,27	<u>3/5PV</u>	<u>E%</u>	–	<u>e%</u>		
17/013N	N	17,54	–	–	–	–		
17/014N	D	2,13	–	–	–	–		
17/015S	Z	1,91	<u>3/5PV</u>	<u>E%</u>	–	<u>e%</u>		
17/016N	N	1,64	–	–	–	–		
17/017N	W	3,88	–	–	–	–		<u>zeleň rekreační krajiny</u>
17/018S	Z	3,4	<u>3/5PV</u>	<u>E%</u>	–	<u>e%</u>		
17/019N	W	5,89	–	–	–	–		
17/020K	N	1,92	–	–	–	–		<u>navržený ÚSES</u>
17/021N	N	20,39	–	–	–	–		
17/022N	N	<u>42,37</u> <u>42,17</u>	–	–	–	–		<u>Zm. X</u>
17/023N	N	3,24	–	–	–	–		
17/024S	Z	1,92	<u>3/5PV</u>	<u>E%</u>	–	<u>e%</u>		
17/025N	W	2,05	–	–	–	–		
17/026N	N	0,95	–	–	–	–		
17/027N	N	7,59	–	–	–	–		
17/028N	L	1,5	–	–	–	–		
17/029N	N	9,11	–	–	–	–		
17/030S	Z	0,65	<u>3/5PV</u>	<u>E%</u>	–	<u>e%</u>	<u>lesní školka</u>	
17/031N	N	<u>56,45</u> <u>8,6</u>	–	–	–	–		<u>Zm. X</u>
17/032N	L	0,38	–	–	–	–		
17/033K	N	2,16	–	–	–	–		<u>navržený ÚSES</u>
17/034N	N	<u>16,84</u> <u>17,16</u>	–	–	–	–		<u>Zm. X</u>
<u>17/035N</u>	<u>N</u>	<u>3-570</u>	–	–	–	–		<u>UR-02-(D)</u>
17/036N	N	<u>8,06</u> <u>7,93</u>	–	–	–	–		<u>Zm. X</u>
17/037S	T	<u>1,11</u> <u>1,1</u>	<u>7/10PV</u>	–	a	–		<u>Zm. X</u>
<u>17/038S</u>	<u>Z</u>	<u>0,34</u> <u>0</u>	<u>3/5</u>	–	–	–		
17/039N	W	<u>0,54</u> <u>7,8</u>	–	–	–	–		<u>Zm. X</u>
17/040N	W	2,41	–	–	–	–		
17/041N	W	<u>0,91</u> <u>6,5</u>	–	–	–	–		<u>Zm. X</u>
17/042N	W	2,7	–	–	–	–		
17/043N	R	1,59	–	–	–	–	<u>zeleň rekreační krajiny</u>	<u>zeleň rekreační krajiny</u>
17/044N	W	1,24	–	–	–	–		
17/045N	P	0,36	–	–	–	–		
17/046N	W	0,82	–	–	–	–		
17/047K	N	14,12	–	–	–	–		<u>navržený ÚSES</u>
17/048K	N	13,06	–	–	–	–		<u>navržený ÚSES</u>
17/049S	L	1,56	–	–	–	–		
17/050N	W	0,38	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
17/051K1 7/051Z	WD	1,671,42	–	–	–	–		UR-02-(D)Zm. X
17/052K	W	2,54,37	–	–	–	–		Zm. X
17/053N	N	0,880,42	–	–	–	–		UR-02-(D)Zm. X
17/054N	N	0,760	–	–	–	–		
17/055N	W	3,9	=	=	=	=		Zm. X
17/056N	W	2,94	=	=	=	=		Zm. X
17/057P	O	0,35	7/10	40 %	=	30 %		US-140, Zm. X
17/058S	B	0,75	PV	E%	Be	e%		Zm. X
Lokalita 18 – Chomoutov								
18/001S	B	5,34	7/10PV	E%	vBe	e%		
18/002S1 8/002P	RO	0,33	5/711/15	–	s	–		zeleně-parkováZm. X
18/003S	O	0,24	7/10PV	–	vBe	–		
18/004S	B	2,31	7/10PV	E%	vBe	e%		
18/005S	R	0,56	5/7PV	–	s	–	park	zeleně-parková
18/006S	B	4,34,53	7/10PV	E%	vBe	e%		Zm. X
18/007Z	B	0,640,39	7/10	40–35–%35 %	vBn	40 %		etapizaceET-08, Zm. X
18/008S	D	1,52	–	–	–	–		
18/009S	B	1,55	7/10PV	E%	vBe	e%		
18/010Z	O	0,61	7/10	do 40 %40 %	a	20 %		etapizaceET-08
18/011Z	P	0,23	–	–	–	–		
18/012S	P	1,061,4	–	–	–	–		Zm. X
18/013S	B	4,324,64	7/10PV	E%	vBe	e%		Zm. X
18/014Z	B	0,790,74	7/10	40–35–%35 %	vBn	40 %		etapizaceET-08, Zm. X
18/015S	B	1,45	7/10PV	E%	aBe	e%		
18/016Z	P	0,290	–	–	–	–		
18/017K	W	1,221,17	–	–	–	–		Zm. X
18/018N	L	1,81	–	–	–	–		
18/019K	N	1,55	–	–	–	–		navržený ÚSES
18/020N	N	2,64	–	–	–	–		
18/021N	D	0,32	–	–	–	–		
18/022Z1 8/022S	BR	0,370,41	7/10PV	40–35–%	v	40–%	park	etapizaceZm. X
18/023S	B	2,11	7/10PV	E%	vBe	e%		
18/024S	D	1,89	–	–	–	–		
18/025S	P	0,2	–	–	–	–		
18/026S	B	0,99	7/10PV	E%	vBe	e%		
18/027K	N	1,43	–	–	–	–		navržený ÚSES
18/028N	L	6,39	–	–	–	–		
18/029S	O	0,88	5/7PV	–	a	–		
18/030N	N	1,27	–	–	–	–		
18/031S	B	1,45	7/10PV	E%	vBe	e%		
18/032S	D	0,25	–	–	–	–		
18/033S	B	1,2	7/10PV	E%	vBe	e%		
18/034S	B	0,42	7/10PV	E%	vBe	e%		
18/035S	P	0,70,74	–	–	–	–		Zm. X
18/036S	B	1,721,99	7/10PV	E%	bBe	e%		Zm. X
18/037N	W	1,05	–	–	–	–		
18/038Z	B	0,220,49	7/10	40–35–%35 %	bBn	40 %		etapizaceET-08, Zm. X
18/039Z	P	0,640,38	–	–	–	–		Zm. X
18/040Z	B	1,090,64	7/10	40–35–%35 %	bBn	40 %		etapizaceET-08, Zm. X
18/041Z	B	0,790,9	7/10	40–35–%35 %	bBn	40 %		etapizaceET-08, Zm. X
18/042N	N	10,77	–	–	–	–		
18/043N	D	1,3	–	–	–	–		
18/044S	R	0,350,17	5/7PV	–	s	–	park	zeleně-parkováZm. X
18/045S	P	1,172,02	–	–	–	–		Zm. X
18/046S	B	0,11	7/10PV	E%	bBe	e%		
18/047S	B	0,53	7/10PV	E%	bBe	e%		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
18/048K	R	1,91	–	–	–	–	<u>zeleně rekreační krajiny</u>	<u>zeleně rekreační krajiny</u> , navržený-ÚSES
18/049N	W	1,19	–	–	–	–		
18/050S	O	0,27	<u>7/10PV</u>	–	a	–	<u>hřbitov</u>	<u>zeleně hřbitovů</u>
18/051N	L	2,5	–	–	–	–		
18/052S	B	<u>4,718,23</u>	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
18/053S	B	<u>0,91,74</u>	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
<u>18/054Z</u>	<u>B</u>	<u>0,690</u>	<u>7/10</u>	<u>10–35 %</u>	<u>b</u>	<u>40 %</u>		<u>etapizace</u>
18/055S	Z	5,02	<u>3/5PV</u>	<u>E%</u>	–	<u>e%</u>		
18/056N	N	1,51	–	–	–	–		
18/057K	N	1,93	–	–	–	–		<u>navržený-ÚSES</u>
18/058N	N	5,46	–	–	–	–		
18/059K	N	2,07	–	–	–	–		<u>navržený-ÚSES</u>
18/060N	N	6,53	–	–	–	–		
18/061K	R	<u>0,620,2</u>	–	–	–	–	<u>zeleně rekreační krajiny</u>	<u>zeleně rekreační krajiny</u> <u>Zm. X</u>
18/062N	L	3,07	–	–	–	–		
18/063S	B	0,71	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
18/064S	B	1,72	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		
18/065S	P	0,5	–	–	–	–		
<u>18/066S</u>	<u>Θ</u>	<u>0,110</u>	<u>7/10</u>	–	<u>v</u>	–		
18/067S	B	0,6	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
18/068Z	B	0,68	7/10	<u>10–35 %35 %</u>	<u>bBn</u>	40 %		<u>etapizace</u> <u>ET-08</u>
18/069Z	P	0,44	–	–	–	–		
18/070Z	B	1,19	7/10	<u>10–35 %35 %</u>	<u>bBn</u>	40 %		<u>etapizace</u> , <u>Zm. I/01</u> , <u>US-109, ET-08</u>
18/071S	B	0,31	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
18/072S	P	0,14	–	–	–	–		
18/073S	B	<u>1,61,71</u>	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		<u>Zm. X</u>
18/074P	B	0,97	7/10	<u>10–35 %35 %</u>	<u>bBn</u>	40 %		
18/075P	P	0,23	–	–	–	–		
18/076N	L	6,29	–	–	–	–		
18/077S	B	1,94	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		
18/078S	B	0,6	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		
18/079S	P	<u>0,520,53</u>	–	–	–	–		<u>Zm. X</u>
18/080S	B	0,48	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
18/081S	B	1,86	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		
18/082N	N	4,22	–	–	–	–		
18/083R	N	0,29	–	–	–	–		
18/084N	N	8,82	–	–	–	–		
18/085N	L	4,42	–	–	–	–		
18/086K	W	8,28	–	–	–	–		
18/087K	W	7,82	–	–	–	–		
18/088N	P	0,2	–	–	–	–		
18/089K	W	29,87	–	–	–	–		
18/090R	N	0,18	–	–	–	–		
18/091N	N	17,52	–	–	–	–		
18/092S	O	0,55	<u>5/7PV</u>	–	a	–		
18/093N	P	0,24	–	–	–	–		
18/094S	O	0,94	<u>5/7PV</u>	–	a	–		
18/095N	N	27,14	–	–	–	–		
18/096K	N	1,1	–	–	–	–		<u>navržený-ÚSES</u>
18/097N	L	0,8	–	–	–	–		
18/098N	N	15,94	–	–	–	–		
18/099N	D	0,7	–	–	–	–		
18/100N	N	12,73	–	–	–	–		
18/101S	Z	0,57	<u>3/5PV</u>	<u>E%</u>	–	<u>e%</u>		
18/102N	L	5,73	–	–	–	–		
18/103P	O	0,66	3/5	<u>do 10 %10 %</u>	s	40 %	specifická rekreace	<u>US-107</u>
<u>18/104Z</u>	<u>B</u>	<u>1-250</u>	<u>7/10</u>	<u>10–35 %</u>	<u>b</u>	<u>40 %</u>		<u>etapizace</u>
<u>18/105Z</u>	<u>R</u>	<u>0,360</u>	<u>5/7</u>	<u>do 3 %</u>	<u>s</u>	<u>50 %</u>		<u>etapizace</u> , <u>zeleně-parková</u>
<u>18/106Z1</u> <u>8/106S</u>	<u>B</u>	<u>1,60,95</u>	<u>7/10PV</u>	<u>10–35 %E%</u>	<u>bBe</u>	<u>40 %e%</u>		<u>etapizace</u> <u>Zm. X</u>
<u>18/107Z</u>	<u>P</u>	<u>0,430</u>	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
18/108Z	B	1,30	7/10	10-35 %	b	40 %		etapizace
18/109N	N	2,11	—	—	—	—		UR-14 (W)
18/110N	W	73,42	—	—	—	—		
18/111N	W	5,1	—	—	—	—		
18/112N	N	0,9	—	—	—	—		
18/113N	W	12,91	—	—	—	—		
18/114S	W	1,29	—	—	—	—		
18/115N	W	3,08	—	—	—	—		
18/116N	N	4,04	—	—	—	—		
18/117P	W	0,520,59	—	—	—	—		Zm. X
18/118K	W	1,2	—	—	—	—		
18/119N	R	0,52	—	—	—	—	zeleně rekreační krajiny	zeleně rekreační krajiny, UR-14 (W)
18/120S	B	0,22	7/10PV	E%	vBe	e%		UR-12 (W)
18/121N	N	0,63	—	—	—	—		UR-12 (W)
18/122K	N	0,91	—	—	—	—		navržený ÚSES
18/123R	N	0,4	—	—	—	—		UR-13 (W)
18/124N	N	0,69	—	—	—	—		UR-13 (W)
18/125N	N	1,7	—	—	—	—		UR-13 (W)
18/126Z	R	0,61	5/7	do 3-3 %	s	50 %	park	etapizace, zeleně parková
18/127P1 8/127S	RZ	0,570,79	5/7PV	do 3-3 %E%	s	50-50 %e%		zeleně parková, Zm. X
18/128Z	R	0,230	5/7	do 3-3 %	s	50-50 %		etapizace, zeleně parková
18/129P	W	0,19	—	—	—	—		
18/130K	W	1,651,66	—	—	—	—		Zm. X
18/131Z	R	0,47	5/7	do 3-3 %	s	50 %	park	etapizace, zeleně parková
18/132N	N	0,75	—	—	—	—		UR-15 (W)
18/133K	N	1,26	—	—	—	—		navržený ÚSES
18/134Z	P	0,180	—	—	—	—		
18/135Z	P	0,170	—	—	—	—		
18/136Z	P	0,190	—	—	—	—		
18/137N	N	0,850,88	—	—	—	—		UR-40 (B)Zm. X
18/138P	B	0,19	7/10	35 %	Bn	40 %		Zm. X
Lokalita 19 – Týneček								
19/001S	B	3,52,97	7/10PV	E%	vBe	e%		Zm. X
19/002S	B	1,01	7/10PV	E%	vBe	e%		
19/003S	P	0,15	—	—	—	—		
19/004S	B	1,33	7/10PV	E%	vBe	e%		
19/005S	P	0,141,03	—	—	—	—		Zm. X
19/006S	B	2,192,41	7/10PV	E%	bBe	e%		Zm. X
19/007S	D	2,672,6	—	—	—	—		Zm. X
19/008S	B	0,17	7/10PV	E%	vBe	e%		
19/009S	R	0,3	5/7PV	—	s	—	park	zeleně parková
19/010S	P	1,381,81	—	—	—	—		Zm. X
19/011S	B	1,19	7/10PV	E%	vBe	e%		
19/012Z	B	0,54	7/10	10-35-35 %	bBn	40 %		Zm. I/01
19/013Z	P	1,761,75	—	—	—	—		Zm. I/01, Zm. X
19/014Z	B	0,38	7/10	10-35-35 %	bBn	40 %		Zm. I/01
19/015Z	O	0,38	7/10	do 40-40 %	a	20 %		Zm. I/01
19/016Z	B	0,330,40	7/10	10-35-35 %	bBn	40 %		Zm. I/01
19/017Z	B	1,351,36	7/10	10-35-35 %	bBn	40 %		Zm. I/01, Zm. X
19/018Z	R	0,170,2	5/7	do 3-3 %	s	50 %	park	zeleně parková, Zm. I/01, Zm. X
19/019Z	B	0,340,23	7/10	10-35-35 %	bBn	40 %		Zm. I/01, Zm. X
19/020Z	B	1,391,58	7/10	10-35-35 %	bBn	40 %		Zm. I/01, Zm. X
19/021Z	B	1,82	7/10	10-35-35 %	bBn	40 %		Zm. I/01
19/022S	B	1,94	7/10PV	E%	vBe	e%		
19/023S	B	0,690,72	7/10PV	E%	vBe	e%		Zm. X
19/024S	O	0,61	7/10PV	—	a	—		
19/025S	B	0,110,42	7/10PV	E%	bBe	e%	zemědělství	Zm. X
19/026Z1 9/026S	B	0,380,34	7/10PV	10-35-35 %E%	bBe	40-40 %e%		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
19/027Z1 9/027P	B	0,860,63	7/10	10-35-%35 %	bBn	40 %		<u>Zm. X</u>
19/028Z	P	0,910,18	—	—	—	—		<u>Zm. X</u>
19/029Z	B	0,740,67	7/10	10-35-%35 %	bBn	40 %		<u>Zm. X</u>
19/030N	D	0,470,39	—	—	—	—		<u>Zm. X</u>
19/031S	B	0,71	7/10PV	E%	aBe	e%		
19/032N	N	24,4824,03	—	—	—	—		<u>Zm. X</u>
19/033Z	D	11,38	—	—	—	—		
19/034S	B	4,084,54	7/10PV	E%	vBe	e%		<u>Zm. X</u>
19/035S	B	1,05	7/10PV	E%	vBe	e%		
19/036Z1 9/036S	R	0,210,25	5/7PV	do 3 %	s	50 %	<u>park</u>	zeleň-parková, Zm.- I/01Zm. X
19/037Z1 9/037S	B	1,390,83	7/10PV	10-35-%E%	bBe	40-%e%		Zm.-I/01Zm. X
19/038Z	P	1,060,34	—	—	—	—		Zm. I/01, <u>Zm. X</u>
19/039Z	B	1,991,18	7/10	10-35-%35 %	bBn	40 %		Zm. I/01, <u>Zm. X</u>
19/040N	D	0,79	—	—	—	—		
19/041S	B	0,35	5/7PV	E%	aBe	e%		
19/042Z	D	2,33	—	—	—	—		UR-06 (D)
19/043N	N	1,08	—	—	—	—		UR-06 (D)
19/044N	D	0,11	—	—	—	—		
19/045N	N	0,13	—	—	—	—		
19/046N	N	0,18	—	—	—	—		UR-06 (D)
19/047N	N	84,9384,86	—	—	—	—		<u>Zm. X</u>
19/048N	D	1,341,33	—	—	—	—		<u>Zm. X</u>
19/049N	N	35,1434,93	—	—	—	—		<u>Zm. X</u>
19/050N	N	24,38	—	—	—	—		
19/051K	N	5,36	—	—	—	—	<u>ochranné zatravnění</u>	<u>ochranné zatravnění</u>
19/052K	N	1,48	—	—	—	—		<u>navržený ÚSES</u>
19/053N	L	1,02	—	—	—	—		
19/054K	N	0,73	—	—	—	—		<u>navržený ÚSES</u>
19/055N	N	13,23	—	—	—	—		
19/056N	N	4,964,97	—	—	—	—		<u>Zm. X</u>
19/057N	N	9,08	—	—	—	—		
19/058K	N	8,52	—	—	—	—	<u>ochranné zatravnění</u>	<u>ochranné zatravnění</u>
19/059N	N	7,53	—	—	—	—		
19/060Z	B	0,30	7/10	do 10 %	s	15 %	<u>zemědělství</u>	
19/061S	B	0,16	PV	E%	Be	e%		<u>Zm. X</u>
19/062S	B	0,57	PV	E%	Be	e%		<u>Zm. X</u>
19/063P	P	0,34	—	—	—	—		<u>Zm. X</u>
19/064S	B	0,27	PV	E%	Be	e%		<u>Zm. X</u>
19/065S	B	0,73	PV	E%	Be	e%		<u>Zm. X</u>
19/066S	B	0,24	PV	E%	Be	e%		<u>Zm. X</u>
Lokalita 20 – Drozdín								
20/001S	B	1,75	7/10PV	E%	vBe	e%		
20/002K	N	7,37,4	—	—	—	—	<u>ochranné zatravnění</u>	<u>ochranné- zatravněníZm. X</u>
20/003S	O	0,46	7/10PV	—	vBe	—		
20/004S	B	2,662,63	7/10PV	E%	vBe	e%		<u>Zm. X</u>
20/005S	P	1,222,7	—	—	—	—		<u>Zm. X</u>
20/006S	O	0,110,17	7/10PV	—	s	—		<u>Zm. X</u>
20/007S	P	0,40,34	—	—	—	—		<u>Zm. X</u>
20/008S	R	0,25	5/7PV	—	s	—	<u>park</u>	<u>zeleň-parková</u>
20/009P	P	0,270	—	—	—	—		
20/010S	B	4,4	7/10PV	E%	vBe	e%		
20/011S	D	1,612,15	—	—	—	—		<u>Zm. X</u>
20/012S	B	1,551,59	7/10PV	E%	vBe	e%		<u>Zm. X</u>
20/013S	P	0,390,68	—	—	—	—		<u>Zm. X</u>
20/014S	B	0,180,2	7/10PV	E%	bBe	e%		<u>Zm. X</u>
20/015S	B	2,842,01	7/10PV	E%	bBe	e%		<u>Zm. X</u>
20/016S	B	1,91,96	7/10PV	E%	vBe	e%		<u>Zm. X</u>
20/017S	B	0,640,66	7/10PV	E%	bBe	e%		<u>Zm. X</u>
20/018S	B	0,750,78	7/10PV	E%	vBe	e%		<u>Zm. X</u>
20/019P	B	5,165,15	5/77/10	do 30-%35 %	bBn	30-%40 %		<u>RP-02US-160, Zm. X</u>
20/020P	P	0,80,6	—	—	—	—		<u>RP-02Zm. X</u>

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
20/021S	R	0,64	5/7PV	–	s	–	park	zeleně-parková
20/022P	P	1,30	–	–	–	–		
20/023S	Z	3,114,08	3/5PV	E%	–	e%	chatová osada	Zm. X
20/024Z2 0/024N	ZN	3,23,05	3/5	do 10 %	–	50 %		etapizace Zm. X
20/025P	P	0,510	–	–	–	–		
20/026S	Z	0,380,39	3/5PV	E%	–	e%	chatová osada	Zm. X
20/027S	Z	0,60,62	3/5PV	E%	–	e%	chatová osada	Zm. X
20/028N	N	18,9418,95	–	–	–	–		Zm. X
20/029N	N	31,37	–	–	–	–		
20/030N	N	289,629	–	–	–	–		Zm. X
20/031S	Z	5,55,57	3/5PV	E%	–	e%		Zm. X
20/032Z	P	0,260,27	–	–	–	–		Zm. X
20/033S	Z	0,550,59	3/5PV	E%	–	e%		Zm. X
20/034N	N	4,174,23	–	–	–	–		Zm. X
20/035N	N	2,552,62	–	–	–	–		Zm. X
20/036Z2 0/036N	P	1,30,85	–	–	–	–		Zm. X
20/037S	Z	0,41	3/5PV	E%	–	e%		
20/038Z	Z	1,741,77	3/5	do 10 % C%	–	50 %		Zm. X
20/039S	P	0,210,42	–	–	–	–		Zm. X
20/040S	B	0,280,29	7/10PV	E%	bBe	e%		Zm. X
20/041Z	B	0,70,72	7/10	10–35–%35 %	bBn	40 %		Zm. X
20/042S	B	0,61	7/10PV	E%	bBe	e%		
20/043Z2 0/043S	B	0,730,18	7/10PV	10–35–%E%	bBe	40–%e%		etapizace, Zm. I/01 Zm. X
20/044Z	P	0,580	–	–	–	–		Zm. I/01
20/045Z2 0/045N	BN	0,521,34	7/10	10–35–%	b	40–%		etapizace, Zm. I/01 Zm. X
20/046N	D	0,490	–	–	–	–		
20/047Z	B	1,290,9	7/10	10–35–%35 %	bBn	40 %		Zm. X
20/048S	B	0,40,96	7/10PV	E%	bBe	e%		Zm. X
20/049Z2 0/049S	P	0,790,8	–	–	–	–		Zm. X
20/050Z2 0/050S	B	0,93	7/10PV	10–35–%E%	bBe	40–%e%		Zm. X
20/051Z2 0/051S	B	1,01	7/10PV	10–35–%E%	bBe	40–%e%		Zm. X
20/052Z2 0/052S	B	1	7/10PV	10–35–%E%	bBe	40–%e%		Zm. X
20/053Z	B	0,560	7/10	10–35–%	b	40–%		
20/054K	N	4,54	–	–	–	–		navržený ÚSES
20/055N	L	1,020,73	–	–	–	–		Zm. X
20/056N	R	1,27	–	–	–	–	zeleně rekreační krajiny	zeleně rekreační krajiny
20/057S	B	1,27	7/10PV	E%	bBe	e%		
20/058S	P	0,27	–	–	–	–		
20/059S	B	3,372,66	7/10PV	E%	bBe	e%		Zm. X
20/060P	P	0,16	–	–	–	–		
20/061S	P	2,262,24	–	–	–	–		Zm. X
20/062S	O	0,42	7/10PV	–	a	–		
20/063S	B	1,58	7/10PV	E%	vBe	e%		
20/064S	B	0,982,1	7/10PV	E%	bBe	e%		Zm. X
20/065P	B	0,770	7/10	10–35–%	b	40–%		
20/066P	P	0,570	–	–	–	–		
20/067P	B	0,320	7/10	10–35–%	b	40–%		
20/068P2 0/068S	B	0,530,56	7/10PV	10–35–%E%	bBe	40–%e%		Zm. X
20/069P	O	0,280,46	11/11	do 40–%40 %	s	20 %		Zm. X
20/070P	R	0,590,55	5/7	do 3–%3 %	s	50 %	park	zeleně-parková Zm. X
20/071S	B	0,920,36	7/10PV	E%	bBe	e%		Zm. X
20/072S	B	1,18	7/10PV	E%	bBe	e%		
20/073S	B	0,780,84	7/10PV	E%	bBe	e%		Zm. X
20/074N	N	37,237,16	–	–	–	–		Zm. X
20/075N	D	1,78	–	–	–	–		
20/076P	B	3,39	7/10	10–35–%35 %	bBn	40 %		US-105
20/077P	P	0,870,8	–	–	–	–		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
20/078P	B	0,190	7/10	10-35 %	b	40 %		
20/079Z	B	0,54	7/10	10-35 % 35 %	bBn	40 %		
20/080P	B	0,590,52	7/10	10-35 % 35 %	bBn	40 %		Zm. X
20/081S	B	2,52,57	7/10PV	E%	bBe	e%		Zm. X
20/082Z	R	0,53	5/7	do 3 % 3 %	s	50 %	park	zeleně-parková
20/083Z	B	0,16	7/10	10-35 % 35 %	bBn	40 %		
20/084Z	P	0,28	-	-	-	-		
20/085Z	B	0,31	7/10	10-35 % 35 %	bBn	40 %		
20/086S	B	0,6	7/10PV	E%	bBe	e%		
20/087S	B	1,561,7	7/10PV	E%	bBe	e%		Zm. X
20/088Z	B	0,30,23	7/10	10-35 % 35 %	bBn	40 %		Zm. X
20/089N	N	2,29	-	-	-	-		
20/090S	B	1,190,9	7/10PV	E%	bBe	e%		Zm. X
20/091Z	P	0,1	-	-	-	-		
20/092S	B	1,42	7/10PV	E%	bBe	e%		
20/093S	P	1,44	-	-	-	-		
20/094S	D	1,191,2	-	-	-	-		Zm. X
20/095Z2 0/095S	R	0,37	5/7PV	do 3 %	s	50 %	park	zeleně-parková Zm. X
20/096S	B	0,210	7/10	-	b	-		
20/097Z	B	1,120,67	7/10	10-35 % 35 %	bBn	40 %		Zm. X
20/098S	B	1,562,29	7/10PV	E%	bBe	e%		Zm. X
20/099S	B	1,21	7/10PV	E%	bBe	e%		
20/100S	B	1,181,22	7/10PV	E%	vBe	e%		Zm. X
20/101N	N	0,32	-	-	-	-		
20/102N	P	0,14	-	-	-	-		
20/103N	N	1	-	-	-	-		
20/104S	T	2,61	5/7PV	-	a	-		
20/105N	N	17,75	-	-	-	-		
20/106N	D	1,141,13	-	-	-	-		Zm. X
20/107R	N	0,4	-	-	-	-		
20/108N	N	41,23	-	-	-	-		
20/109S	B	0,37	5/7PV	E%	sBe	e%		
20/110K	N	3,67	-	-	-	-		navržený ÚSES
20/111N	P	1,041,06	-	-	-	-		Zm. X
20/112N	N	3,97	-	-	-	-		
20/113N	D	0,4	-	-	-	-		
20/114N	N	17,56	-	-	-	-		
20/115N	N	29,07	-	-	-	-		
20/116N	N	103,72	-	-	-	-		
20/117N	N	39,9439,95	-	-	-	-		UR-07 (D), Zm. X
20/118N	D	0,45	-	-	-	-		UR-07 (D)
20/119N	N	13,87	-	-	-	-		UR-07 (D)
20/120K	N	1,51	-	-	-	-		navržený ÚSES, UR-07 (D)
20/121K	N	3,48	-	-	-	-		navržený ÚSES
20/122N	N	0,16	-	-	-	-		UR-07 (D)
20/123N	N	63,27	-	-	-	-		
20/124N	D	0,95	-	-	-	-		
20/125Z	D	7,64	-	-	-	-		
20/126N	N	31,32	-	-	-	-		Zm. I/03
20/127N	N	37,29	-	-	-	-		
20/128K	N	0,94	-	-	-	-		navržený ÚSES
20/129N	N	29,2629,25	-	-	-	-		Zm. X
20/130N	D	0,4	-	-	-	-		
20/131N	N	1,49	-	-	-	-		
20/132S	B	0,33	7/10PV	E%	bBe	e%		
20/133S	B	0,060,08	7/10PV	E%	bBe	e%		Zm. X
20/134K	N	2,07	-	-	-	-	ochranné zatravnění	ochranné zatravnění
20/135P	B	1,520,93	5/77/10	do 30 % 35 %	bBn	30 % 40 %		RP-02US-160, Zm. X
20/136P	B	1,941,2	5/77/10	do 30 % 35 %	bBn	30 % 40 %		RP-02US-160, Zm. X
20/137S	Z	0,421,31	3/5PV	E%	-	e%	chatová osada	Zm. X
20/138Z	D	10,07	-	-	-	-		
20/139Z	D	5,59	-	-	-	-		
20/140N	N	2,622,64	-	-	-	-		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
20/145R	N	0,33	–	–	–	–		
20/146N	N	<u>2,012,2</u>	–	–	–	–		UR-23 (B), <u>Zm. X</u>
20/147N	N	0,56	–	–	–	–		UR-24 (B)
20/148N	N	<u>0,60,53</u>	–	–	–	–		UR-25 (B), <u>Zm. X</u>
20/149N	N	<u>0,790,84</u>	–	–	–	–		UR-41 (P), <u>Zm. X</u>
20/150K	NW	2,52	–	–	–	–	poldr	Zm. I/03, <u>Zm. X</u>
<u>20/151P</u>	<u>B</u>	<u>0,29</u>	<u>7/10</u>	<u>35 %</u>	<u>Bn</u>	<u>40 %</u>		<u>Zm. X</u>
<u>20/152S</u>	<u>B</u>	<u>0,57</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		<u>Zm. X</u>
<u>20/153P</u>	<u>B</u>	<u>0,71</u>	<u>7/10</u>	<u>35 %</u>	<u>Bn</u>	<u>40 %</u>		<u>Zm. X</u>
<u>20/154P</u>	<u>R</u>	<u>0,35</u>	<u>5/7</u>	<u>3 %</u>	<u>=</u>	<u>50 %</u>	<u>park</u>	<u>Zm. X</u>
<u>20/155S</u>	<u>B</u>	<u>0,38</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		<u>Zm. X</u>
<u>20/156S</u>	<u>R</u>	<u>0,11</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>park</u>	<u>Zm. X</u>
<u>20/157S</u>	<u>R</u>	<u>0,18</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>park</u>	<u>Zm. X</u>
<u>20/158S</u>	<u>Z</u>	<u>0,68</u>	<u>PV</u>	<u>E%</u>	<u>=</u>	<u>e%</u>		<u>Zm. X</u>
Lokalita 21 – Svatý Kopeček								
21/001S	B	<u>3,522,94</u>	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
21/002S	B	0,32	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
21/003S	R	0,23	<u>5/7PV</u>	–	<u>s</u>	–	<u>park</u>	<u>zelen-parková</u>
21/004S	O	0,62	<u>7/10PV</u>	–	<u>bBe</u>	–		
21/005S	B	0,39	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
21/006S	B	0,32	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
21/007S	P	<u>3,113,12</u>	–	–	–	–		<u>Zm. X</u>
21/008S	B	0,24	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
21/009S	O	0,27	<u>7/10PV</u>	–	<u>a</u>	–	<u>hřbitov</u>	<u>zelen-hřbitovů</u>
21/010S	O	0,24	<u>7/10PV</u>	–	<u>a</u>	–	<u>hřbitov</u>	<u>zelen-hřbitovů</u>
21/011S	R	0,35	<u>5/7PV</u>	–	<u>s</u>	–	<u>park</u>	<u>zelen-parková</u>
21/012S	B	1,03	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
21/013S	B	1,97	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
21/014S	B	0,95	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
21/015S	B	0,76	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
21/016S	B	1,04	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
21/017S	R	1,25	<u>5/7PV</u>	–	<u>s</u>	–	<u>park</u>	<u>zelen-parková</u>
21/018S	P	0,11	–	–	–	–		
21/019S	O	1,19	<u>7/10PV</u>	–	<u>a</u>	–		
21/020S	O	1,03	<u>7/10PV</u>	–	<u>a</u>	–		
21/021S	P	1,46	–	–	–	–		
21/022S	B	0,34	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
21/023S	P	1,09	–	–	–	–		
21/024S	O	2,26	<u>7/10PV</u>	–	<u>a</u>	–		
21/025S	R	0,33	<u>5/7PV</u>	–	<u>s</u>	–	<u>park</u>	<u>zelen-parková</u>
21/026S	B	<u>1,021,06</u>	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
21/027R	N	<u>0,220,21</u>	–	–	–	–		<u>Zm. X</u>
21/028R	N	0,77	–	–	–	–		
21/029R	N	0,18	–	–	–	–		
21/030N	N	15,78	–	–	–	–		
21/031R	N	0,31	–	–	–	–		
21/032R	N	0,44	–	–	–	–		
21/033R	N	4,68	–	–	–	–		
21/034S	T	0,24	<u>5/7PV</u>	–	<u>a</u>	–		
21/035N	D	2,04	–	–	–	–		
21/036N	N	5,07	–	–	–	–		
21/037S	D	<u>1,011,89</u>	–	–	–	–		<u>Zm. X</u>
21/038S	B	<u>2,022,59</u>	<u>7/10PV</u>	<u>E%</u>	<u>pSe</u>	<u>e%</u>		<u>Zm. X</u>
21/039S	P	<u>0,190,17</u>	–	–	–	–		<u>Zm. X</u>
21/040S	B	<u>2,412,36</u>	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
21/041S	O	0,35	<u>7/10PV</u>	–	<u>bBe</u>	–		
21/042Z	B	0,35	<u>5/7/10</u>	<u>10–35 %35 %</u>	<u>bBn</u>	<u>40 %</u>		
21/043S	B	0,46	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
21/044Z	P	<u>2,292,4</u>	–	–	–	–		<u>Zm. X</u>
21/045Z	D	<u>1,062,59</u>	–	–	–	–		<u>Zm. X</u>
21/046Z	R	0,78	5/7	<u>do 3 %3 %</u>	<u>s</u>	<u>50 %</u>	<u>park</u>	<u>zelen-parková</u>
21/047N	L	<u>81,5481,53</u>	–	–	–	–		<u>Zm. X</u>
21/048Z	B	<u>1,631,61</u>	7/10	<u>10–35 %35 %</u>	<u>bBn</u>	<u>40 %</u>		<u>Zm. X</u>

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
21/049Z	R	0,240,23	5/7	do 3 %3 %	s	50 %	park	zeleň-parkováZm. X
21/050Z	Đ	0,340	—	—	—	—		
21/051P	D	0,37	—	—	—	—		
21/052S	O	0,890,62	7/10PV	—	a	—		Zm. X
21/053S	P	0,68	—	—	—	—		
21/054S	B	0,36	7/10PV	E%	bBe	e%		
21/055S	B	1,78	7/10PV	E%	bBe	e%		
21/056N	L	1,14	—	—	—	—		
21/057N	L	0,82	—	—	—	—		
21/058Z	Đ	1 180	—	—	—	—		
21/059S	Đ	0,880	—	—	—	—		
21/060N	D	0,89	—	—	—	—		
21/061S	B	2,97	7/10PV	E%	bBe	e%		
21/062S	B	0,67	7/10PV	E%	bBe	e%		
21/063N	L	2,14	—	—	—	—		
21/064Z	OE	1,34	11/117/10	do 40 %35 %	sBn	20 %40 %		US-98US-166, Zm. X
21/065P	O	0,410,31	14/18	do 40 %40 %	s	20 %		etapizace, US-98, ET-15, Zm. X
21/066Z	O	1,431,24	14/18	do 40 %40 %	s	20 %		etapizace, US-98, ET-15, Zm. X
21/067Z	D	1,32	—	—	—	—		
21/068N	D	1,44	—	—	—	—		
21/069N	L	23,1823,12	—	—	—	—		Zm. X
21/070S	O	24,8324,72	11/11PV	—	a	—	ZOO	zeleň-ZOOZm. X
21/071N	L	16,43	—	—	—	—		
21/072N	L	50,43	—	—	—	—		
21/073Z	P	0,230,21	—	—	—	—		Zm. X
21/074Z	B	0,110,23	5/77/10	10-35 %35 %	bBn	40 %		Zm. X
21/075P	B	0,570	7/10	10-35 %	b	40 %		
21/076P	B	0,63	7/10	10-35 %35 %	bBn	40 %		
21/078Z	B	1,44	7/10	10-35 %35 %	bBn	40 %		
21/079Z	B	1,831,7	7/10	10-35 %35 %	bBn	40 %		Zm. X
21/080Z	B	1,24	7/10	10-35 %35 %	bBn	40 %		
21/081Z	B	0,99	7/10	10-35 %35 %	bBn	40 %		
21/082Z	B	1 061	7/10	10-35 %35 %	bBn	40 %		Zm. X
21/083Z	B	0,530,58	7/10	10-35 %35 %	bBn	40 %		Zm. X
21/084Z	B	0,560,53	7/10	10-35 %35 %	bBn	40 %		Zm. X
21/085Z	B	0,72	7/10	10-35 %35 %	bBn	40 %		
21/086N	W	0,65	—	—	—	—		
21/087Z	R	0,20,18	5/7	do 3 %3 %	s	50 %	park	zeleň-parkováZm. X
21/088Z	P	0,080	—	—	—	—		
21/089S	I	0,06	PV	—	—	—		Zm. X
21/090S	B	0,12	PV	E%	Be	e%		Zm. X
21/091S	B	0,57	PV	E%	Be	e%		Zm. X
21/092P	O	0,27	11/11	40 %	Bn	20 %		Zm. X
21/093Z	B	0,09	7/10	35 %	Bn	40 %		Zm. X
21/094P	P	0,1	—	—	—	—		US-98, Zm. X
21/095Z	P	0,19	—	—	—	—		US-98, Zm. X
Lokalita 22 – Radikov								
22/001S	B	0,530,57	7/10PV	E%	vBe	e%		Zm. X
22/002S	P	2,212,44	—	—	—	—		Zm. X
22/003S	B	0,730,74	7/10PV	E%	vBe	e%		Zm. X
22/004S	B	2,22,22	7/10PV	E%	vBe	e%		Zm. X
22/005P	P	0,41	—	—	—	—		
22/006S	D	0,67	—	—	—	—		
22/007S	B	0,97	7/10PV	E%	vBe	e%		
22/008Z	B	0,21	7/10	10-35 %35 %	vBn	40 %		
22/009S	Z	0,28	3/5PV	E%	—	e%	chatová osada	
22/010S	Z	0,14	3/5PV	E%	—	e%		
22/011S	Z	0,280,29	3/5PV	E%	—	e%	chatová osada	Zm. X
22/012S	P	0,580,56	—	—	—	—		Zm. X
22/013S	B	0,991,04	7/10PV	E%	vBe	e%		Zm. X
22/014S	Z	0,370,38	3/5PV	E%	—	e%	chatová osada	Zm. X
22/015N	L	49,16	—	—	—	—		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
22/016P2 2/016S	P	0,250,1	–	–	–	–		Zm. X
22/017Z	Z	0,56	3/5	do 10 % C%	–	50 %		
22/018S	Z	0,440,53	3/5PV	E%	–	e%		Zm. X
22/019N	N	0,750,47	–	–	–	–		Zm. X
22/020N	R	2,33	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny
22/021S	Z	0,690,56	3/5PV	E%	–	e%		Zm. X
22/022N	L	0,48	–	–	–	–		
22/023N	N	12,3712,34	–	–	–	–		Zm. X
22/024S	B	0,720,73	7/10PV	E%	sBe	e%		Zm. X
22/025S	B	0,6	7/10PV	E%	vBe	e%		
22/026S	B	2,622,91	7/10PV	E%	vBe	e%		Zm. X
22/027S	O	0,34	7/10PV	–	vBe	–		
22/028S	B	0,330,34	7/10PV	E%	vBe	e%		Zm. X
22/029S	B	0,05	7/10PV	E%	vBe	e%		
22/030S	B	0,19	7/10PV	E%	vBe	e%		
22/031S	B	0,780,84	7/10PV	E%	vBe	e%		Zm. X
22/032S	B	0,440,45	5/7PV	E%	vBe	e%		Zm. X
22/033S	B	0,450,71	7/10PV	E%	vBe	e%		Zm. X
22/034Z	B	1,130,18	5/77/10	10–35 % 35 %	bBn	40 %		Zm. X
22/035S	B	1,151,21	7/10PV	E%	vBe	e%		Zm. X
22/036N	W	1,22	–	–	–	–		
22/037P	B	3,96	7/10	10–35 % 35 %	vBn	40 %		
22/038Z	P	0,420,07	–	–	–	–		Zm. X
22/039S	Z	0,60,64	3/5PV	E%	–	e%		Zm. X
22/040N	N	17,1815,67	–	–	–	–		Zm. X
22/041S	Z	0,56	3/5PV	E%	–	e%		
22/042N	L	52,6152,64	–	–	–	–		Zm. X
22/043N	L	33,5333,56	–	–	–	–		Zm. X
22/044N	N	0,68	–	–	–	–		
22/045N	P	0,290,28	–	–	–	–		Zm. X
22/046N	N	11,1410,32	–	–	–	–		Zm. X
22/047N	L	74,5374,18	–	–	–	–		Zm. X
22/048S	B	0,27	5/7PV	E%	aBe	e%		
22/049N	N	4,982,12	–	–	–	–		Zm. X
22/050S	B	0,49	5/7PV	E%	aBe	e%		
22/051N	L	60,76	–	–	–	–		
22/052N	R	11,03	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny
22/053S	O	4,9	5/7PV	–	a	–		
22/054S	O	1,97	11/11PV	–	a	–		
22/055K	N	0,70,71	–	–	–	–	ochranné zatravnění	ochranné- zatravnění Zm. X
22/056N	R	0,48	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny
22/057Z	B	1,790,95	5/77/10	10–35 % 35 %	bBn	40 %		Zm. X
22/058Z	P	0,40,13	–	–	–	–		Zm. X
22/059Z	R	0,150,18	5/7	do 3 % 3 %	s	50 %	park	zeleň parková Zm. X
22/060S	B	0,07	7/10PV	E%	Be	e%		
22/061S	B	0,290,3	7/10PV	E%	vBe	e%		Zm. X
22/062S	Z	0,88	PV	E%	=	e%		Zm. X
22/063S	B	0,49	PV	E%	Be	e%		Zm. X
22/064S	Z	0,09	PV	E%	=	e%		Zm. X
22/065S	I	0,08	PV	=	=	=		Zm. X
22/066N	P	1,35	=	=	=	=		Zm. X
22/067N	N	2,52	=	=	=	=		Zm. X
22/068S	B	0,07	7/10	35 %	Bn	40 %		Zm. X
22/069N	P	0,38	=	=	=	=		Zm. X
22/070N	N	1,42	=	=	=	=		Zm. X
Lokalita 23 – Lošov								
23/001S	B	0,39	7/10PV	E%	vBe	e%		
23/002S	O	1,33	7/10PV	–	a	–		
23/003S	B	0,510,53	7/10PV	E%	vBe	e%		Zm. X
23/004S	B	0,60,61	7/10PV	E%	bBe	e%		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
23/005S	P	0,230,17	–	–	–	–		Zm. X
23/006S	B	1,781,82	7/10PV	E%	vBe	e%		Zm. X
23/007S	D	0,980,93	–	–	–	–		Zm. X
23/008S	B	0,430,45	7/10PV	E%	vBe	e%		Zm. X
23/009S	P	0,350,27	–	–	–	–		Zm. X
23/010S	B	1,211,23	7/10PV	E%	vBe	e%		Zm. X
23/011S	B	3,844,45	7/10PV	E%	vBe	e%		Zm. X
23/012Z	B	0,510,45	7/10	10–35–%35 %	bBn	40 %		Zm. I/01, Zm. X
23/013Z	B	0,450,46	7/10	10–35–%35 %	bBn	40 %		Zm. I/01, Zm. X
23/014Z	B	0,62	7/10	10–35–%35 %	bBn	40 %		Zm. I/01
23/015Z	B	0,62	7/10	10–35–%35 %	bBn	40 %		Zm. I/01
23/016Z	B	1,51	7/10	10–35–%35 %	bBn	40 %		Zm. I/01
23/017Z	B	0,37	7/10	10–35–%35 %	bBn	40 %		Zm. I/01
23/018Z	P	1,51,27	–	–	–	–		Zm. I/01, Zm. X
23/019Z	R	0,290,3	5/7	do 3–%3 %	s	50 %	park	zeleně-parková, Zm. I/01, Zm. X
23/020S	T	0,2	7/10PV	–	a	–		
23/021Z	R	0,080,09	5/7	do 3–%3 %	s	50 %	park	zeleně-parková, Zm. I/01, Zm. X
23/022Z	B	0,460	7/10	10–35–%	b	40–%		Zm. I/01
23/023N	R	0,40,45	–	–	–	–	zeleně rekreační krajiny	zeleně rekreační-krajiny Zm. X
23/024S	B	1,491,69	7/10PV	E%	vBe	e%		Zm. X
23/025S	B	0,210,22	7/10PV	E%	vBe	e%		Zm. X
23/026S	P	0,480,55	–	–	–	–		Zm. X
23/027S	D	1,24	–	–	–	–		
23/028S	B	3,512,24	7/10PV	E%	vBe	e%		Zm. X
23/029S	P	0,3	–	–	–	–		
23/030S	PB	0,082,75	PV	E%	Be	e%		Zm. X
23/031S	B	2-340	7/10	–	v	–		
23/032S	B	2,892,79	7/10PV	E%	aBe	e%		Zm. X
23/033Z	B	0,47	7/10	10–35–%35 %	bBn	40 %		
23/034P	B	0,190,45	5/77/10	10–35–%35 %	bBn	40 %		Zm. X
23/035Z2 3/035S	B	0,670,57	5/7PV	10–35–%E%	bBe	40–%e%		Zm. X
23/036Z	P	0,90,55	–	–	–	–		Zm. X
23/037Z2 3/037S	B	0,250,53	7/10PV	10–35–%E%	bBe	40–%e%		Zm. X
23/038N2 3/038P	R	0,180,08	5/7	3 %	–	50 %	park	zeleně rekreační-krajiny Zm. X
23/039S	B	1,24	7/10PV	E%	vBe	e%		
23/040S	B	0,68	7/10PV	E%	vBe	e%		
23/041S	P	1,081,14	–	–	–	–		Zm. X
23/042S	B	0,16	7/10PV	E%	vBe	e%		
23/043S	B	0,892,24	7/10PV	E%	vBe	e%		Zm. X
23/044P	P	0,250	–	–	–	–		
23/045S2 3/045P	B	1,530,38	7/10	35 %	bBn	40 %		Zm. X
23/046Z	P	0,150,1	–	–	–	–		Zm. X
23/047Z	B	0,41	7/10	10–35–%35 %	bBn	40 %		
23/048S	B	2,012,06	7/10PV	E%	vBe	e%		Zm. X
23/049N	N	8,528,5	–	–	–	–		Zm. X
23/051Z	O	0,590,54	7/10	do 40–%40 %	s	20 %		Zm. X
23/052Z	P	0,290,28	–	–	–	–		Zm. X
23/053S	B	0,44	7/10PV	E%	vBe	e%		
23/054N2 3/054S	R	1,241,18	PV	–	–	–	park	zeleně rekreační-krajiny Zm. X
23/055Z	Z	1,741,7	3/5	do 10–%C%	–	50 %	chatová osada	Zm. X
23/056S	Z	1,71	3/5PV	E%	–	e%	chatová osada	
23/057N2 3/057S	P	0,90,77	–	–	–	–		Zm. X
23/058N	W	1,320,97	–	–	–	–		Zm. X
23/059N	L	12,91	–	–	–	–		
23/060S	Z	2,08	3/5PV	E%	–	e%	chatová osada	
23/061S	P	1,111,41	–	–	–	–		Zm. X
23/062N	N	30,6130,06	–	–	–	–		Zm. X
23/063S	Z	0,28	3/5PV	E%	–	e%		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
23/064N	L	73,84	–	–	–	–		
23/065N	N	18,91	–	–	–	–		
23/066S	Z	0,21	3/5PV	E%	–	e%		
23/067N	N	10,68	–	–	–	–		
23/068S	Z	0,18	3/5PV	E%	–	e%		
23/069N	R	2,78	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny
23/070N	R	0,290,55	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny Zm. X
23/071N	L	5,24	–	–	–	–		
23/072S	Z	2,472,67	3/5PV	E%	–	e%		Zm. X
23/073N	N	27,4527,21	–	–	–	–		Zm. X
23/074N	D	0,83	–	–	–	–		
23/075R	N	0,480	–	–	–	–		
23/076N	N	33,3133,47	–	–	–	–		Zm. X
23/077N	N	4,43	–	–	–	–		
23/078N	N	0,86	–	–	–	–		
23/079N	L	67,24	–	–	–	–		
23/080N	L	101,810	–	–	–	–		Zm. X
23/081P2 3/081S	OB	2,772,95	11/11PV	do 40 %E%	a	20 %e%		US-38Zm. X
23/082N	N	1,53	–	–	–	–		
23/083N	N	13,93	–	–	–	–		
23/084S	Z	0,46	3/5PV	E%	–	e%		
23/085K	N	5,11	–	–	–	–	ochranné zatravnění	ochranné zatravnění
23/086S	Z	0,19	3/5PV	E%	–	e%		
23/087N	D	2,67	–	–	–	–		
23/088N	L	81,0881,04	–	–	–	–		Zm. X
23/089N	L	91,66	–	–	–	–		
23/090N	N	3,81	–	–	–	–		
23/091N	L	89,7589,23	–	–	–	–		Zm. X
23/092N	L	74,9974,68	–	–	–	–		Zm. X
23/093N	D	2,18	–	–	–	–		
23/094N	L	31,82	–	–	–	–		
23/095N	N	1,08	–	–	–	–		
23/096S	Z	0,371,4	3/5PV	E%	–	e%		Zm. X
23/097N	N	0,620	–	–	–	–		
23/098S	Z	0,40	3/5	–	–	–		
23/099N	N	0,56	–	–	–	–		
23/100K	N	1,41,25	–	–	–	–	ochranné zatravnění	ochranné zatravnění Zm. X
23/101K	N	11,3311,48	–	–	–	–	ochranné zatravnění	ochranné zatravnění Zm. X
23/102K	N	0,89	–	–	–	–	ochranné zatravnění	ochranné zatravnění
23/103Z2 3/103S	Z	0,490,35	3/5PV	do 10 %E%	–	50 %e%		Zm. X
23/104S	Z	0,17	3/5PV	E%	–	e%		
23/105K	N	1,2	–	–	–	–	ochranné zatravnění	ochranné zatravnění
23/106N	N	0,76	–	–	–	–		
23/107K	N	0,97	–	–	–	–	ochranné zatravnění	ochranné zatravnění
23/108K	N	2,1	–	–	–	–	ochranné zatravnění	ochranné zatravnění
23/112N	W	0,3	–	–	–	–		
23/113S	B	0,120	7/10	–	v	–		
23/114S	P	0,050	–	–	–	–		
23/115S	B	0,29	7/10PV	E%	vBe	e%		
23/116S	B	0,23	7/10PV	E%	vBe	e%		
23/117S	B	0,47	7/10PV	E%	vBe	e%		
23/118S	P	0,050,04	–	–	–	–		Zm. X
23/119S	B	1,11,13	7/10PV	E%	vBe	e%		Zm. X
23/120S	W	0,2	=	=	=	=		Zm. X
23/121S	O	0,1	PV	=	=	=		Zm. X
23/122S	I	0,07	PV	=	=	=		Zm. X
23/123N	W	0,86	=	=	=	=		Zm. X
23/124S	Z	0,06	PV	E%	=	e%		Zm. X
23/125P	B	1,01	7/10	35 %	Bn	40 %		Zm. X
23/126P	P	0,2	=	=	=	=		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
23/127S	Z	0,56	PV	E%	=	e%		Zm. X
Lokalita 24 – Holice-východ								
24/001P	B	3,772,59	11/15	10-35-%35 %	p	40 %		US-131, Zm. I/01, Zm. X
24/002S	B	2,262,87	7/10PV	E%	aBe	e%		US-131, Zm. I/01, Zm. X
24/003Z	B	2,341,68	11/15	10-35-%35 %	p	40 %		US-131, Zm. I/01, Zm. X
24/004N	D	1,65	–	–	–	–		
24/005Z	D	5,86	–	–	–	–		
24/006Z	V	3,67	15/15	do 55-%55 %	a	15 %	fotovoltaika	
24/007S	V	2,3	15/15PV	–	a	–	fotovoltaika	
24/008N	P	0,42	–	–	–	–		
24/009S	P	0,23	–	–	–	–		
24/010Z	V	1,55	15/15	do 55-%55 %	a	15 %	fotovoltaika	
24/011N	P	0,5	–	–	–	–		
24/012S	D	1,49	–	–	–	–		
24/013P	R	3,75	5/7	do 3-%3 %	s	50 %	park	zeleně-parková
24/014P	D	0,63	–	–	–	–		
24/015S	V	8,03	15/15PV	–	a	–		
24/016N	N	38,0724,36	–	–	–	–		Zm. X
24/017Z	D	7,23	–	–	–	–		
24/018N	N	3,78	–	–	–	–		
24/019Z	V	19,79	15/15	do 55-%55 %	a	15 %		etapizace, US-114, ET-07, Zm. I/01
24/020Z	D	15,71	–	–	–	–		
24/021Z	D	0,63	–	–	–	–		
24/022Z	V	19,03	15/15	do 55-%55 %	a	15 %	logistika	etapizace, Zm. I/01, US-115, ET-07
24/023N	N	25,19	–	–	–	–		UR-09 (T)
24/024N	N	22,4817,27	–	–	–	–		etapizace Zm. X
24/025N	N	22,3622,41	–	–	–	–		UR-08 (D), Zm. X
24/026N	N	22,7227,9	–	–	–	–		Zm. X
24/027K	N	4,63	–	–	–	–		navržený ÚSES
24/028N	N	30,5128,24	–	–	–	–		UR-08 (D), Zm. X
24/029N	N	101,42117,4	–	–	–	–		Zm. X
24/030N	D	1,521,8	–	–	–	–		Zm. X
24/031N	D	0,570,29	–	–	–	–		UR-08 (D), Zm. X
24/032N	N	1,85	–	–	–	–		
24/033Z	V	14,56	15/15	do 55-%55 %	a	15 %	logistika	etapizace, Zm. I/01, US-114, ET-07
24/034S	D	1,7	–	–	–	–		US-131, Zm. I/01, Zm. X
24/035S	V	8,15	15/15PV	–	a	–		
24/036Z	B	3,082,94	7/10	10-35-%35 %	p	40 %		US-131, Zm. I/01, Zm. X
24/037S	P	0,32	=	=	=	=		Zm. X
24/038S	B	1,04	PV	E%	Be	e%		Zm. X
Lokalita 25 – Nový Dvůr								
25/001S	B	2,35	7/10PV	E%	bBe	e%	bez ČS PHM	
25/002S	V	6,046,05	15/15SV05	–	a	–	specifická výška 2-(05)-biologický odpad, zemědělství	Zm. X
25/003S	B	0,65	7/10PV	E%	bBe	e%	bez ČS PHM	
25/004S	D	0,64	–	–	–	–		
25/005N	N	39,33	–	–	–	–		
25/006N	D	0,82	–	–	–	–		
25/007N	D	6,84	–	–	–	–		
25/008N	N	29,6629,64	–	–	–	–		Zm. X
25/009N	N	79,62	–	–	–	–		
25/010N	D	2,42	–	–	–	–		
25/011N	N	27,4427,13	–	–	–	–		Zm. X
25/012N	N	71,28	–	–	–	–		
25/013K	W	1,11	–	–	–	–		
25/014N	W	9,52	–	–	–	–		
25/015K	N	3,43	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
25/016N	D	0,31	=	=	=	=		Zm. X
Lokalita 26 – Kaliště								
26/001R2 6/001N	RN	12,98	–	–	–	–		zeleň rekreační krajiny, navržený ÚSES Zm. X
26/002K	R	2,18	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny, navržený ÚSES
26/003N	R	0,24	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny
26/004N	P	0,73	–	–	–	–		
26/005N	D	9,468,13	–	–	–	–		Zm. X
26/006N	N	12,64	–	–	–	–		
26/007N	D	3,222,75	–	–	–	–		Zm. X
26/008N	W	12,91	–	–	–	–		
26/009K	N	26,39	–	–	–	–		navržený ÚSES
26/010N	N	24,55	–	–	–	–		
26/011K2 6/011N	D	1,49	–	–	–	–		Zm. X
26/012N	N	8,91	–	–	–	–		
26/013N	N	4,06	–	–	–	–		navržený ÚSES
26/014N	R	0,78	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny
26/015N	W	1,61	–	–	–	–		navržený ÚSES
26/016K	R	1,98	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny, navržený ÚSES
26/017N	W	5,8	–	–	–	–		
26/018N	W	3,1	–	–	–	–		
26/019K	W	0,56	–	–	–	–		
26/020S	W	0,7	=	=	=	=		Zm. X
26/021N	D	1,1	=	=	=	=		Zm. X
Lokalita 27 – Nemilany a Nové Sady-jih								
27/001S	B	0,92	7/10PV	E%	vBe	e%		
27/002S	B	0,25	7/10PV	E%	vBe	e%		
27/003Z	R	0,2	5/7	do 3 % 3 %	s	50 %	park	zeleň parková
27/004S	B	1,11,14	7/10PV	E%	vBe	e%		Zm. X
27/005S	B	1,0,89	7/10PV	E%	vBe	e%		Zm. X
27/006S	O	0,34	7/10PV	–	a	–		
27/007P	B	0,970,41	7/10	10–35 % 35 %	bBn	40 %		Zm. X
27/008P2 7/008S	B	0,310,35	7/10PV	10–35 % E%	bBe	40 % e%		Zm. X
27/009P	P	0,590,15	–	–	–	–		Zm. X
27/010P2 7/010S	B	0,260,29	7/10PV	10–35 % E%	bBe	40 % e%		Zm. X
27/011S	O	0,66	7/10PV	–	a	–		
27/012P	B	1,220,57	7/10	10–35 % 35 %	bBn	40 %		Zm. X
27/013S	B	1,82,45	7/10PV	E%	vBe	e%		Zm. X
27/014S	P	2,783,53	–	–	–	–		Zm. X
27/015S	B	4,41	7/10PV	E%	vBe	e%		
27/016N	N	1,741,44	–	–	–	–		Zm. X
27/017N	P	0,07	–	–	–	–		
27/018K2 7/018N	D	2,791,76	–	–	–	–		Zm. X
27/019S2 7/019P	B	2,17	7/10	35 %	aBn	40 %		Zm. X
27/020S	B	3,882,84	7/10PV	E%	vBe	e%		Zm. X
27/022Z2 7/022S	B	0,870,54	7/10PV	10–35 % E%	bBe	40 % e%		Zm. X
27/023Z	R	0,20,15	5/7	10–35 % 3 %	b	40 %	park	zeleň parková Zm. X
27/024Z	B	0,230	7/10	10–35 %	b	40 %		
27/025S	B	0,270,53	7/10PV	E%	bBe	e%		Zm. X
27/026S	B	0,941	7/10PV	E%	bBe	e%		Zm. X
27/027N	N	20,8920,82	–	–	–	–		Zm. X
27/028N	D	0,66	–	–	–	–		
27/029Z	P	0,09	–	–	–	–		
27/030Z	B	0,79	7/10	10–35 % 35 %	bBn	40 %		etapizace ET-12

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
27/031S	B	0,88	7/10PV	E%	vBe	e%		
27/032S	O	1,01	7/10PV	–	a	–		
27/033S	B	0,78	7/10PV	E%	bBe	e%		
27/034S	B	2,093,01	7/10PV	E%	bBe	e%		Zm. X
27/035S	P	1,481,24	–	–	–	–		Zm. X
27/036S	B	0,720	7/10	–	b	–		
27/037S	R	0,54	5/7PV	–	s	–	park	zeleň-parková
27/038S	B	1,551,69	7/10PV	E%	bBe	e%		Zm. X
27/039Z	B	0,880,92	7/10	40–35-%35 %	bBn	40 %		etapizaceET-14, Zm. X
27/040Z	B	0,32	7/10	40–35-%35 %	bBn	40 %		etapizaceET-14
27/041Z	B	1,17	7/10	40–35-%35 %	bBn	40 %		etapizace, Zm. I/01, ET-14
27/042Z	B	1,091,08	7/10	40–35-%35 %	bBn	40 %		etapizaceET-12, Zm. X
27/043Z	P	1,611,37	–	–	–	–		Zm. X
27/044S	B	0,880,91	7/10PV	E%	bBe	e%		Zm. X
27/045S	P	2,582,33	–	–	–	–		Zm. X
27/046S	B	3,223,23	7/10PV	E%	vBe	e%		Zm. X
27/047S	D	1,64	–	–	–	–		
27/048S	B	0,23	7/10PV	E%	bBe	e%		
27/049S	O	0,29	7/10PV	–	a	–		
27/050S	B	0,29	7/10PV	E%	bBe	e%		
27/051S	B	0,16	7/10PV	E%	bBe	e%		
27/052P	D	1,37	–	–	–	–		
27/053S	B	0,87	7/10PV	E%	bBe	e%		
27/054S	B	2,04	7/10PV	E%	bBe	e%		
27/055S	B	3,221,37	7/10PV	E%	bBe	e%		Zm. X
27/056S	B	0,280,31	7/10PV	E%	bBe	e%		Zm. X
27/057P	P	0,430,44	–	–	–	–		Zm. X
27/058S	B	0,260,28	7/10PV	E%	bBe	e%		Zm. X
27/059N	N	0,63,76	–	–	–	–		UR-51 (P)Zm. X
27/060N	N	1-170	–	–	–	–		UR-26 (B)
27/061Z	B	0,340,35	7/10	40–35-%35 %	bBn	40 %		etapizaceET-14, Zm. X
27/062Z	R	0,19	5/7	40–35-%3 %	s	50 %	park	etapizace, zeleň-parková
27/063Z	B	0,32	7/10	40–35-%35 %	bBn	40 %		etapizaceET-14
27/064S	Z	1,731,8	3/5PV	E%	–	e%		Zm. X
27/065Z	P	0,670,17	–	–	–	–		Zm. X
27/066N	N	3,063,05	–	–	–	–		Zm. X
27/067S	B	0,941,02	7/10PV	E%	bBe	e%		Zm. X
27/068P	B	0,920,98	7/10	40–35-%35 %	bBn	40 %		Zm. X
27/069P	P	0,420,29	–	–	–	–		Zm. X
27/070N	N	9,117,58	–	–	–	–		Zm. X
27/071S	B	0,1	7/10PV	E%	Be	e%		
27/072N	P	0,55	–	–	–	–		
27/073K2 7/073Z	D	5,056,47	–	–	–	–		Zm. VI Zm. X
27/074N	N	17,8817,6	–	–	–	–		Zm. X
27/075S	ZB	1,67	3/5PV	E%	Be	e%	chatová osada	Zm. X
27/076S	B	2,691,67	7/10PV	E%	bBe	e%	odpadové hospodářství	Zm. I/02, Zm. X
27/077P	D	0,50,84	–	–	–	–		Zm. X
27/078S	B	1,41	7/10PV	E%	vBe	e%		
27/079S	P	0,70,69	Prp	Prp	Prp	Prp		PRP-001, Zm. X
27/082S	B	1,151,3	7/10Prp	Prp	bPrp	Prp		Zm. VI, PRP-001, Zm. X
27/083S	B	6,31,95	7/10PV	E%	vBe	e%		Zm. X
27/084S	D	2,332,23	–	–	–	–		Zm. X
27/085S	B	2,53	7/10PV	E%	vBe	e%		
27/086S	O	0,550,62	7/10PV	–	v	–	hřbitov	zeleň hřbitovůZm. X
27/087S	O	0,16	7/10PV	–	vBe	–		
27/088P	B	0,590,42	7/10	45–35-%35 %	bBn	40 %		US-136B, Zm. X
27/089Z	B	1,191,04	11/11	45–35-%35 %	bBn	40 %		US-136, etapizace, Zm. I/01, US-136B, ET-14, Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
27/090Z	P	0,410,38	–	–	–	–		Zm. X
27/091P	D	0,861,09	–	–	–	–		Zm. X
27/092K	W	2,97	–	–	–	–		
27/093Z	T	5,31	11/11	do 55-%55 %	a	15 %	ČOV, sběrný dvůr, bez ČS PHM	etapizaceET-14
27/094S	T	11,32	7/10PV	–	a	–	bez ČS PHM	
27/095S	P	0,28	–	–	–	–		
27/096S	B	2,51	7/10PV	E%	vBe	e%		
27/097N	D	0,41	–	–	–	–		
27/098S	B	0,631,07	11/11PV	E%	aBe	e%	bez ČS PHM	Zm. X
27/099S2 7/099P	B	12,66	11/117/10	35 %	aBn	–	bez ČS PHM	Zm. X
27/100Z	B	0,490,34	7/10Prp	15–35-%Prp	bPrp	40-%Prp		etapizace, RP-26, Zm. I/01, ET-34, PRP-001, Zm. X
27/101Z	P	1,92,23	Prp	Prp	Prp	Prp		RP-26, Zm. I/01, PRP-001, Zm. X
27/102Z	R	0,720,21	5/7Prp	do 3-%Prp	sPrp	50-%Prp	park	etapizace, zeleň-parková, RP-26, Zm. I/01, PRP-001, Zm. X
27/103S	B	0,28	7/10Prp	Prp	bPrp	Prp		RP-26, Zm. I/01, PRP-001, Zm. X
27/104Z	B	1,760,97	7/10Prp	15–35-%Prp	bPrp	40-%Prp		etapizace, RP-26, Zm. I/01, ET-14, PRP-001, Zm. X
27/105Z	B	2,891,6	7/10Prp	15–35-%Prp	bPrp	40-%Prp		etapizace, RP-26, Zm. I/01, ET-34, PRP-001, Zm. X
27/106R	N	0,71	–	–	–	–		
27/107N	N	17,59	–	–	–	–		
27/108S	V	25,5825,18	15/15PV	–	a	–	bez ČS PHM, logistika	Zm. X
27/109S	D	0,72	–	–	–	–		
27/110Z	V	3,910,8	11/11	do 55-%55 %	a	15 %	bez ČS PHM	etapizaceET-14, Zm. X
27/111Z	D	0,9	–	–	–	–		
27/112N	N	13,21	–	–	–	–		
27/113N	D	1,531,22	–	–	–	–		Zm. X
27/114N	D	8,626,97	–	–	–	–		Zm. X
27/115N	N	32,3	–	–	–	–		
27/116Z	P	0,280,27	–	–	–	–		Zm. X
27/117N	N	5,91	–	–	–	–		UR-29 (V)
27/118N	N	5,06	–	–	–	–		
27/119N	P	0,32	–	–	–	–		
27/120S	P	0,41	–	–	–	–		
27/121P2 7/121S	P	0,30,62	–	–	–	–		Zm. X
27/122N	W	3,45	–	–	–	–		
27/123K	N	9,09	–	–	–	–		navržený ÚSES
27/124N	W	4,71	–	–	–	–		
27/125K	W	3,15	–	–	–	–		navržený ÚSES
27/126Z	T	0,48	7/10	do 55-%55 %	a	15 %	bez ČS PHM	etapizaceET-14
27/127K	R	0,48	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny
27/128K	W	1,461,48	–	–	–	–		Zm. X
27/129Z	Z	1,13	3/5	do 10-%Z%	–	50 %		Zm. VI
27/130N	P	0,82	–	–	–	–		
27/131N	N	1,140	–	–	–	–		UR-27 (B)
27/132N	N	0,810	–	–	–	–		UR-50 (B)
27/133S	B	0,350,38	7/10PV	E%	bBe	e%		Zm. X
27/134Z	Z	1,7	3/5	do 10-%Z%	–	50 %		Zm. VI
27/135Z	P	0,25	Prp	Prp	Prp	Prp		Zm. VI, PRP-001
27/136S	B	0,07	PV	E%	Be	e%		Zm. X
27/137S	W	0,42	=	=	=	=		Zm. X
27/138N	D	1,52	=	=	=	=		Zm. X
27/139P	B	0,42	7/10	35 %	Bn	40 %		Zm. X
27/140S	B	0,19	PV	E%	Be	e%		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
<u>27/141P</u>	<u>P</u>	<u>0,07</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>27/142P</u>	<u>P</u>	<u>0,08</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>27/143Z</u>	<u>B</u>	<u>0,38</u>	<u>7/10</u>	<u>35 %</u>	<u>Bn</u>	<u>40 %</u>		<u>Zm. X</u>
<u>27/144P</u>	<u>B</u>	<u>0,97</u>	<u>7/10</u>	<u>35 %</u>	<u>Bn</u>	<u>40 %</u>		<u>Zm. X</u>
<u>27/145Z</u>	<u>D</u>	<u>1,79</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>27/146P</u>	<u>P</u>	<u>0,07</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>27/147S</u>	<u>I</u>	<u>0,45</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>27/148P</u>	<u>B</u>	<u>0,45</u>	<u>7/10</u>	<u>35 %</u>	<u>Bn</u>	<u>40 %</u>		<u>Zm. X</u>
<u>27/149Z</u>	<u>I</u>	<u>1,53</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>27/150S</u>	<u>P</u>	<u>0,15</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>27/151S</u>	<u>V</u>	<u>2,35</u>	<u>PV</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>27/152Z</u>	<u>P</u>	<u>0,16</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>Zm. X</u>
<u>27/153Z</u>	<u>B</u>	<u>0,67</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>		<u>ET-14, PRP-001, Zm. X</u>
<u>27/154Z</u>	<u>B</u>	<u>0,68</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>		<u>ET-34, PRP-001, Zm. X</u>
<u>27/155Z</u>	<u>B</u>	<u>0,63</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>		<u>ET-34, PRP-001, Zm. X</u>
<u>27/156P</u>	<u>B</u>	<u>2,69</u>	<u>7/10</u>	<u>35 %</u>	<u>Bn</u>	<u>40 %</u>		<u>Zm. X</u>
<u>27/157P</u>	<u>B</u>	<u>1,9</u>	<u>7/10</u>	<u>35 %</u>	<u>Bn</u>	<u>40 %</u>		<u>US-146, Zm. X</u>
<u>27/159P</u>	<u>P</u>	<u>0,24</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		<u>US-136B, Zm. X</u>
<u>27/160P</u>	<u>P</u>	<u>0,25</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>		<u>PRP-001, Zm. X</u>
<u>27/161Z</u>	<u>P</u>	<u>0,41</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>	<u>Prp</u>		<u>PRP-001, Zm. X</u>
Lokalita 28 – Slavonín								
28/001S	B	<u>3,732,77</u>	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		<u>Zm. X</u>
28/002S	B	<u>3,133,17</u>	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>	<u>sběrný dvůr</u>	<u>Zm. I/03, Zm. X</u>
28/003S	P	0,59	–	–	–	–		
28/004S	D	1,66	–	–	–	–		
28/005S	B	3,47	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		
28/006S	O	0,31	<u>7/10PV</u>	–	<u>vBe</u>	–		
28/007S	B	0,71	<u>7/10PV</u>	<u>E%</u>	<u>vBe</u>	<u>e%</u>		
28/008S	O	0,2	<u>7/10PV</u>	–	<u>vBe</u>	–		
28/009S	P	<u>2,362,01</u>	–	–	–	–		<u>Zm. X</u>
28/010S	B	0,46	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
28/011S	B	0,66	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
28/012K	<u>NW</u>	4,48	–	–	–	–	<u>poldr</u>	<u>Zm. I/03, Zm. X</u>
28/013S	B	0,32	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
28/014S	B	1,58	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		
28/015S	R	0,35	<u>5/7PV</u>	–	<u>s</u>	–	<u>park</u>	<u>zeleně-parková</u>
28/016S	P	0,19	–	–	–	–		
28/017S	B	<u>3,153,23</u>	<u>7/10PV</u>	<u>E%</u>	<u>bBe</u>	<u>e%</u>		<u>Zm. X</u>
28/018Z	B	1,54	<u>7/10</u>	<u>15–35 %35 %</u>	<u>bBn</u>	<u>40 %</u>		
28/019S	O	0,56	<u>7/10PV</u>	–	<u>a</u>	–	<u>hřbitov</u>	<u>zeleně-hřbitovní</u>
28/020Z	P	<u>0,540,48</u>	–	–	–	–		<u>Zm. X</u>
28/021Z	R	1,77	<u>5/7</u>	<u>de-3 %3 %</u>	<u>s</u>	<u>50 %</u>	<u>park</u>	<u>zeleně-parková</u>
28/022N	P	0,28	–	–	–	–		
<u>28/023N2</u> <u>8/023Z</u>	<u>NB</u>	<u>1,730,69</u>	<u>7/10</u>	<u>35 %</u>	<u>Bn</u>	<u>40 %</u>		<u>UR-30-(B)Zm. X</u>
<u>28/024P2</u> <u>8/024S</u>	B	<u>2,61,63</u>	<u>7/10PV</u>	<u>de-55 %E%</u>	<u>aBe</u>	<u>15 %e%</u>		<u>US-130, Zm. I/01Zm. X</u>
<u>28/025N2</u> <u>8/025Z</u>	<u>NB</u>	<u>0,710,75</u>	<u>7/10</u>	<u>35 %</u>	<u>Bn</u>	<u>40 %</u>		<u>UR-31-(B),US-130, Zm. I/01Zm. X</u>
28/026N	N	35,77	–	–	–	–		
28/027N	D	12,32	–	–	–	–		
28/028K	N	1,69	–	–	–	–		<u>navržený ÚSES</u>
28/029S	Z	0,88	<u>3/5PV</u>	<u>E%</u>	–	<u>e%</u>		
28/030N	D	1,92	–	–	–	–		
28/031N	N	<u>36,738,61</u>	–	–	–	–		<u>Zm. X</u>
<u>28/032R</u>	<u>N</u>	<u>1-760</u>	–	–	–	–		
28/033K	N	2,6	–	–	–	–		<u>navržený ÚSES</u>
28/035N	N	4,43	–	–	–	–		
28/036N	N	5,13	–	–	–	–		
28/037S	P	<u>0,130,25</u>	–	–	–	–		<u>Zm. X</u>
<u>28/038R2</u> <u>8/038S</u>	<u>RZ</u>	<u>3,93,78</u>	<u>PV</u>	<u>E%</u>	–	<u>e%</u>		<u>zeleně-rekreační-krajinyZm. X</u>

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
28/039S	O	2,45	5/7PV	–	a	–		
28/040N	N	69,55	–	–	–	–		
28/041S	D	3,12	11/11PV	–	s	–		
28/042N	P	2,492,48	–	–	–	–		Zm. X
28/043N	N	26,78	–	–	–	–		
28/044N	D	10,39	–	–	–	–		
28/045K	L	7,567,45	–	–	–	–		navržený ÚSES Zm. X
28/046N	L	2,71	–	–	–	–		
28/047K	L	3,37	–	–	–	–		navržený ÚSES
28/048N2 8/048K	NL	19,9317,71	–	–	–	–		UR-32 (L) Zm. X
28/049S	B	0,490,47	5/7PV	E%	bBe	e%		Zm. X
28/050N	L	1,76	–	–	–	–		
28/051N	L	7,14	–	–	–	–		
28/052K	R	2,73	–	–	–	–	zeleň rekreační krajiny	zeleň rekreační krajiny
28/053S	B	1,12	7/10PV	E%	bBe	e%		
28/054S	P	0,15	–	–	–	–		
28/055P	P	0,13	–	–	–	–		
28/056K	L	0,82	–	–	–	–		
28/057S	Z	11,57	3/5PV	E%	–	e%		
28/058S	B	0,370,45	7/10PV	E%	bBe	e%		Zm. X
28/059S	B	5,35	7/10PV	E%	bBe	e%		
28/060S	D	2,03	–	–	–	–		
28/061S	B	1,54	7/10PV	E%	bBe	e%		
28/062S	B	1,93	7/10PV	E%	bBe	e%		Zm. I/06
28/064S	B	0,27	7/10PV	E%	bBe	e%		
28/065S	B	0,36	7/10PV	E%	sBe	e%		
28/066S	P	0,33	–	–	–	–		
28/067Z	P	0,871,29	–	–	–	–		Zm. X
28/068K	NW	2,22,33	–	–	–	–	poldr	Zm. X
28/069N	N	4,696,18	–	–	–	–		UR-33 (B) UR-34 (R), Zm. X
28/070P	P	1,15	–	–	–	–		Zm. I/06
28/071N	N	26,1126,9	–	–	–	–		UR-34 (R), Zm. X
28/072Z	B	2,32,18	7/10	15–35–%35 %	bBn	40 %		etapizace ET-11, Zm. X
28/073S	B	0,670,79	7/10PV	E%	bBe	e%		Zm. X
28/074S	O	1,421,47	13/17PV	–	a	–		Zm. X
28/075P2 8/075S	O	0,640,58	13/17PV	do 40 %	a	20 %		Zm. X
28/076Z	B	1,020,89	11/15	15–40–%40 %	bBn	30 %		etapizace ET-14, Zm. X
28/077S	B	0,650,7	13/17PV	E%	pSe	e%		Zm. X
28/078S	P	0,130,19	–	–	–	–		Zm. X
28/079S	B	1,35	13/17PV	E%	bBe	e%		
28/080Z	B	0,380,34	11/15	15–40–%40 %	bBn	30 %		etapizace ET-14, Zm. X
28/081Z	P	0,210	–	–	–	–		
28/082Z2 8/082S	B	0,290,27	10/14PV	15–40–%E%	bBe	30–%e%		etapizace Zm. X
28/083S	P	0,12	–	–	–	–		
28/084P	TR	0,680,47	13/175/7	15–40–%3 %	a	30–%50 %	park	Zm. X
28/085P	B	0,730,44	13/1711/15	15–40–%40 %	bBn	30 %		Zm. X
28/086P	P	0,240,23	–	–	–	–		Zm. X
28/087S	B	0,5	13/17PV	E%	pSe	e%		
28/088S	P	0,511,16	–	–	–	–		Zm. X
28/089S	B	0,71,41	13/17PV	E%	bBe	e%		Zm. X
28/090S	B	0,360	13/17	–	p	–		
28/091Z2 8/091S	B	0,750,95	10/14PV	15–40–%E%	bBe	30–%e%		etapizace Zm. X
28/092P	P	0,380	–	–	–	–		
28/093P	B	1,0,62	11/15	15–40–%40 %	bBn	30 %		Zm. X
28/094P	B	0,31	11/15	15–40–%40 %	bBn	30 %		
28/095Z	O	0,490	5/7	do 20 %	a	40–%	kemp	etapizace
28/096P	R	0,320,18	5/7	do 3–%3 %	s	50 %	park	zeleň parková Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
28/097S	W	2,082,17	–	–	–	–		Zm. X
28/098S	P	0,420,66	–	–	–	–		Zm. X
28/099P	B	0,861,1	10/147/10	15–40–%40 %	bBn	30 %		Zm. X
28/100Z	B	1,340,56	10/1414/18	15–40–%40 %	bBn	30 %		etapizaceET-14, Zm. X
28/101P	P	0,34	–	–	–	–		Zm. I/02
28/102S	B	0,20,22	10/14PV	E%	bBe	e%		Zm. X
28/103Z	B	1,361,29	14/18	15–40–%40 %	bBn	30 %		etapizaceET-14, Zm. X
28/104Z	B	0,870,86	10/147/10	15–40–%40 %	bBn	30 %		etapizaceET-14, Zm. X
28/105P	P	0,190,22	–	–	–	–		Zm. X
28/106S	Z	1,011,75	3/5PV	E%	–	e%	chatová osada	Zm. X
28/107N	P	0,10,08	–	–	–	–		Zm. X
28/108S	Z	0,940	3/5	–	–	–	chatová osada	
28/109Z	R	2,081,52	5/7	do 3–%3 %	s	50 %	park	etapizace, zeleň-parkováZm. X
28/110Z	B	1,25	14/18	15–40–%40 %	bBn	30 %		etapizaceET-14
28/111Z	P	2,392,1	–	–	–	–		Zm. X
28/112Z2 8/112S	B	1,661,57	13/17PV	15–40–%E%	bBe	30–%e%		etapizaceZm. X
28/113S	B	1,741,4	13/17PV	E%	bBe	e%		Zm. X
28/114P	P	0,950,84	–	–	–	–		Zm. X
28/115Z	B	1,11	14/18	15–40–%40 %	bBn	30 %		etapizaceET-14
28/116Z	B	0,69	14/18	15–40–%40 %	bBn	30 %		etapizaceET-14
28/117S	B	0,50,41	13/17PV	E%	bBe	e%		Zm. X
28/118S	B	0,79	7/10PV	E%	bBe	e%		
28/119S	B	0,611,2	7/10PV	E%	bBe	e%		Zm. X
28/120P	B	0,570	7/10	15–40–%	b	30–%		
28/121P2 8/121S	B	1,381,15	10/14PV	15–40–%E%	bBe	30–%e%		Zm. X
28/122Z	B	0,280,33	10/147/10	15–40–%40 %	bBn	30 %		etapizaceET-14, Zm. X
28/123Z	B	1,61,58	10/147/10	15–40–%40 %	bBn	30 %		etapizaceET-14, Zm. X
28/124S	P	0,1	–	–	–	–		
28/125Z	P	0,670,63	–	–	–	–		Zm. X
28/126Z	P	0,450	–	–	–	–		
28/128N2 8/128Z	NP	0,550,84	–	–	–	–		UR-42 (P)Zm. X
28/129N	N	1,90	–	–	–	–		UR-43 (P)
28/130Z	P	0,260	–	–	–	–		
28/131N	N	1,43,64	–	–	–	–		UR-53 (B)UR-34 (R), Zm. X
28/132N	N	0,520	–	–	–	–		UR-54 (B)
28/133N	N	0,410	–	–	–	–		UR-19 (O)
28/134N	N	1-030	–	–	–	–		UR-55 (B)
28/135N2 8/135S	NR	1,150,96	PV	–	–	–	park	UR-56 (O)Zm. X
28/136N	N	1-390	–	–	–	–		UR-57 (P)
28/137S	B	0,96	5/7PV	E%	Be	e%		
28/138N	L	1,34	–	–	–	–		
28/139S	B	0,25	13/17PV	E%	bBe	e%		
28/140P	W	0,660,65	–	–	–	–	poldr	Zm. I/03, Zm. X
28/141S	B	0,110,08	7/10PV	E%	vBe	e%		Zm. I/03, Zm. X
28/142S	P	0,04	–	–	–	–		Zm. I/06
28/143Z	P	0,46	=	=	=	=		Zm. X
28/144Z	Z	1,52	3/5	C%	=	50 %		Zm. X
28/145S	P	0,42	=	=	=	=		Zm. X
28/146S	B	0,65	PV	E%	Be	e%		Zm. X
28/147S	B	0,57	PV	E%	Be	e%		Zm. X
28/148S	P	0,17	=	=	=	=		Zm. X
28/149S	B	0,26	PV	E%	Be	e%		Zm. X
28/150P	B	0,74	7/10	35 %	Bn	40 %		Zm. X
28/158Z	P	0,1	=	=	=	=		Zm. X
28/151Z	B	0,47	7/10	35 %	Bn	40 %		Zm. X
28/152Z	R	0,22	5/7	3 %	=	50 %	park	Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
28/153S	I	0,22	PV	=	=	=		Zm. X
28/154Z	B	0,42	14/18	40 %	Bn	30 %		ET-14, Zm. X
28/156P	B	0,96	7/10	35 %	Bn	40 %		Zm. X
28/157S	R	0,2	PV	=	=	=	park	Zm. X
Lokalita 29 – Nedvězí								
29/001S	B	3,49	7/10PV	E%	vBe	e%		
29/002S	B	0,55	7/10PV	E%	vBe	e%		
29/003S	B	1,65	7/10PV	E%	vBe	e%		
29/004S	R	0,19	5/7PV	–	s	–	park	zeleň parková
29/005S	B	2,282,29	7/10PV	E%	vBe	e%		Zm. X
29/006S	P	0,24	–	–	–	–		
29/007S	D	1,77	–	–	–	–		
29/008S	B	1,321,67	7/10PV	E%	vBe	e%		Zm. X
29/009S	P	1,191,16	–	–	–	–		Zm. X
29/010S	B	1,521,54	7/10PV	E%	vBe	e%		Zm. X
29/011N	N	0,270	–	–	–	–		UR-47 (P)
29/012N	N	1,445,38	–	–	–	–		UR-35 (B)Zm. X
29/013S	B	1,921,91	7/10PV	E%	aBe	e%		Zm. X
29/014S	P	0,90,91	–	–	–	–		Zm. X
29/015S	B	0,94	7/10PV	E%	aBe	e%		
29/016Z	P	0,70,68	–	–	–	–		Zm. X
29/017Z	B	0,850,84	7/10	10–35–%35 %	bBn	40 %		Zm. X
29/018Z	B	0,930,91	7/10	10–35–%35 %	bBn	40 %		Zm. X
29/019N	P	0,360,35	–	–	–	–		Zm. X
29/020S	O	1,041,07	7/10PV	–	a	–		Zm. X
29/021S	B	0,480,5	7/10PV	E%	bBe	e%		Zm. X
29/022S	B	1,022,07	7/10PV	E%	bBe	e%		Zm. X
29/023P	B	1,240,64	7/10	10–35–%35 %	bBn	40 %		Zm. X
29/024S	O	0,19	7/10PV	–	bBe	–		
29/025S	B	0,320	7/10	–	b	–		
29/026Z	P	0,360,31	–	–	–	–		Zm. X
29/027N	N	1,221,21	–	–	–	–		UR-44 (B)Zm. X
29/028S	P	0,210,18	–	–	–	–		Zm. X
29/029N	N	0,620	–	–	–	–		UR-46 (P)
29/030S	B	2,50,98	7/10PV	E%	bBe	e%		Zm. X
29/031Z	B	1,211,65	7/10	10–35–%35 %	bBn	40 %		Zm. X
29/032S	B	0,550,57	7/10PV	E%	bBe	e%		Zm. X
29/033P	R	0,15	5/7	de-3–%3 %	s	50 %	park	zeleň parková
29/034Z	B	0,880,58	7/10	10–35–%35 %	bBn	40 %		Zm. X
29/035Z2 9/035S	B	0,670,68	7/10PV	10–35–%E%	bBe	40–%e%		Zm. X
29/036Z2 9/036S	B	0,45	7/10PV	10–35–%E%	bBe	40–%e%		Zm. X
29/037Z2 9/037S	B	0,460,48	7/10PV	10–35–%E%	bBe	40–%e%		Zm. X
29/038Z	RE	0,710,44	5/77/10	de-3–%35 %	sBn	50–%40 %		zeleň parkováZm. X
29/039Z	P	1-130	–	–	–	–		
29/040Z2 9/040S	B	0,24	7/10PV	10–35–%E%	bBe	40–%e%		Zm. X
29/041S	R	0,650,56	5/7PV	–	s	–	park	zeleň parkováZm. X
29/042S	P	0,611,21	–	–	–	–		Zm. X
29/043Z	B	0,340	7/10	10–35–%	b	40–%		
29/044S	B	0,481,88	7/10PV	E%	bBe	e%		Zm. X
29/045S	B	0,220	7/10	–	b	–		
29/046Z	B	0,260	7/10	10–35–%	b	40–%		
29/047S	B	0,20	7/10	–	b	–		
29/048Z	B	0,210	7/10	10–35–%	b	40–%		
29/049Z	DE	1,151,25	–	–	–	–		Zm. X
29/050Z	B	1,111,7	7/10	10–35–%35 %	bBn	40 %		Zm. X
29/051Z	B	0,420	7/10	10–35–%	b	40–%		
29/052S	B	0,290,3	7/10PV	E%	bBe	e%		Zm. X
29/053N	D	0,9	–	–	–	–		
29/054Z	B	0,960,38	7/10	10–35–%35 %	bBn	40 %		Zm. I/01, Zm. X
29/055Z	P	0,30,08	–	–	–	–		Zm. X
29/056N	N	43,1242,84	–	–	–	–		Zm. X

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
29/057N	P	2,022,01	–	–	–	–		Zm. X
29/058N	N	3 680	–	–	–	–		
29/059S2 9/059P	V	3,72	7/1011/11	55 %	a	15 %	zemědělství	
29/060N	N	113,09	–	–	–	–		
29/061N	N	4,22	–	–	–	–		
29/062N	D	8,16	–	–	–	–		
29/063Z	D	2,54	11/11	do 20 %20 %	s	15 %		
29/064S	O	0,22	5/7PV	–	a	–	hřbitov	zeleň-hřbitovů
29/065N	N	74,3371,25	–	–	–	–		Zm. X
29/066N	D	13,36	–	–	–	–		
29/067Z2 9/067S	T	1,431,88	11/11PV	do 55 %	a	15 %		Zm. X
29/068N	D	1,25	–	–	–	–		
29/069N	D	4,94	–	–	–	–		
29/070N	N	107,64108,5	–	–	–	–		Zm. X
29/071N	N	1	–	–	–	–		
29/072N	N	59,6159,69	–	–	–	–		Zm. X
29/073N	D	0,59	–	–	–	–		
29/074N	N	0,510	–	–	–	–		UR-45 (B)
29/075Z	B	0,920,68	7/10	10–35 %35 %	bBn	40 %		Zm. X
29/076Z	B	0,630,54	7/10	10–35 %35 %	bBn	40 %		Zm. X
29/077Z2 9/077S	B	0,23	7/10PV	10–35 %E%	bBe	40 %e%		Zm. X
29/078N	N	2,442,87	–	–	–	–		UR-36 (B)Zm. X
29/079N	N	0,290	–	–	–	–		UR-52 (P)
29/080S	B	0,77	PV	E%	Be	e%		Zm. X
29/081S	B	0,86	PV	E%	Be	e%		Zm. X
29/082Z	B	0,22	7/10	35 %	Bn	40 %		Zm. X
29/083S	B	0,32	PV	E%	Be	e%		Zm. X
29/084S	P	0,12	=	=	=	=		Zm. X
29/085S	B	0,57	PV	E%	Be	e%		Zm. X
29/086S	P	0,05	=	=	=	=		Zm. X
29/087Z	P	0,14	=	=	=	=		Zm. X
29/088N	N	2,42	=	=	=	=		UR-66 (D), Zm. X
Lokalita 30 – Technopark								
30/001S	V	1,54	15/15PV	–	a	–		
30/002S	V	1,32	15/15PV	–	a	–		
30/003Z3 0/003S	V	22,26	15/15PV	do 55 %	a	15 %	logistika	Zm. X
30/004Z3 0/004S	P	1,68	–	–	–	–		Zm. X
30/005Z	V	23 430	15/15	do 55 %	a	15 %	logistika	
30/006N	D	1,43	–	–	–	–		
30/007N	N	12,28	–	–	–	–		
30/008N	N	7,62	–	–	–	–		
30/009N	N	46,01	–	–	–	–		
30/010N	D	9,25	–	–	–	–		
30/011N	D	5,69	–	–	–	–		
30/012N	D	0,5	–	–	–	–		
30/013N	N	6,92	–	–	–	–		
30/015S	V	23,43	PV	=	=	=	logistika	Zm. X
Lokalita 31 – Topolany								
31/001S	B	2,44	7/10PV	E%	vBe	e%		
31/002S	P	1,06	–	–	–	–		
31/003S	O	0,3	7/10PV	–	a	–		
31/004S	B	0,44	7/10PV	E%	vBe	e%		
31/005Z	R	0,97	5/7	do 3 %3 %	s	50 %	park	etapizace, zeleň-parková, Zm. I/01
31/006Z	P	0,1	–	–	–	–		
31/007Z	B	1	7/10	10–35 %35 %	bBn	40 %		etapizaceET-16
31/008Z	B	0,55	7/10	10–35 %35 %	bBn	40 %		Zm. I/01
31/009Z	B	0,48	7/10	10–35 %35 %	bBn	40 %		etapizaceET-16
31/010Z	B	0,92	7/10	10–35 %35 %	bBn	40 %		
31/011Z	P	0,68	–	–	–	–		

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavenost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
31/012Z	B	0,19	7/10	10-35-%35 %	bBn	40 %		
31/013Z	B	0,35	7/10	10-35-%35 %	bBn	40 %		etapizace ET-16
31/014S	B	0,73	7/10PV	E%	bBe	e%		
31/015S	P	0,580,56	—	—	—	—		Zm. X
31/016S	B	0,67	7/10PV	E%	bBe	e%		
31/017N	N	0,950,93	—	—	—	—		UR-37 (B), Zm. X
31/018Z	P	0,180,22	—	—	—	—		Zm. X
31/019S	B	0,54	7/10PV	E%	bBe	e%		
31/020P	B	0,40,91	7/10	10-35-%35 %	bBn	40 %		Zm. X
31/021P	P	0,27	—	—	—	—		
31/022S	B	1,831,88	7/10PV	E%	aBe	e%		Zm. X
31/023S	B	0,990,43	7/10PV	E%	bBe	e%		Zm. X
31/024N	N	3,18	—	—	—	—		
31/025S	B	1,01	7/10PV	E%	vBe	e%		
31/026S	O	1,491,5	7/10PV	—	a	—		Zm. X
31/027S	R	0,39	5/7PV	—	s	—	park	zeleň-parková
31/028N	N	1,53	—	—	—	—		
31/029N	N	50,45	—	—	—	—		
31/030Z3 1/030N	RN	0,152,03	5/7	do 3-%	s	50-%		zeleň-parková, etapizace Zm. X
31/031K	N	5,66	—	—	—	—		navržený ÚSES
31/032Z3 1/032S	B	0,920,15	7/10PV	10-35-%E%	bBe	40-%e%		etapizace Zm. X
31/033S	B	0,48	7/10PV	E%	vBe	e%		
31/034S	P	0,750,72	—	—	—	—		Zm. X
31/035Z	P	0,710,23	—	—	—	—		Zm. X
31/036Z	B	1,751,02	7/10	10-35-%35 %	bBn	40 %		Zm. X
31/037S	B	0,611,36	7/10PV	E%	bBe	e%		Zm. X
31/038S	B	1,91,95	7/10PV	E%	vBe	e%		Zm. X
31/039K	N	0,77	—	—	—	—	ochranné zatravnění	ochranné zatravnění
31/040N	D	0,46	—	—	—	—		
31/041N	N	1,58	—	—	—	—		
31/042S	B	0,82	7/10PV	E%	bBe	e%		
31/043S	D	0,92	—	—	—	—		
31/044S	B	0,28	7/10PV	E%	vBe	e%		
31/045S	B	0,38	7/10PV	E%	vBe	e%		
31/046K	N	3,54	—	—	—	—	ochranné zatravnění	ochranné zatravnění
31/047S	B	0,70,42	7/10PV	E%	vBe	e%		Zm. X
31/048S	P	0,6	—	—	—	—		
31/049S	P	0,2	—	—	—	—		
31/050N	N	6,97	—	—	—	—		
31/051S	B	0,17	7/10PV	E%	Be	e%		
31/052S	B	1,5	7/10PV	E%	bBe	e%		
31/053S	B	0,8	7/10PV	E%	bBe	e%		
31/054N	N	0,68	—	—	—	—		UR-48 (B)
31/055S	B	0,14	5/7PV	E%	Be	e%		
31/056N	N	78,4	—	—	—	—		
31/057N	D	3,49	—	—	—	—		
31/058N	D	3,41	—	—	—	—		
31/059Z	D	10,33	—	—	—	—		
31/060N	N	105,52	—	—	—	—		
31/061Z	D	12,98	—	—	—	—		
31/062N	N	47,74	—	—	—	—		
31/063N	D	1,12	—	—	—	—		
31/064N	N	157,25	—	—	—	—		
31/065N	D	0,38	—	—	—	—		
31/066N	N	2,07	—	—	—	—		Zm. I/03
31/067N	D	1,16	—	—	—	—		
31/068N	N	3,49	—	—	—	—		
31/069Z	P	0,27	—	—	—	—		
31/070N	D	1,39	—	—	—	—		
31/071K	N	1	—	—	—	—		navržený ÚSES
31/072K	N	0,43	—	—	—	—		navržený ÚSES
31/073Z	P	0,11	—	—	—	—		
31/074K	N	1,25	—	—	—	—	ochranné zatravnění	ochranné zatravnění

kód plochy	využití plochy	výměra plochy [ha]	max. výška zástavby [m]	zastavěnost	struktura zástavby	min. podíl zeleně	zpřesnění podmínek využití	poznámky
31/075K	<u>NW</u>	9,75	–	–	–	–	poldr	<u>Zm. X</u>
31/076K	<u>NW</u>	3,48	–	–	–	–	poldr	<u>Zm. X</u>
31/077K	N	1	–	–	–	–		navržený ÚSES
31/078N	N	0,21	–	–	–	–		UR-49 (P)
31/079Z	Z	0,680	3/5	do 10 %	–	50 %		etapizace
31/080K	<u>NW</u>	1,02	–	–	–	–	poldr	Zm. I/03, <u>Zm. X</u>
<u>31/081P</u>	<u>P</u>	<u>0,05</u>	<u>=</u>	<u>=</u>	<u>=</u>	<u>=</u>		Zm. X
<u>31/082S</u>	<u>B</u>	<u>0,22</u>	<u>PV</u>	<u>E%</u>	<u>Be</u>	<u>e%</u>		Zm. X